

Data Path : Z:\HPCHEM1\BNA G\DATA\BG111517\
 Data File : BG031023.D
 Acq On : 15 Nov 2017 19:56
 Operator : SJ/JU
 Sample : I6305-10
 Misc :
 ALS Vial : 18 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :

Quant Time: Nov 16 07:45:01 2017
 Quant Method : Z:\HPCHEM1\BNA G\METHODS\8270-BG111017.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Nov 10 15:38:25 2017
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.14	152	27756	20.00	ng	-0.01
21) Naphthalene-d8	10.95	136	109629	20.00	ng	-0.01
38) Acenaphthene-d10	14.76	164	76456	20.00	ng	-0.01
63) Phenanthrene-d10	17.50	188	244451	20.00	ng	-0.01
75) Chrysene-d12	21.77	240	365471	20.00	ng	-0.01
86) Perylene-d12	25.06	264	360014	20.00	ng	-0.03
System Monitoring Compounds						
5) 2-Fluorophenol	5.70	112	230925	142.66	ng	0.00
7) Phenol-d6	7.31	99	259761	119.12	ng	0.00
23) Nitrobenzene-d5	9.31	82	194720	105.25	ng	-0.01
41) 2,4,6-Tribromophenol	16.24	330	277865	224.66	ng	-0.01
44) 2-Fluorobiphenyl	13.38	172	645807	121.37	ng	-0.02
78) Terphenyl-d14	20.09	244	1700926	102.77	ng	0.00
Target Compounds						
31) Naphthalene	11.01	128	18800	3.49	ng	Qvalue # 95

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA G\DATA\BG111517\
Data File : BG031023.D
Acq On : 15 Nov 2017 19:56
Operator : SJ/JU
Sample : I6305-10
Misc :
ALS Vial : 18 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :

Quant Time: Nov 16 07:45:01 2017
Quant Method : Z:\HPCHEM1\BNA G\METHODS\8270-BG111017.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Nov 10 15:38:25 2017
Response via : Initial Calibration






#1



1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 8.14 min Scan# 826
Delta R.T. -0.01 min
Lab File: BG031023.D
Acq: 15 Nov 2017 19:56

Instrument :
BNA_G
ClientSampleId :

Tot Ion:152 Resp: 27756
Ion Ratio Lower Upper
152 100
150 164.6 126.6 189.8
115 56.5 53.0 79.4




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 142.66 ng
RT: 5.70 min Scan# 411
Delta R.T. -0.01 min
Lab File: BG031023.D
Acq: 15 Nov 2017 19:56

Tgt Ion:112 Resp: 230925
Ion Ratio Lower Upper
112 100
64 54.0 56.3 84.5#
63 31.5 30.1 45.1



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BGC
Ion 63.00 (62.70 to 63.70): BGC





#7

Phenol-d6

Concen: 119.12 ng

RT: 7.31 min Scan# 684

Delta R.T. -0.00 min

Lab File: BG031023.D

Acq: 15 Nov 2017 19:56

Instrument :

BNA_G

ClientSampleId :


Tot Ion: 99 Resp: 259761

Ion Ratio Lower Upper




99 100

42 17.1 14.1 21.1

71 39.0 26.1 39.1



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 10.95 min Scan# 1305

Delta R.T. -0.01 min

Lab File: BG031023.D

Acq: 15 Nov 2017 19:56

Tgt Ion: 136 Resp: 109629


Ion Ratio Lower Upper

136 100



137 10.8 9.2 13.8


54 6.5 10.3 15.5#

68 3.0 4.5 6.7#



Abundance Ion 136.00 (135.70 to 136.70): BGC
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC









#23
 Nitrobenzene-d5
 Concen: 105.25 ng
 RT: 9.31 min Scan# 1025
 Delta R.T. -0.01 min
 Lab File: BG031023.D
 Acq: 15 Nov 2017 19:56

Instrument :
 BNA_G
 ClientSampleId :

Tot Ion: 82 Resp: 194720
 Ion Ratio Lower Upper
 82 100
 128 47.8 29.7 44.5#
 54 49.8 43.1 64.7




Abundance Ion 82.00 (81.70 to 82.70): BGC
 Ion 128.00 (127.70 to 128.70): BGC
 Ion 54.00 (53.70 to 54.70): BGC






#31
 Naphthalene
 Concen: 3.49 ng
 RT: 11.01 min Scan# 1314
 Delta R.T. -0.01 min
 Lab File: BG031023.D
 Acq: 15 Nov 2017 19:56

Tgt Ion: 128 Resp: 18800
 Ion Ratio Lower Upper
 128 100
 129 13.1 8.6 12.8#
 127 12.9 11.6 17.4



Abundance Ion 128.00 (127.70 to 128.70): BGC
 Ion 129.00 (128.70 to 129.70): BGC
 Ion 127.00 (126.70 to 127.70): BGC





#38

Acenaphthene-d10

Concen: 20.00 ng

RT: 14.76 min Scan# 1953

Delta R.T. -0.01 min

Lab File: BG031023.D

Acq: 15 Nov 2017 19:56

Instrument :

BNA_G

ClientSampleId :


Tot Ion:164 Resp: 76456

Ion Ratio Lower Upper

164 100

162 102.2 78.8 118.2




160 45.2 35.4 53.0



Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E



#41

2,4,6-Tribromophenol

Concen: 224.66 ng

RT: 16.24 min Scan# 2205

Delta R.T. -0.01 min

Lab File: BG031023.D

Acq: 15 Nov 2017 19:56


Tgt Ion:330 Resp: 277865

Ion Ratio Lower Upper

330 100

332 96.6 77.0 115.6



141 25.9 25.2 37.8




Abundance Ion 329.80 (329.50 to 330.50): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E









#44
 2-Fluorobiphenyl
 Concen: 121.37 ng
 RT: 13.38 min Scan# 1718
 Delta R.T. -0.02 min
 Lab File: BG031023.D
 Acq: 15 Nov 2017 19:56




Instrument :
 BNA_G
 ClientSampleId :

Tot Ion	Ratio	Lower	Upper
172	100		
171	36.6	30.0	45.0
170	22.7	19.5	29.3



#63
 Phenanthrene-d10
 Concen: 20.00 ng
 RT: 17.50 min Scan# 2419
 Delta R.T. -0.01 min
 Lab File: BG031023.D
 Acq: 15 Nov 2017 19:56

Tgt Ion	Ratio	Lower	Upper
188	100		
94	4.6	6.9	10.3#
80	4.8	7.7	11.5#





#75

Chrysene-d12

Concen: 20.00 ng

RT: 21.77 min Scan# 3146

Delta R.T. -0.01 min

Lab File: BG031023.D

Acq: 15 Nov 2017 19:56

Instrument :

BNA_G

ClientSampled :


Tot Ion:240 Resp: 365471

Ion Ratio Lower Upper

240 100

120 4.2 6.8 10.2#




236 25.2 20.9 31.3



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 102.77 ng

RT: 20.09 min Scan# 2860

Delta R.T. -0.01 min

Lab File: BG031023.D

Acq: 15 Nov 2017 19:56


Tgt Ion:244 Resp: 1700926

Ion Ratio Lower Upper

244 100

212 7.7 5.8 8.8



122 6.0 7.0 10.4#




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E






#86
Pervlene-d12
Concen: 20.00 ng
RT: 25.06 min Scan# 3706
Delta R.T. -0.03 min
Lab File: BG031023.D
Acq: 15 Nov 2017 19:56

Instrument :
BNA_G
ClientSampleId :

Tot Ion	Ratio	Lower	Upper
264	100		
260	22.8	17.4	26.0
265	20.1	17.7	26.5



Abundance Ion 264.00 (263.70 to 264.70): E
Ion 260.00 (259.70 to 260.70): E
Ion 265.00 (264.70 to 265.70): E

