

Data Path : Z:\SVOASRV\HPCHEM1\BNA_G\DATA\BG111618\
 Data File : BG038045.D
 Acq On : 16 Nov 2018 22:34
 Operator : JU/SJ
 Sample : PB114870BL
 Misc :
 ALS Vial : 17 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 PB114870BL

Quant Time: Nov 17 02:54:17 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_G\METHODS\8270-BG111318.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Nov 13 16:39:28 2018
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.08	152	45208	20.00	ng	0.00
21) Naphthalene-d8	10.90	136	190977	20.00	ng	0.00
39) Acenaphthene-d10	14.72	164	119633	20.00	ng	0.00
64) Phenanthrene-d10	17.47	188	289782	20.00	ng	0.00
76) Chrysene-d12	21.75	240	283258	20.00	ng	0.00
87) Perylene-d12	25.08	264	288005	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.63	112	353395	134.97	ng	0.00
7) Phenol-d6	7.23	99	492236	131.70	ng	0.00
23) Nitrobenzene-d5	9.26	82	300431	84.21	ng	0.00
42) 2,4,6-Tribromophenol	16.21	330	168277	123.34	ng	0.00
45) 2-Fluorobiphenyl	13.34	172	702191	85.51	ng	0.00
79) Terphenyl-d14	20.07	244	1113798	92.52	ng	0.00
Target Compounds						
19) n-Nitroso-di-n-propylamine	9.26	70	37295	13.790	ng	# 72
51) 2,6-Dinitrotoluene	14.72	165	15485	7.214	ng	# 23
57) 2,4-Dinitrotoluene	14.72	165	15485	5.302	ng	# 23
67) 4-Bromophenyl-phenylether	16.21	248	12270	3.858	ng	# 1


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA_G\DATA\BG111618\
Data File : BG038045.D
Acq On : 16 Nov 2018 22:34
Operator : JU/SJ
Sample : PB114870BL
Misc :
ALS Vial : 17 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
PB114870BL

Quant Time: Nov 17 02:54:17 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_G\METHODS\8270-BG111318.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Nov 13 16:39:28 2018
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
 Concen: 20.000 ng
 RT: 8.08 min Scan# 816
 Delta R.T. -0.01 min
 Lab File: BG038045.D
 Acq: 16 Nov 2018 22:34

Instrument :
 BNA_G
 ClientSampleId :
 PB114870BL

Tgt Ion:152 Resp: 45208
 Ion Ratio Lower Upper
 152 100
 150 161.6 126.0 189.0
 115 60.5 45.5 68.3




Abundance Ion 152.00 (151.70 to 152.70): E
 Ion 150.00 (149.70 to 150.70): E
 Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
 Concen: 134.967 ng
 RT: 5.63 min Scan# 398
 Delta R.T. -0.00 min
 Lab File: BG038045.D
 Acq: 16 Nov 2018 22:34

Tgt Ion:112 Resp: 353395
 Ion Ratio Lower Upper
 112 100
 64 67.6 53.1 79.7
 63 34.9 27.3 40.9



Abundance Ion 112.00 (111.70 to 112.70): E
 Ion 64.00 (63.70 to 64.70): BG
 Ion 63.00 (62.70 to 63.70): BG





#7

Phenol-d6

Concen: 131.699 ng

RT: 7.23 min Scan# 671

Delta R.T. 0.00 min

Lab File: BG038045.D

Acq: 16 Nov 2018 22:34

Instrument :

BNA_G

ClientSampleId :

PB114870BL


Tgt Ion: 99 Resp: 492236

Ion Ratio Lower Upper




99 100

42 19.6 15.0 22.4

71 32.6 25.5 38.3



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#19

n-Nitroso-di-n-propylamine

Concen: 13.790 ng

RT: 9.26 min Scan# 1017

Delta R.T. 0.37 min

Lab File: BG038045.D

Acq: 16 Nov 2018 22:34

Tgt Ion: 70 Resp: 37295


Ion Ratio Lower Upper

70 100



42 49.0 53.9 80.9#


101 0.0 8.2 12.2#

130 1.7 18.2 27.4#



Abundance Ion 70.00 (69.70 to 70.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 101.00 (100.70 to 101.70): BGC
Ion 130.00 (129.70 to 130.70): BGC









#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.90 min Scan# 1296
Delta R.T. -0.01 min
Lab File: BG038045.D
Acq: 16 Nov 2018 22:34




Instrument :
BNA_G
ClientSampleId :
PB114870BL


Tgt Ion:	136	Resp:	190977
Ion	Ratio	Lower	Upper
136	100		
137	11.8	9.6	14.4
54	11.1	7.9	11.9
68	6.3	4.8	7.2



#23
Nitrobenzene-d5
Concen: 84.210 ng
RT: 9.26 min Scan# 1017
Delta R.T. 0.00 min
Lab File: BG038045.D
Acq: 16 Nov 2018 22:34

Tgt Ion:	82	Resp:	300431
Ion	Ratio	Lower	Upper
82	100		
128	43.7	34.6	51.8
54	55.3	45.3	67.9





#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 14.72 min Scan# 1946

Delta R.T. 0.00 min

Lab File: BG038045.D

Acq: 16 Nov 2018 22:34

Instrument :

BNA_G

ClientSampleId :

PB114870BL





Tgt Ion:164 Resp: 119633

Ion Ratio Lower Upper

164 100

162 104.3 81.3 121.9

160 45.5 36.3 54.5



#42

2,4,6-Tribromophenol

Concen: 123.335 ng

RT: 16.21 min Scan# 2199

Delta R.T. -0.01 min

Lab File: BG038045.D

Acq: 16 Nov 2018 22:34




Tgt Ion:330 Resp: 168277


Ion Ratio Lower Upper

330 100

332 96.2 78.4 117.6

141 41.2 32.2 48.2









#45
 2-Fluorobiphenyl
 Concen: 85.510 ng
 RT: 13.34 min Scan# 1711
 Delta R.T. -0.01 min
 Lab File: BG038045.D
 Acq: 16 Nov 2018 22:34

Instrument :
 BNA_G
 ClientSampleId :
 PB114870BL

Tgt Ion	Ratio	Lower	Upper
172	100		
171	37.8	31.0	46.4
170	24.4	20.2	30.2




Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E






#51
 2,6-Dinitrotoluene
 Concen: 7.214 ng
 RT: 14.72 min Scan# 1945
 Delta R.T. 0.41 min
 Lab File: BG038045.D
 Acq: 16 Nov 2018 22:34

Tgt Ion	Ratio	Lower	Upper
165	100		
63	0.0	43.4	65.2#
89	0.0	45.8	68.6#



Abundance Ion 165.00 (164.70 to 165.70): E
 Ion 63.00 (62.70 to 63.70): BG
 Ion 89.00 (88.70 to 89.70): BG






#57
 2,4-Dinitrotoluene
 Concen: 5.302 ng
 RT: 14.72 min Scan# 1945
 Delta R.T. -0.37 min
 Lab File: BG038045.D
 Acq: 16 Nov 2018 22:34

Instrument :
 BNA_G
 ClientSampleId :
 PB114870BL

Tgt Ion	Ratio	Lower	Upper
165	100		
63	0.0	33.4	50.0#
89	0.0	57.2	85.8#
182	0.0	2.6	4.0#






Abundance Ion 165.00 (164.70 to 165.70): E

15000 Ion 63.00 (62.70 to 63.70): BGC


Ion 89.00 (88.70 to 89.70): BGC

Ion 182.00 (181.70 to 182.70): E



#64
 Phenanthrene-d10
 Concen: 20.000 ng
 RT: 17.47 min Scan# 2413
 Delta R.T. -0.01 min
 Lab File: BG038045.D
 Acq: 16 Nov 2018 22:34



Tgt Ion	Ratio	Lower	Upper
188	100		
94	9.1	7.2	10.8
80	10.4	7.7	11.5




Abundance Ion 188.00 (187.70 to 188.70): E

250000 Ion 94.00 (93.70 to 94.70): BGC

Ion 80.00 (79.70 to 80.70): BGC









#67
 4-Bromophenyl-phenylether
 Concen: 3.858 ng
 RT: 16.21 min Scan# 2199
 Delta R.T. -0.45 min
 Lab File: BG038045.D
 Acq: 16 Nov 2018 22:34

Instrument :
 BNA_G
 ClientSampleId :
 PB114870BL

Tgt Ion:248 Resp: 12270
 Ion Ratio Lower Upper
 248 100
 250 188.6 77.0 115.6#
 141 413.3 55.5 83.3#




Abundance Ion 248.00 (247.70 to 248.70): E
 Ion 250.00 (249.70 to 250.70): E
 Ion 141.00 (140.70 to 141.70): E






#76
 Chrysene-d12
 Concen: 20.000 ng
 RT: 21.75 min Scan# 3142
 Delta R.T. -0.01 min
 Lab File: BG038045.D
 Acq: 16 Nov 2018 22:34

Tgt Ion:240 Resp: 283258
 Ion Ratio Lower Upper
 240 100
 120 11.0 8.1 12.1
 236 26.9 21.4 32.0



Abundance Ion 240.00 (239.70 to 240.70): E
 Ion 120.00 (119.70 to 120.70): E
 Ion 236.00 (235.70 to 236.70): E





#79

Terphenyl-d14

Concen: 92.523 ng

RT: 20.07 min Scan# 2856

Delta R.T. 0.00 min

Lab File: BG038045.D

Acq: 16 Nov 2018 22:34

Instrument :

BNA_G

ClientSampleId :

PB114870BL


Tgt Ion:244 Resp: 1113798

Ion Ratio Lower Upper

244 100

212 8.3 6.5 9.7




122 10.7 9.0 13.4



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#87

Perylene-d12

Concen: 20.000 ng

RT: 25.08 min Scan# 3708

Delta R.T. -0.01 min

Lab File: BG038045.D

Acq: 16 Nov 2018 22:34


Tgt Ion:264 Resp: 288005

Ion Ratio Lower Upper

264 100

260 22.6 18.2 27.4

265 20.3 17.9 26.9



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

