

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG111618\
 Data File : BG038059.D
 Acq On : 17 Nov 2018 7:45
 Operator : JU/SJ
 Sample : PB114894BL
 Misc :
 ALS Vial : 29 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :

Quant Time: Nov 19 05:46:36 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG111318.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Nov 13 16:39:28 2018
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.08	152	42677	20.00	ng	0.00
21) Naphthalene-d8	10.90	136	179175	20.00	ng	0.00
39) Acenaphthene-d10	14.72	164	113274	20.00	ng	0.00
64) Phenanthrene-d10	17.47	188	267210	20.00	ng	0.00
76) Chrysene-d12	21.75	240	263118	20.00	ng	0.00
87) Perylene-d12	25.07	264	264347	20.00	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.63	112	363269	146.97	ng	0.00
7) Phenol-d6	7.23	99	499846	141.67	ng	0.00
23) Nitrobenzene-d5	9.26	82	311174	92.97	ng	0.00
42) 2,4,6-Tribromophenol	16.21	330	171303	132.60	ng	0.00
45) 2-Fluorobiphenyl	13.34	172	705852	90.78	ng	0.00
79) Terphenyl-d14	20.07	244	1108135	99.10	ng	0.00
Target Compounds						
19) n-Nitroso-di-n-propylamine	9.26	70	38739	15.174	ng	# 71
51) 2,6-Dinitrotoluene	14.72	165	14432	7.101	ng	# 25
57) 2,4-Dinitrotoluene	14.72	165	14432	5.219	ng	# 25
67) 4-Bromophenyl-phenylether	16.21	248	11968	4.081	ng	# 1

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG111618\
Data File : BG038059.D
Acq On : 17 Nov 2018 7:45
Operator : JU/SJ
Sample : PB114894BL
Misc :
ALS Vial : 29 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :

Quant Time: Nov 19 05:46:36 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG111318.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Nov 13 16:39:28 2018
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.08 min Scan# 816
Delta R.T. -0.01 min
Lab File: BG038059.D
Acq: 17 Nov 2018 7:45

Instrument :
BNA_G
ClientSampled :

Tot Ion:152 Resp: 42677
Ion Ratio Lower Upper
152 100
150 151.2 126.0 189.0
115 54.9 45.5 68.3




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5

2-Fluorophenol
Concen: 146.966 ng
RT: 5.63 min Scan# 399
Delta R.T. -0.00 min
Lab File: BG038059.D
Acq: 17 Nov 2018 7:45

Tgt Ion:112 Resp: 363269
Ion Ratio Lower Upper
112 100
64 65.2 53.1 79.7
63 33.9 27.3 40.9



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BG
Ion 63.00 (62.70 to 63.70): BG





#7

Phenol-d6

Concen: 141.667 ng

RT: 7.23 min Scan# 671

Delta R.T. -0.00 min

Lab File: BG038059.D

Acq: 17 Nov 2018 7:45

Instrument :

BNA_G

ClientSampled :


Tot Ion: 99 Resp: 499846

Ion Ratio Lower Upper




99 100

42 19.5 15.0 22.4

71 33.6 25.5 38.3



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#19

n-Nitroso-di-n-propylamine

Concen: 15.174 ng

RT: 9.26 min Scan# 1017

Delta R.T. 0.37 min

Lab File: BG038059.D

Acq: 17 Nov 2018 7:45

Tgt Ion: 70 Resp: 38739


Ion Ratio Lower Upper

70 100



42 48.1 53.9 80.9#


101 0.0 8.2 12.2#

130 1.8 18.2 27.4#



Abundance Ion 70.00 (69.70 to 70.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 101.00 (100.70 to 101.70): BGC
Ion 130.00 (129.70 to 130.70): BGC





#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.90 min Scan# 1296

Delta R.T. -0.01 min

Lab File: BG038059.D

Acq: 17 Nov 2018 7:45

Instrument :

BNA_G

ClientSampled :

Tot Ion:136 Resp: 179175


Ion Ratio Lower Upper

136 100

137 11.2 9.6 14.4

54 10.9 7.9 11.9

68 5.9 4.8 7.2






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BGC

Ion 68.00 (67.70 to 68.70): BGC



#23

Nitrobenzene-d5

Concen: 92.966 ng

RT: 9.26 min Scan# 1017

Delta R.T. -0.00 min

Lab File: BG038059.D

Acq: 17 Nov 2018 7:45


Tgt Ion: 82 Resp: 311174

Ion Ratio Lower Upper

82 100

128 43.9 34.6 51.8



54 57.2 45.3 67.9




Abundance Ion 82.00 (81.70 to 82.70): BGC

Ion 128.00 (127.70 to 128.70): E

Ion 54.00 (53.70 to 54.70): BGC





#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 14.72 min Scan# 1946

Delta R.T. -0.00 min

Lab File: BG038059.D

Acq: 17 Nov 2018 7:45

Instrument :

BNA_G

ClientSampleId :


Tot Ion:164 Resp: 113274

Ion Ratio Lower Upper

164 100

162 105.9 81.3 121.9




160 44.9 36.3 54.5



Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E



#42

2,4,6-Tribromophenol

Concen: 132.602 ng

RT: 16.21 min Scan# 2199

Delta R.T. -0.01 min

Lab File: BG038059.D

Acq: 17 Nov 2018 7:45


Tgt Ion:330 Resp: 171303

Ion Ratio Lower Upper

330 100

332 95.2 78.4 117.6



141 41.0 32.2 48.2



Abundance Ion 329.80 (329.50 to 330.50): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E






#45
 2-Fluorobiphenyl
 Concen: 90.782 ng
 RT: 13.34 min Scan# 1711
 Delta R.T. -0.01 min
 Lab File: BG038059.D
 Acq: 17 Nov 2018 7:45

Instrument :
 BNA_G
 ClientSampled :

Tot Ion	Ratio	Lower	Upper
172	100		
171	38.1	31.0	46.4
170	25.0	20.2	30.2






Abundance

Ion 172.00 (171.70 to 172.70): E


Ion 171.00 (170.70 to 171.70): E

Ion 170.00 (169.70 to 170.70): E



#51
 2,6-Dinitrotoluene
 Concen: 7.101 ng
 RT: 14.72 min Scan# 1945
 Delta R.T. 0.41 min
 Lab File: BG038059.D
 Acq: 17 Nov 2018 7:45

Tgt Ion	Ratio	Lower	Upper
165	100		
63	0.0	43.4	65.2#
89	2.0	45.8	68.6#





Abundance

Ion 165.00 (164.70 to 165.70): E

Ion 63.00 (62.70 to 63.70): BG

Ion 89.00 (88.70 to 89.70): BG









#57
 2,4-Dinitrotoluene
 Concen: 5.219 ng
 RT: 14.72 min Scan# 1945
 Delta R.T. -0.37 min
 Lab File: BG038059.D
 Acq: 17 Nov 2018 7:45

Instrument :
 BNA_G
 ClientSampleId :

Tot Ion:	165	Resp:	14432
Ion	Ratio	Lower	Upper
165	100		
63	0.0	33.4	50.0#
89	2.0	57.2	85.8#
182	0.0	2.6	4.0#




Abundance Ion 165.00 (164.70 to 165.70): E
 Ion 63.00 (62.70 to 63.70): BGC
 Ion 89.00 (88.70 to 89.70): BGC
 Ion 182.00 (181.70 to 182.70): E






#64
 Phenanthrene-d10
 Concen: 20.000 ng
 RT: 17.47 min Scan# 2413
 Delta R.T. -0.01 min
 Lab File: BG038059.D
 Acq: 17 Nov 2018 7:45

Tgt Ion:	188	Resp:	267210
Ion	Ratio	Lower	Upper
188	100		
94	9.2	7.2	10.8
80	10.2	7.7	11.5



Abundance Ion 188.00 (187.70 to 188.70): E
 Ion 94.00 (93.70 to 94.70): BGC
 Ion 80.00 (79.70 to 80.70): BGC









#67
 4-Bromophenyl-phenylether
 Concen: 4.081 ng
 RT: 16.21 min Scan# 2199
 Delta R.T. -0.45 min
 Lab File: BG038059.D
 Acq: 17 Nov 2018 7:45

Instrument :
 BNA_G
 ClientSampled :

Tot Ion:248 Resp: 11968
 Ion Ratio Lower Upper
 248 100
 250 205.3 77.0 115.6#
 141 422.8 55.5 83.3#




Abundance Ion 248.00 (247.70 to 248.70): E
 Ion 250.00 (249.70 to 250.70): E
 Ion 141.00 (140.70 to 141.70): E






#76
 Chrysene-d12
 Concen: 20.000 ng
 RT: 21.75 min Scan# 3142
 Delta R.T. -0.01 min
 Lab File: BG038059.D
 Acq: 17 Nov 2018 7:45

Tgt Ion:240 Resp: 263118
 Ion Ratio Lower Upper
 240 100
 120 10.5 8.1 12.1
 236 27.1 21.4 32.0



Abundance Ion 240.00 (239.70 to 240.70): E
 Ion 120.00 (119.70 to 120.70): E
 Ion 236.00 (235.70 to 236.70): E





#79

Terphenyl-d14

Concen: 99.098 ng

RT: 20.07 min Scan# 2856

Delta R.T. -0.00 min

Lab File: BG038059.D

Acq: 17 Nov 2018 7:45

Instrument :

BNA_G

ClientSampled :


Tot Ion:244 Resp: 1108135

Ion Ratio Lower Upper

244 100

212 8.1 6.5 9.7




122 10.5 9.0 13.4



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#87

Perylene-d12

Concen: 20.000 ng

RT: 25.07 min Scan# 3707

Delta R.T. -0.01 min

Lab File: BG038059.D

Acq: 17 Nov 2018 7:45


Tgt Ion:264 Resp: 264347

Ion Ratio Lower Upper

264 100

260 23.0 18.2 27.4

265 23.0 17.9 26.9



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

