

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG111618\
 Data File : BG038037.D
 Acq On : 16 Nov 2018 17:21
 Operator : JU/SJ
 Sample : J5965-07
 Misc :
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 MW-7

Quant Time: Nov 16 18:19:10 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG111318.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Nov 13 16:39:28 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.08	152	44012	20.00	ng	0.00
21) Naphthalene-d8	10.90	136	187761	20.00	ng	0.00
39) Acenaphthene-d10	14.72	164	117137	20.00	ng	0.00
64) Phenanthrene-d10	17.47	188	280639	20.00	ng	0.00
76) Chrysene-d12	21.75	240	273024	20.00	ng	0.00
87) Perylene-d12	25.07	264	272296	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.63	112	347576	136.35	ng	0.00
7) Phenol-d6	7.23	99	479055	131.66	ng	0.00
23) Nitrobenzene-d5	9.26	82	295601	84.28	ng	0.00
42) 2,4,6-Tribromophenol	16.21	330	168593	126.20	ng	0.00
45) 2-Fluorobiphenyl	13.34	172	684973	85.19	ng	0.00
79) Terphenyl-d14	20.07	244	1062176	91.54	ng	0.00


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG111618\
Data File : BG038037.D
Acq On : 16 Nov 2018 17:21
Operator : JU/SJ
Sample : J5965-07
Misc :
ALS Vial : 9 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
MW-7

Quant Time: Nov 16 18:19:10 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG111318.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Nov 13 16:39:28 2018
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
 Concen: 20.000 ng
 RT: 8.08 min Scan# 816
 Delta R.T. -0.00 min
 Lab File: BG038037.D
 Acq: 16 Nov 2018 17:21

Instrument :
 BNA_G
 ClientSampleId :
 MW-7

Tot Ion:152 Resp: 44012
 Ion Ratio Lower Upper
 152 100
 150 155.0 126.0 189.0
 115 55.0 45.5 68.3




Abundance Ion 152.00 (151.70 to 152.70): E
 Ion 150.00 (149.70 to 150.70): E
 Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
 Concen: 136.352 ng
 RT: 5.63 min Scan# 398
 Delta R.T. -0.00 min
 Lab File: BG038037.D
 Acq: 16 Nov 2018 17:21

Tgt Ion:112 Resp: 347576
 Ion Ratio Lower Upper
 112 100
 64 67.4 53.1 79.7
 63 34.8 27.3 40.9



Abundance Ion 112.00 (111.70 to 112.70): E
 Ion 64.00 (63.70 to 64.70): BG
 Ion 63.00 (62.70 to 63.70): BG





#7

Phenol-d6

Concen: 131.656 ng

RT: 7.23 min Scan# 671

Delta R.T. 0.00 min

Lab File: BG038037.D

Acq: 16 Nov 2018 17:21

Instrument :

BNA_G

ClientSampleId :

MW-7


Tot Ion: 99 Resp: 479055

Ion Ratio Lower Upper




99 100

42 20.2 15.0 22.4

71 32.9 25.5 38.3



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.90 min Scan# 1296

Delta R.T. -0.00 min

Lab File: BG038037.D

Acq: 16 Nov 2018 17:21

Tgt Ion: 136 Resp: 187761


Ion Ratio Lower Upper

136 100



137 11.4 9.6 14.4


54 11.6 7.9 11.9

68 6.9 4.8 7.2



Abundance Ion 136.00 (135.70 to 136.70): BGC
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC









#23
Nitrobenzene-d5
Concen: 84.275 ng
RT: 9.26 min Scan# 1016
Delta R.T. -0.00 min
Lab File: BG038037.D
Acq: 16 Nov 2018 17:21




Instrument :
BNA_G
ClientSampleId :
MW-7


Tot Ion	Ratio	Lower	Upper
82	100		
128	42.4	34.6	51.8
54	54.8	45.3	67.9



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.72 min Scan# 1945
Delta R.T. -0.00 min
Lab File: BG038037.D
Acq: 16 Nov 2018 17:21

Tgt Ion	Ratio	Lower	Upper
164	100		
162	103.1	81.3	121.9
160	44.2	36.3	54.5





#42

2,4,6-Tribromophenol

Concen: 126.200 ng

RT: 16.21 min Scan# 2199

Delta R.T. -0.00 min

Lab File: BG038037.D

Acq: 16 Nov 2018 17:21

Instrument :

BNA_G

ClientSampled :

MW-7


Tot Ion:330 Resp: 168593

Ion Ratio Lower Upper

330 100

332 95.1 78.4 117.6




141 42.0 32.2 48.2



Abundance Ion 329.80 (329.50 to 330.50): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E



#45

2-Fluorobiphenyl

Concen: 85.191 ng

RT: 13.34 min Scan# 1711

Delta R.T. -0.00 min

Lab File: BG038037.D

Acq: 16 Nov 2018 17:21


Tgt Ion:172 Resp: 684973

Ion Ratio Lower Upper

172 100

171 37.9 31.0 46.4



170 25.3 20.2 30.2




Abundance Ion 172.00 (171.70 to 172.70): E

Ion 171.00 (170.70 to 171.70): E

Ion 170.00 (169.70 to 170.70): E





#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 17.47 min Scan# 2413

Delta R.T. -0.00 min

Lab File: BG038037.D

Acq: 16 Nov 2018 17:21

Instrument :

BNA_G

ClientSampleId :

MW-7



Tot Ion:188 Resp: 280639

Ion Ratio Lower Upper

188 100

94 9.2 7.2 10.8



80 10.1 7.7 11.5



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BG

Ion 80.00 (79.70 to 80.70): BG



#76

Chrysene-d12

Concen: 20.000 ng

RT: 21.75 min Scan# 3142

Delta R.T. -0.00 min

Lab File: BG038037.D

Acq: 16 Nov 2018 17:21



Tgt Ion:240 Resp: 273024

Ion Ratio Lower Upper

240 100

120 11.1 8.1 12.1


236 26.0 21.4 32.0




Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E





#79

Terphenyl-d14

Concen: 91.542 ng

RT: 20.07 min Scan# 2856

Delta R.T. 0.00 min

Lab File: BG038037.D

Acq: 16 Nov 2018 17:21

Instrument :

BNA_G

ClientSampleId :

MW-7


Tot Ion:244 Resp: 1062176

Ion Ratio Lower Upper

244 100

212 8.1 6.5 9.7




122 10.6 9.0 13.4



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#87

Perylene-d12

Concen: 20.000 ng

RT: 25.07 min Scan# 3707

Delta R.T. -0.01 min

Lab File: BG038037.D

Acq: 16 Nov 2018 17:21


Tgt Ion:264 Resp: 272296

Ion Ratio Lower Upper

264 100

260 25.5 18.2 27.4

265 22.5 17.9 26.9



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

