

Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG111621\
 Data File : BG051052.D
 Acq On : 15 Nov 2021 22:08
 Operator : CG/JU
 Sample : M4681-02
 Misc :
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 COMP-2

Quant Time: Nov 16 00:41:24 2021
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_G\Methods\8270-BG111321.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Nov 15 03:55:35 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	8.223	152	40190	20.000	ng	0.00
21) Naphthalene-d8	11.049	136	177377	20.000	ng	# 0.00
39) Acenaphthene-d10	14.851	164	122234	20.000	ng	0.00
64) Phenanthrene-d10	17.594	188	265823	20.000	ng	# 0.00
76) Chrysene-d12	21.895	240	212517	20.000	ng	# 0.00
86) Perylene-d12	25.303	264	208014	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.761	112	421244	156.790	ng	0.00
7) Phenol-d6	7.371	99	562969	148.458	ng	0.00
23) Nitrobenzene-d5	9.398	82	391129	97.611	ng	0.00
42) 2,4,6-Tribromophenol	16.337	330	181718	148.556	ng	0.00
45) 2-Fluorobiphenyl	13.470	172	733955	94.873	ng	0.00
79) Terphenyl-d14	20.186	244	990995	85.325	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG111621\
Data File : BG051052.D
Acq On : 15 Nov 2021 22:08
Operator : CG/JU
Sample : M4681-02
Misc :
ALS Vial : 12 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
COMP-2

Quant Time: Nov 16 00:41:24 2021
Quant Method : Z:\svoasrv\HPCHEM1\BNA_G\Methods\8270-BG111321.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Nov 15 03:55:35 2021
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.223 min Scan# 807
Delta R.T. -0.006 min
Lab File: BG051052.D
Acq: 15 Nov 2021 22:08




Instrument :
BNA_G
ClientSampleId :
COMP-2


Tgt Ion:152 Resp: 40190
Ion Ratio Lower Upper
152 100
150 162.3 119.4 179.0
115 63.4 60.2 90.4



#5
2-Fluorophenol
Concen: 156.790 ng
RT: 5.761 min Scan# 387
Delta R.T. 0.000 min
Lab File: BG051052.D
Acq: 15 Nov 2021 22:08

Tgt Ion:112 Resp: 421244
Ion Ratio Lower Upper
112 100
64 67.8 46.7 70.1
63 35.8 35.3 52.9









#7
Phenol-d6
Concen: 148.458 ng
RT: 7.371 min Scan# 60
Delta R.T. 0.000 min
Lab File: BG051052.D
Acq: 15 Nov 2021 22:08




Instrument :
BNA_G
ClientSampleId :
COMP-2


Tgt Ion: 99 Resp: 562969
Ion Ratio Lower Upper
99 100
42 20.8 20.5 30.7
71 39.5 41.5 62.3#



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 11.049 min Scan# 1287
Delta R.T. -0.005 min
Lab File: BG051052.D
Acq: 15 Nov 2021 22:08

Tgt Ion:136 Resp: 177377
Ion Ratio Lower Upper
136 100
137 12.0 8.2 12.2
54 9.0 5.5 8.3#
68 6.8 2.3 3.5#









#23
Nitrobenzene-d5
Concen: 97.611 ng
RT: 9.398 min Scan# 1006
Delta R.T. -0.006 min
Lab File: BG051052.D
Acq: 15 Nov 2021 22:08




Instrument :
BNA_G
ClientSampleId :
COMP-2


Tgt Ion: 82 Resp: 391129
Ion Ratio Lower Upper
82 100
128 37.7 29.8 44.6
54 47.9 45.8 68.8



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.851 min Scan# 1934
Delta R.T. -0.005 min
Lab File: BG051052.D
Acq: 15 Nov 2021 22:08


Tgt Ion:164 Resp: 122234
Ion Ratio Lower Upper
164 100
162 103.4 81.4 122.0
160 45.0 34.9 52.3








#42
2,4,6-Tribromophenol
Concen: 148.556 ng
RT: 16.337 min Scan# 21
Delta R.T. -0.006 min
Lab File: BG051052.D
Acq: 15 Nov 2021 22:08

Instrument :
BNA_G
ClientSampleId :
COMP-2







Tgt Ion:330 Resp: 181718
Ion Ratio Lower Upper
330 100
332 95.1 77.3 115.9
141 49.2 35.6 53.4



#45
2-Fluorobiphenyl
Concen: 94.873 ng
RT: 13.470 min Scan# 1699
Delta R.T. -0.005 min
Lab File: BG051052.D
Acq: 15 Nov 2021 22:08

Tgt Ion:172 Resp: 733955
Ion Ratio Lower Upper
172 100
171 37.1 28.6 43.0
170 25.2 18.6 27.8









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.594 min Scan# 2401
Delta R.T. -0.005 min
Lab File: BG051052.D
Acq: 15 Nov 2021 22:08




Instrument :
BNA_G
ClientSampleId :
COMP-2


Tgt Ion:188 Resp: 265823
Ion Ratio Lower Upper
188 100
94 10.1 5.4 8.0#
80 11.4 3.7 5.5#



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.895 min Scan# 3133
Delta R.T. -0.005 min
Lab File: BG051052.D
Acq: 15 Nov 2021 22:08

Tgt Ion:240 Resp: 212517
Ion Ratio Lower Upper
240 100
120 10.5 4.2 6.2#
236 25.4 21.8 32.6









#79
 Terphenyl-d14
 Concen: 85.325 ng
 RT: 20.186 min Scan# 21
 Delta R.T. 0.001 min
 Lab File: BG051052.D
 Acq: 15 Nov 2021 22:08

Instrument :
 BNA_G
 ClientSampleId :
 COMP-2

Tgt Ion:244 Resp: 990995
 Ion Ratio Lower Upper
 244 100
 212 8.4 6.9 10.3
 122 11.6 5.0 7.6#



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 25.303 min Scan# 3713
 Delta R.T. 0.000 min
 Lab File: BG051052.D
 Acq: 15 Nov 2021 22:08

Tgt Ion:264 Resp: 208014
 Ion Ratio Lower Upper
 264 100
 260 22.6 19.4 29.2
 265 21.4 16.9 25.3

