

Data Path : Z:\SVOASRV\HPCHEM1\BNA_G\DATA\BG111918\
 Data File : BG038066.D
 Acq On : 19 Nov 2018 17:26
 Operator : JU/SJ
 Sample : J5964-06
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 LR-RBR-200029

Quant Time: Nov 20 00:43:11 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_G\METHODS\8270-BG111318.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Nov 13 16:39:28 2018
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.09	152	45478	20.00	ng	0.00
21) Naphthalene-d8	10.90	136	191074	20.00	ng	0.00
39) Acenaphthene-d10	14.72	164	120511	20.00	ng	0.00
64) Phenanthrene-d10	17.47	188	277621	20.00	ng	0.00
76) Chrysene-d12	21.75	240	268992	20.00	ng	0.00
87) Perylene-d12	25.07	264	267630	20.00	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.63	112	275751	104.69	ng	0.00
7) Phenol-d6	7.23	99	347923	92.54	ng	0.00
23) Nitrobenzene-d5	9.26	82	278144	77.92	ng	0.00
42) 2,4,6-Tribromophenol	16.21	330	139904	101.79	ng	0.00
45) 2-Fluorobiphenyl	13.34	172	631910	76.39	ng	0.00
79) Terphenyl-d14	20.07	244	1006008	88.00	ng	0.00
Target Compounds						
19) n-Nitroso-di-n-propylamine	9.26	70	36273	13.333	ng	# 78
51) 2,6-Dinitrotoluene	14.72	165	15738	7.278	ng	# 25
57) 2,4-Dinitrotoluene	14.72	165	15738	5.349	ng	# 24
67) 4-Bromophenyl-phenylether	16.21	248	9860	3.236	ng	# 1


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA_G\DATA\BG111918\
Data File : BG038066.D
Acq On : 19 Nov 2018 17:26
Operator : JU/SJ
Sample : J5964-06
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
LR-RBR-200029

Quant Time: Nov 20 00:43:11 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_G\METHODS\8270-BG111318.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Nov 13 16:39:28 2018
Response via : Initial Calibration






#1



1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.09 min Scan# 817
Delta R.T. 0.00 min
Lab File: BG038066.D
Acq: 19 Nov 2018 17:26

Instrument :
BNA_G
ClientSampleId :
LR-RBR-200029

Tgt Ion:152 Resp: 45478
Ion Ratio Lower Upper
152 100
150 151.5 126.0 189.0
115 56.2 45.5 68.3




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5

2-Fluorophenol
Concen: 104.688 ng
RT: 5.63 min Scan# 399
Delta R.T. 0.00 min
Lab File: BG038066.D
Acq: 19 Nov 2018 17:26

Tgt Ion:112 Resp: 275751
Ion Ratio Lower Upper
112 100
64 66.5 53.1 79.7
63 34.1 27.3 40.9



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BG
Ion 63.00 (62.70 to 63.70): BG





#7

Phenol-d6

Concen: 92.535 ng

RT: 7.23 min Scan# 671

Delta R.T. 0.00 min

Lab File: BG038066.D

Acq: 19 Nov 2018 17:26

Instrument :

BNA_G

ClientSampleId :

LR-RBR-200029


Tgt Ion: 99 Resp: 347923

Ion Ratio Lower Upper




99 100

42 19.2 15.0 22.4

71 30.3 25.5 38.3



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#19

n-Nitroso-di-n-propylamine

Concen: 13.333 ng

RT: 9.26 min Scan# 1017

Delta R.T. 0.37 min

Lab File: BG038066.D

Acq: 19 Nov 2018 17:26

Tgt Ion: 70 Resp: 36273


Ion Ratio Lower Upper

70 100



42 55.5 53.9 80.9


101 0.0 8.2 12.2#

130 2.6 18.2 27.4#



Abundance Ion 70.00 (69.70 to 70.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 101.00 (100.70 to 101.70): BGC
Ion 130.00 (129.70 to 130.70): BGC









#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.90 min Scan# 1296
Delta R.T. -0.01 min
Lab File: BG038066.D
Acq: 19 Nov 2018 17:26

Instrument :
BNA_G
ClientSampleId :
LR-RBR-200029

Tgt Ion:	136	Resp:	191074
Ion	Ratio	Lower	Upper
136	100		
137	12.2	9.6	14.4
54	10.4	7.9	11.9
68	6.4	4.8	7.2




Abundance Ion 136.00 (135.70 to 136.70): BGC
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC





#23
Nitrobenzene-d5
Concen: 77.923 ng
RT: 9.26 min Scan# 1017
Delta R.T. 0.00 min
Lab File: BG038066.D
Acq: 19 Nov 2018 17:26

Tgt Ion:	82	Resp:	278144
Ion	Ratio	Lower	Upper
82	100		
128	45.2	34.6	51.8
54	57.4	45.3	67.9



Abundance Ion 82.00 (81.70 to 82.70): BGC
Ion 128.00 (127.70 to 128.70): BGC
Ion 54.00 (53.70 to 54.70): BGC





#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 14.72 min Scan# 1946

Delta R.T. 0.00 min

Lab File: BG038066.D

Acq: 19 Nov 2018 17:26

Instrument :

BNA_G

ClientSampleId :

LR-RBR-200029


Tgt Ion:164 Resp: 120511

Ion Ratio Lower Upper

164 100

162 104.9 81.3 121.9

160 45.2 36.3 54.5






Abundance

Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E



#42

2,4,6-Tribromophenol

Concen: 101.793 ng

RT: 16.21 min Scan# 2199

Delta R.T. -0.01 min

Lab File: BG038066.D

Acq: 19 Nov 2018 17:26


Tgt Ion:330 Resp: 139904

Ion Ratio Lower Upper

330 100

332 96.5 78.4 117.6

141 41.0 32.2 48.2





Abundance

Ion 329.80 (329.50 to 330.50): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E









#45
 2-Fluorobiphenyl
 Concen: 76.391 ng
 RT: 13.34 min Scan# 1711
 Delta R.T. -0.01 min
 Lab File: BG038066.D
 Acq: 19 Nov 2018 17:26

Instrument :
 BNA_G
 ClientSampleId :
 LR-RBR-200029

Tgt Ion:172 Resp: 631910
 Ion Ratio Lower Upper
 172 100
 171 37.5 31.0 46.4
 170 25.2 20.2 30.2




Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#51
 2,6-Dinitrotoluene
 Concen: 7.278 ng
 RT: 14.72 min Scan# 1946
 Delta R.T. 0.42 min
 Lab File: BG038066.D
 Acq: 19 Nov 2018 17:26

Tgt Ion:165 Resp: 15738
 Ion Ratio Lower Upper
 165 100
 63 0.0 43.4 65.2#
 89 1.6 45.8 68.6#



Abundance Ion 165.00 (164.70 to 165.70): E
 Ion 63.00 (62.70 to 63.70): BG
 Ion 89.00 (88.70 to 89.70): BG









#57
 2,4-Dinitrotoluene
 Concen: 5.349 ng
 RT: 14.72 min Scan# 1946
 Delta R.T. -0.36 min
 Lab File: BG038066.D
 Acq: 19 Nov 2018 17:26




Instrument :
 BNA_G
 ClientSampleId :
 LR-RBR-200029

Tgt Ion:	165	Resp:	15738
Ion	Ratio	Lower	Upper
165	100		
63	0.0	33.4	50.0#
89	1.6	57.2	85.8#
182	0.0	2.6	4.0#



#64
 Phenanthrene-d10
 Concen: 20.000 ng
 RT: 17.47 min Scan# 2413
 Delta R.T. -0.01 min
 Lab File: BG038066.D
 Acq: 19 Nov 2018 17:26

Tgt Ion:	188	Resp:	277621
Ion	Ratio	Lower	Upper
188	100		
94	8.7	7.2	10.8
80	10.1	7.7	11.5









#67
 4-Bromophenyl-phenylether
 Concen: 3.236 ng
 RT: 16.21 min Scan# 2199
 Delta R.T. -0.45 min
 Lab File: BG038066.D
 Acq: 19 Nov 2018 17:26

Instrument :
 BNA_G
 ClientSampleId :
 LR-RBR-200029

Tgt Ion:248 Resp: 9860
 Ion Ratio Lower Upper
 248 100
 250 191.8 77.0 115.6#
 141 399.5 55.5 83.3#




Abundance Ion 248.00 (247.70 to 248.70): E
 Ion 250.00 (249.70 to 250.70): E
 Ion 141.00 (140.70 to 141.70): E






#76
 Chrysene-d12
 Concen: 20.000 ng
 RT: 21.75 min Scan# 3142
 Delta R.T. -0.01 min
 Lab File: BG038066.D
 Acq: 19 Nov 2018 17:26

Tgt Ion:240 Resp: 268992
 Ion Ratio Lower Upper
 240 100
 120 11.3 8.1 12.1
 236 26.3 21.4 32.0



Abundance Ion 240.00 (239.70 to 240.70): E
 Ion 120.00 (119.70 to 120.70): E
 Ion 236.00 (235.70 to 236.70): E





#79

Terphenyl-d14

Concen: 88.001 ng

RT: 20.07 min Scan# 2856

Delta R.T. 0.00 min

Lab File: BG038066.D

Acq: 19 Nov 2018 17:26

Instrument :

BNA_G

ClientSampleId :

LR-RBR-200029


Tgt Ion:244 Resp: 1006008

Ion Ratio Lower Upper

244 100

212 8.0 6.5 9.7




122 10.9 9.0 13.4



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#87

Perylene-d12

Concen: 20.000 ng

RT: 25.07 min Scan# 3707

Delta R.T. -0.01 min

Lab File: BG038066.D

Acq: 19 Nov 2018 17:26


Tgt Ion:264 Resp: 267630

Ion Ratio Lower Upper

264 100

260 22.4 18.2 27.4

265 22.4 17.9 26.9



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

