

Data Path : Z:\SVOASRV\HPCHEM1\BNA_G\DATA\BG111918\
 Data File : BG038068.D
 Acq On : 19 Nov 2018 18:44
 Operator : JU/SJ
 Sample : J5991-02
 Misc :
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 WS-RO-358

Quant Time: Nov 20 00:43:29 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_G\METHODS\8270-BG111318.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Nov 13 16:39:28 2018
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.09	152	44874	20.00	ng	0.00
21) Naphthalene-d8	10.91	136	191085	20.00	ng	0.00
39) Acenaphthene-d10	14.72	164	123452	20.00	ng	0.00
64) Phenanthrene-d10	17.47	188	280715	20.00	ng	0.00
76) Chrysene-d12	21.75	240	274187	20.00	ng	0.00
87) Perylene-d12	25.07	264	274123	20.00	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.63	112	305894	117.70	ng	0.00
7) Phenol-d6	7.23	99	389106	104.88	ng	0.00
23) Nitrobenzene-d5	9.26	82	295198	82.70	ng	0.00
42) 2,4,6-Tribromophenol	16.21	330	138536	98.40	ng	0.00
45) 2-Fluorobiphenyl	13.34	172	677175	79.91	ng	0.00
79) Terphenyl-d14	20.07	244	1033843	88.72	ng	0.00
Target Compounds						
19) n-Nitroso-di-n-propylamine	9.26	70	37764	14.068	ng	# 72
51) 2,6-Dinitrotoluene	14.72	165	15788	7.128	ng	# 25
57) 2,4-Dinitrotoluene	14.72	165	15788	5.239	ng	# 25
67) 4-Bromophenyl-phenylether	16.21	248	10384	3.370	ng	# 1

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA_G\DATA\BG111918\
Data File : BG038068.D
Acq On : 19 Nov 2018 18:44
Operator : JU/SJ
Sample : J5991-02
Misc :
ALS Vial : 9 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
WS-RO-358

Quant Time: Nov 20 00:43:29 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_G\METHODS\8270-BG111318.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Nov 13 16:39:28 2018
Response via : Initial Calibration






#1



1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.09 min Scan# 817
Delta R.T. 0.00 min
Lab File: BG038068.D
Acq: 19 Nov 2018 18:44

Instrument :
BNA_G
ClientSampled :
WS-RO-358

Tgt Ion:152 Resp: 44874
Ion Ratio Lower Upper
152 100
150 158.1 126.0 189.0
115 59.6 45.5 68.3




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5

2-Fluorophenol
Concen: 117.695 ng
RT: 5.63 min Scan# 399
Delta R.T. 0.00 min
Lab File: BG038068.D
Acq: 19 Nov 2018 18:44

Tgt Ion:112 Resp: 305894
Ion Ratio Lower Upper
112 100
64 66.9 53.1 79.7
63 34.0 27.3 40.9



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BG
Ion 63.00 (62.70 to 63.70): BG





#7

Phenol-d6

Concen: 104.881 ng

RT: 7.23 min Scan# 671

Delta R.T. 0.00 min

Lab File: BG038068.D

Acq: 19 Nov 2018 18:44

Instrument :

BNA_G

ClientSampleId :

WS-RO-358


Tgt Ion: 99 Resp: 389106

Ion Ratio Lower Upper




99 100

42 19.3 15.0 22.4

71 31.3 25.5 38.3



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#19

n-Nitroso-di-n-propylamine

Concen: 14.068 ng

RT: 9.26 min Scan# 1017

Delta R.T. 0.37 min

Lab File: BG038068.D

Acq: 19 Nov 2018 18:44

Tgt Ion: 70 Resp: 37764


Ion Ratio Lower Upper

70 100



42 48.5 53.9 80.9#

101 0.0 8.2 12.2#

130 2.3 18.2 27.4#



Abundance Ion 70.00 (69.70 to 70.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 101.00 (100.70 to 101.70): BGC
Ion 130.00 (129.70 to 130.70): BGC









#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.91 min Scan# 1297
Delta R.T. 0.00 min
Lab File: BG038068.D
Acq: 19 Nov 2018 18:44




Instrument :
BNA_G
ClientSampleId :
WS-RO-358

Tgt Ion:	136	Resp:	191085
Ion	Ratio	Lower	Upper
136	100		
137	12.1	9.6	14.4
54	11.1	7.9	11.9
68	6.9	4.8	7.2



#23
Nitrobenzene-d5
Concen: 82.696 ng
RT: 9.26 min Scan# 1017
Delta R.T. 0.00 min
Lab File: BG038068.D
Acq: 19 Nov 2018 18:44

Tgt Ion:	82	Resp:	295198
Ion	Ratio	Lower	Upper
82	100		
128	45.7	34.6	51.8
54	57.3	45.3	67.9





#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 14.72 min Scan# 1946

Delta R.T. 0.00 min

Lab File: BG038068.D

Acq: 19 Nov 2018 18:44

Instrument :

BNA_G

ClientSampleId :

WS-RO-358


Tgt Ion:164 Resp: 123452

Ion Ratio Lower Upper

164 100

162 101.1 81.3 121.9




160 45.4 36.3 54.5



Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E



#42

2,4,6-Tribromophenol

Concen: 98.396 ng

RT: 16.21 min Scan# 2199

Delta R.T. -0.01 min

Lab File: BG038068.D

Acq: 19 Nov 2018 18:44


Tgt Ion:330 Resp: 138536

Ion Ratio Lower Upper

330 100

332 95.7 78.4 117.6



141 40.3 32.2 48.2



Abundance Ion 329.80 (329.50 to 330.50): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E









#45
 2-Fluorobiphenyl
 Concen: 79.913 ng
 RT: 13.34 min Scan# 1711
 Delta R.T. -0.01 min
 Lab File: BG038068.D
 Acq: 19 Nov 2018 18:44




Instrument :
 BNA_G
 ClientSampleId :
 WS-RO-358

Tgt Ion:172 Resp: 677175
 Ion Ratio Lower Upper
 172 100
 171 37.8 31.0 46.4
 170 24.5 20.2 30.2



#51
 2,6-Dinitrotoluene
 Concen: 7.128 ng
 RT: 14.72 min Scan# 1946
 Delta R.T. 0.42 min
 Lab File: BG038068.D
 Acq: 19 Nov 2018 18:44

Tgt Ion:165 Resp: 15788
 Ion Ratio Lower Upper
 165 100
 63 0.0 43.4 65.2#
 89 2.2 45.8 68.6#






#57
 2,4-Dinitrotoluene
 Concen: 5.239 ng
 RT: 14.72 min Scan# 1946
 Delta R.T. -0.36 min
 Lab File: BG038068.D
 Acq: 19 Nov 2018 18:44

Instrument :
 BNA_G
 ClientSampleId :
 WS-RO-358

Tgt Ion:	165	Resp:	15788
Ion	Ratio	Lower	Upper
165	100		
63	0.0	33.4	50.0#
89	2.2	57.2	85.8#
182	0.0	2.6	4.0#






Abundance Ion 165.00 (164.70 to 165.70): E

Ion 63.00 (62.70 to 63.70): BGC


Ion 89.00 (88.70 to 89.70): BGC

Ion 182.00 (181.70 to 182.70): E



#64
 Phenanthrene-d10
 Concen: 20.000 ng
 RT: 17.47 min Scan# 2413
 Delta R.T. -0.01 min
 Lab File: BG038068.D
 Acq: 19 Nov 2018 18:44



Tgt Ion:	188	Resp:	280715
Ion	Ratio	Lower	Upper
188	100		
94	9.8	7.2	10.8
80	11.4	7.7	11.5




Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BGC

Ion 80.00 (79.70 to 80.70): BGC









#67
 4-Bromophenyl-phenylether
 Concen: 3.370 ng
 RT: 16.21 min Scan# 2199
 Delta R.T. -0.45 min
 Lab File: BG038068.D
 Acq: 19 Nov 2018 18:44

Instrument :
 BNA_G
 ClientSampleId :
 WS-RO-358

Tgt Ion:248 Resp: 10384
 Ion Ratio Lower Upper
 248 100
 250 159.7 77.0 115.6#
 141 395.1 55.5 83.3#




Abundance Ion 248.00 (247.70 to 248.70): E
 Ion 250.00 (249.70 to 250.70): E
 Ion 141.00 (140.70 to 141.70): E






#76
 Chrysene-d12
 Concen: 20.000 ng
 RT: 21.75 min Scan# 3142
 Delta R.T. -0.01 min
 Lab File: BG038068.D
 Acq: 19 Nov 2018 18:44

Tgt Ion:240 Resp: 274187
 Ion Ratio Lower Upper
 240 100
 120 11.1 8.1 12.1
 236 26.8 21.4 32.0



Abundance Ion 240.00 (239.70 to 240.70): E
 Ion 120.00 (119.70 to 120.70): E
 Ion 236.00 (235.70 to 236.70): E





#79

Terphenyl-d14

Concen: 88.722 ng

RT: 20.07 min Scan# 2856

Delta R.T. 0.00 min

Lab File: BG038068.D

Acq: 19 Nov 2018 18:44

Instrument :

BNA_G

ClientSampleId :

WS-RO-358


Tgt Ion:244 Resp: 1033843

Ion Ratio Lower Upper

244 100

212 8.3 6.5 9.7




122 11.0 9.0 13.4



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#87

Perylene-d12

Concen: 20.000 ng

RT: 25.07 min Scan# 3707

Delta R.T. -0.01 min

Lab File: BG038068.D

Acq: 19 Nov 2018 18:44


Tgt Ion:264 Resp: 274123

Ion Ratio Lower Upper

264 100

260 25.2 18.2 27.4

265 22.1 17.9 26.9



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

