

Data Path : Z:\HPCHEM1\BNA G\DATA\BG112015\
 Data File : BG019736.D
 Acq On : 21 Nov 2015 1:56
 Operator : UM/NP
 Sample : G4428-04
 Misc :
 ALS Vial : 14 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :

Quant Time: Nov 21 04:15:45 2015
 Quant Method : Z:\HPCHEM1\BNA G\METHODS\SOM02.2-EPA-BG111615.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Sat Nov 21 01:06:32 2015
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.12	152	21213	20.00	ng/ul	0.00
18) Naphthalene-d8	10.95	136	94017	20.00	ng/ul	0.00
36) Acenaphthene-d10	14.75	164	81235	20.00	ng/ul	0.00
62) Phenanthrene-d10	17.50	188	226107	20.00	ng/ul	0.00
78) Chrysene-d12	21.76	240	299342	20.00	ng/ul	0.00
86) Perylene-d12	25.07	264	282908	20.00	ng/ul	0.00

System Monitoring Compounds

3) 1,4-Dioxane-d8	3.40	96	1767	3.56	ng/uL	0.00
5) Phenol-d5	7.26	99	38318	17.64	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	7.43	67	26557	18.65	ng/ul	0.00
9) 2-Chlorophenol-d4	7.64	132	25110	18.02	ng/ul	0.00
13) 4-Methylphenol-d8	8.83	113	25658	14.26	ng/ul	0.00
19) Nitrobenzene-d5	9.29	128	13364	17.31	ng/ul	0.00
22) 2-Nitrophenol-d4	10.02	143	15523	17.87	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.56	165	31326	16.68	ng/ul	0.00
29) 4-Chloroaniline-d4	11.08	131	35022	19.64	ng/ul	0.00
44) Dimethylphthalate-d6	14.15	166	126312	17.19	ng/ul	0.00
47) Acenaphthylene-d8	14.45	160	126573	15.89	ng/ul	0.00
52) 4-Nitrophenol-d4	14.94	143	14318	12.37	ng/ul	0.00
58) Fluorene-d10	15.74	176	105288	16.01	ng/ul	0.00
63) 4,6-Dinitro-2-methylphenol	15.86	200	18129	12.41	ng/ul	0.00
71) Anthracene-d10	17.59	188	171439	15.62	ng/ul	0.00
79) Pyrene-d10	19.87	212	215781	15.82	ng/ul	0.00
90) Benzo(a)pyrene-d12	24.83	264	212924	14.42	ng/ul	0.00


Target Compounds					Ovalue
45) Dimethylphthalate	14.20	163	77430	10.63	ng/ul 99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA G\DATA\BG112015\
Data File : BG019736.D
Acq On : 21 Nov 2015 1:56
Operator : UM/NP
Sample : G4428-04
Misc :
ALS Vial : 14 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :

Quant Time: Nov 21 04:15:45 2015
Quant Method : Z:\HPCHEM1\BNA G\METHODS\SOM02.2-EPA-BG111615.M
Quant Title : SVOA CALIBRATION
QLast Update : Sat Nov 21 01:06:32 2015
Response via : Initial Calibration





#45

Dimethylphthalate

Concen: 10.63 ng/ul

RT: 14.20 min Scan# 1933

Delta R.T. -0.00 min

Lab File: BG019736.D

Acq: 21 Nov 2015 1:56

Instrument :

BNA_G

ClientSampleId :


Tot Ion:163 Resp: 77430

Ion Ratio Lower Upper

163 100

194 5.2 3.5 5.3

164 10.0 8.3 12.5



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E

