

Data Path : Z:\HPCHEM1\BNA G\DATA\BG112015\
 Data File : BG019739.D
 Acq On : 21 Nov 2015 3:51
 Operator : UM/NP
 Sample : G4428-08
 Misc :
 ALS Vial : 17 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 BC7H8

Quant Time: Nov 21 05:39:07 2015
 Quant Method : Z:\HPCHEM1\BNA G\METHODS\SOM02.2-EPA-BG111615.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Sat Nov 21 01:06:32 2015
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.11	152	24804	20.00	ng/ul	0.00
18) Naphthalene-d8	10.95	136	103233	20.00	ng/ul	0.00
36) Acenaphthene-d10	14.75	164	82288	20.00	ng/ul	0.00
62) Phenanthrene-d10	17.50	188	230856	20.00	ng/ul	0.00
78) Chrysene-d12	21.76	240	299981	20.00	ng/ul	0.00
86) Perylene-d12	25.06	264	290105	20.00	ng/ul	0.00

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev(Min)
3) 1,4-Dioxane-d8	3.41	96	2019	3.48	ng/uL	0.00
5) Phenol-d5	7.26	99	35427	13.94	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	7.43	67	26128	15.69	ng/ul	0.00
9) 2-Chlorophenol-d4	7.64	132	24536	15.06	ng/ul	0.00
13) 4-Methylphenol-d8	8.82	113	10691	5.08	ng/ul	0.00
19) Nitrobenzene-d5	9.29	128	13314	15.71	ng/ul	0.00
22) 2-Nitrophenol-d4	10.02	143	15934	16.70	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.56	165	27755	13.46	ng/ul	0.00
29) 4-Chloroaniline-d4	11.08	131	26873	13.72	ng/ul	0.00
44) Dimethylphthalate-d6	14.15	166	115308	15.49	ng/ul	0.00
47) Acenaphthylene-d8	14.45	160	119769	14.85	ng/ul	0.00
52) 4-Nitrophenol-d4	14.94	143	13394	11.42	ng/ul	0.00
58) Fluorene-d10	15.74	176	97410	14.63	ng/ul	0.00
63) 4,6-Dinitro-2-methylphenol	15.86	200	16631	11.15	ng/ul	0.00
71) Anthracene-d10	17.59	188	161264	14.39	ng/ul	0.00
79) Pyrene-d10	19.87	212	195839	14.33	ng/ul	0.00
90) Benzo(a)pyrene-d12	24.84	264	190153	12.56	ng/ul	0.00


Target Compounds	R.T.	QIon	Response	Conc	Units	Ovalue
45) Dimethylphthalate	14.20	163	69668	9.44	ng/ul	98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA G\DATA\BG112015\
Data File : BG019739.D
Acq On : 21 Nov 2015 3:51
Operator : UM/NP
Sample : G4428-08
Misc :
ALS Vial : 17 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
BC7H8

Quant Time: Nov 21 05:39:07 2015
Quant Method : Z:\HPCHEM1\BNA G\METHODS\SOM02.2-EPA-BG111615.M
Quant Title : SVOA CALIBRATION
QLast Update : Sat Nov 21 01:06:32 2015
Response via : Initial Calibration





#45

Dimethylphthalate

Concen: 9.44 ng/ul

RT: 14.20 min Scan# 1933

Delta R.T. -0.00 min

Lab File: BG019739.D


Acq: 21 Nov 2015 3:51

Instrument :

BNA_G

ClientSampleId :

BC7H8



Tot Ion:163 Resp: 69668

Ion Ratio Lower Upper

163 100

194 4.6 3.5 5.3

164 9.6 8.3 12.5

