

Data Path : Z:\HPCHEM1\BNA G\DATA\BG112116\
 Data File : BG024870.D
 Acq On : 21 Nov 2016 22:24
 Operator : UM/SJ
 Sample : SSTDC0020
 Misc :
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 BNA_G
 LabSampleId :
 SSTD02021

Quant Time: Nov 22 01:29:40 2016
 Quant Method : Z:\HPCHEM1\BNA G\METHODS\SOM02.2-EPA-BG111416.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Tue Nov 22 01:02:29 2016
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 20% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	100	0.00
2	1,4-Dioxane	0.484	0.382	21.1#	86	0.00
3 S	1,4-Dioxane-d8	0.386	0.388	-0.5	106	0.00
4	Benzaldehyde	1.104	1.387	-25.6#	106	0.00
5 S	Phenol-d5	1.713	1.787	-4.3	105	0.00
6	Phenol	1.790	1.911	-6.8	109	0.00
7 S	Bis-(2-Chloroethyl)ether-d8	1.078	1.134	-5.2	106	0.00
8	Bis(2-Chloroethyl)ether	1.274	1.356	-6.4	108	0.00
9 S	2-Chlorophenol-d4	1.229	1.313	-6.8	104	0.00
10	2-Chlorophenol	1.188	1.285	-8.2	104	0.00
11	2-Methylphenol	1.311	1.400	-6.8	108	0.00
12	2,2'-oxybis(1-Chloropropane	2.163	2.409	-11.4	111	0.00
13 S	4-Methylphenol-d8	1.439	1.594	-10.8	115	0.00
14	Acetophenone	2.167	2.300	-6.1	105	0.00
15 P	N-Nitroso-di-n-propylamine	1.231	1.293	-5.0	104	0.00
16	4-Methylphenol	1.418	1.545	-9.0	111	0.00
17	Hexachloroethane	0.544	0.589	-8.3	107	0.00
18 I	Naphthalene-d8	1.000	1.000	0.0	108	0.00
19 S	Nitrobenzene-d5	0.151	0.155	-2.6	119	0.00
20	Nitrobenzene	0.450	0.459	-2.0	110	0.00
21	Isophorone	0.839	0.822	2.0	106	0.00
22 S	2-Nitrophenol-d4	0.181	0.189	-4.4	114	0.00
23 C	2-Nitrophenol	0.183	0.185	-1.1	108	0.00
24	2,4-Dimethylphenol	0.434	0.442	-1.8	114	0.00
25	Bis(2-Chloroethoxy)methane	0.440	0.438	0.5	110	0.00
26 S	2,4-Dichlorophenol-d3	0.360	0.370	-2.8	114	0.00
27 C	2,4-Dichlorophenol	0.345	0.358	-3.8	113	0.00
28	Naphthalene	0.959	0.994	-3.6	114	0.00
29 S	4-Chloroaniline-d4	0.402	0.434	-8.0	108	0.00
30	4-Chloroaniline	0.388	0.438	-12.9	113	0.00
31 C	Hexachlorobutadiene	0.303	0.305	-0.7	107	0.00
32	Caprolactam	0.136	0.130	4.4	104	0.00
33 C	4-Chloro-3-methylphenol	0.418	0.430	-2.9	110	0.00
34	2-Methylnaphthalene	0.755	0.819	-8.5	119	0.00
35 I	Acenaphthene-d10	1.000	1.000	0.0	109	0.00
36	1,2,4,5-Tetrachlorobenzene	0.649	0.690	-6.3	117	0.00
37	Hexachlorocyclopentadiene	0.418	0.403	3.6	105	0.00
38 C	2,4,6-Trichlorophenol	0.395	0.421	-6.6	114	0.00
39	2,4,5-Trichlorophenol	0.429	0.442	-3.0	111	0.00
40	1,1'-Biphenyl	1.287	1.386	-7.7	118	0.00
41	2-Chloronaphthalene	1.000	1.092	-9.2	119	0.00
42	2-Nitroaniline	0.397	0.417	-5.0	108	0.00
43 S	Dimethylphthalate-d6	1.458	1.411	3.2	100	0.00
44	Dimethylphthalate	1.399	1.373	1.9	103	0.00

Data Path : Z:\HPCHEM1\BNA G\DATA\BG112116\
 Data File : BG024870.D
 Acq On : 21 Nov 2016 22:24
 Operator : UM/SJ
 Sample : SSTDC0020
 Misc :
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 BNA_G
 LabSampleId :
 SSTD02021

Quant Time: Nov 22 01:29:40 2016
 Quant Method : Z:\HPCHEM1\BNA G\METHODS\SOM02.2-EPA-BG111416.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Tue Nov 22 01:02:29 2016
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 20% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
45	2,6-Dinitrotoluene	0.294	0.305	-3.7	111	0.00
46 S	Acenaphthylene-d8	1.589	1.690	-6.4	114	0.00
47	Acenaphthylene	1.538	1.612	-4.8	111	0.00
48	3-Nitroaniline	0.272	0.271	0.4	98	0.00
49 C	Acenaphthene	1.089	1.112	-2.1	111	0.00
50	2,4-Dinitrophenol	0.210	0.146	30.5#	79	0.00
51 S	4-Nitrophenol-d4	0.260	0.232	10.8	95	0.00
52	4-Nitrophenol	0.311	0.260	16.4	86	0.00
53	Dibenzofuran	1.666	1.703	-2.2	108	0.00
54	2,4-Dinitrotoluene	0.445	0.434	2.5	99	0.00
55	2,3,4,6-Tetrachlorophenol	0.446	0.440	1.3	104	0.00
56	Diethylphthalate	1.486	1.400	5.8	101	0.00
57 S	Fluorene-d10	1.373	1.371	0.1	108	0.00
58	Fluorene	1.353	1.344	0.7	105	0.00
59	4-Chlorophenyl-phenylether	0.765	0.759	0.8	107	0.00
60	4-Nitroaniline	0.309	0.288	6.8	96	0.00
61 I	Phenanthrene-d10	1.000	1.000	0.0	93	0.00
62 S	4,6-Dinitro-2-methylphenol-	0.137	0.125	8.8	86	0.00
63	4,6-Dinitro-2-methylphenol	0.139	0.122	12.2	84	0.00
64	N-Nitrosodiphenylamine	0.540	0.595	-10.2	102	0.00
65	4-Bromophenyl-phenylether	0.243	0.276	-13.6	106	0.00
66	Hexachlorobenzene	0.269	0.298	-10.8	101	0.00
67	Atrazine	0.253	0.259	-2.4	94	0.00
68 C	Pentachlorophenol	0.159	0.154	3.1	90	0.00
69	Phenanthrene	0.997	1.074	-7.7	97	0.00
70 S	Anthracene-d10	0.883	0.949	-7.5	99	0.00
71	Anthracene	1.031	1.074	-4.2	95	0.00
72	Carbazole	0.846	0.916	-8.3	94	0.00
73	Di-n-butylphthalate	1.066	1.102	-3.4	92	0.00
74 C	Fluoranthene	1.158	1.290	-11.4	91	0.00
75 I	Chrysene-d12	1.000	1.000	0.0	88	0.00
76 S	Pyrene-d10	0.867	0.914	-5.4	90	0.00
77	Pyrene	0.983	1.052	-7.0	90	0.00
78	Butylbenzylphthalate	0.402	0.423	-5.2	92	0.00
79	3,3'-Dichlorobenzidine	0.385	0.432	-12.2	91	0.00
80	Benzo(a)anthracene	1.088	1.146	-5.3	90	0.00
81	Bis(2-ethylhexyl)phthalate	0.550	0.589	-7.1	92	0.00
82	Chrysene	1.020	1.079	-5.8	91	0.00
83 I	Perylene-d12	1.000	1.000	0.0	85	0.00
84	Di-n-octyl phthalate	0.847	0.990	-16.9	91	0.00
85	Benzo(b)fluoranthene	1.054	1.079	-2.4	87	0.00
86	Benzo(k)fluoranthene	1.001	1.088	-8.7	92	0.00
87 S	Benzo(a)pyrene-d12	0.876	0.935	-6.7	90	0.00

Data Path : Z:\HPCHEM1\BNA G\DATA\BG112116\
Data File : BG024870.D
Acq On : 21 Nov 2016 22:24
Operator : UM/SJ
Sample : SSTDCCC020
Misc :
ALS Vial : 2 Sample Multiplier: 1

Instrument :
BNA_G
LabSampleId :
SSTD02021

Quant Time: Nov 22 01:29:40 2016
Quant Method : Z:\HPCHEM1\BNA G\METHODS\SOM02.2-EPA-BG111416.M
Quant Title : SVOA CALIBRATION
QLast Update : Tue Nov 22 01:02:29 2016
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 20% Max. R.T. Dev 0.50min
Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
88 C	Benzo(a)pyrene	1.020	1.087	-6.6	89	0.00
89	Indeno(1,2,3-cd)pyrene	1.275	1.315	-3.1	88	0.00
90	Dibenzo(a,h)anthracene	1.062	1.108	-4.3	88	0.00
91	Benzo(a,h,i)perylene	1.050	1.004	4.4	81	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 0