

Data Path : Z:\HPCHEM1\BNA G\DATA\BG112117\
 Data File : BG031177.D
 Acq On : 22 Nov 2017 7:14
 Operator : SJ/JU
 Sample : I6539-05
 Misc :
 ALS Vial : 25 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :

Quant Time: Nov 22 07:49:13 2017
 Quant Method : Z:\HPCHEM1\BNA G\METHODS\8270-BG111017.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Nov 10 15:38:25 2017
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.13	152	56580	20.00	ng	-0.02
21) Naphthalene-d8	10.96	136	241263	20.00	ng	-0.01
38) Acenaphthene-d10	14.76	164	161173	20.00	ng	-0.02
63) Phenanthrene-d10	17.50	188	416558	20.00	ng	-0.01
75) Chrysene-d12	21.77	240	511346	20.00	ng	-0.02
86) Perylene-d12	25.07	264	491354	20.00	ng	-0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.70	112	136580	41.39	ng	-0.01
7) Phenol-d6	7.31	99	110943	24.96	ng	0.00
23) Nitrobenzene-d5	9.30	82	371600	91.27	ng	-0.02
41) 2,4,6-Tribromophenol	16.24	330	204981	78.62	ng	-0.01
44) 2-Fluorobiphenyl	13.38	172	1090502	97.22	ng	-0.02
78) Terphenyl-d14	20.09	244	1857169	80.20	ng	-0.01


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA G\DATA\BG112117\
Data File : BG031177.D
Acq On : 22 Nov 2017 7:14
Operator : SJ/JU
Sample : I6539-05
Misc :
ALS Vial : 25 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :

Quant Time: Nov 22 07:49:13 2017
Quant Method : Z:\HPCHEM1\BNA G\METHODS\8270-BG111017.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Nov 10 15:38:25 2017
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.13 min Scan# 825
Delta R.T. -0.02 min
Lab File: BG031177.D
Acq: 22 Nov 2017 7:14

Instrument :
BNA_G
ClientSampleId :

Tot Ion:152 Resp: 56580
Ion Ratio Lower Upper
152 100
150 155.6 126.6 189.8
115 58.3 53.0 79.4




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 41.393 ng
RT: 5.70 min Scan# 410
Delta R.T. -0.01 min
Lab File: BG031177.D
Acq: 22 Nov 2017 7:14

Tgt Ion:112 Resp: 136580
Ion Ratio Lower Upper
112 100
64 53.9 56.3 84.5#
63 28.0 30.1 45.1#



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BGC
Ion 63.00 (62.70 to 63.70): BGC





#7

Phenol-d6

Concen: 24.958 ng

RT: 7.31 min Scan# 684

Delta R.T. -0.00 min

Lab File: BG031177.D

Acq: 22 Nov 2017 7:14

Instrument :

BNA_G

ClientSampleId :


Tot Ion: 99 Resp: 110943

Ion Ratio Lower Upper




99 100

42 16.3 14.1 21.1

71 34.3 26.1 39.1



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.96 min Scan# 1305

Delta R.T. -0.01 min

Lab File: BG031177.D

Acq: 22 Nov 2017 7:14

Tgt Ion: 136 Resp: 241263


Ion Ratio Lower Upper

136 100



137 10.9 9.2 13.8


54 7.8 10.3 15.5#

68 4.6 4.5 6.7



Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC









#23
Nitrobenzene-d5
Concen: 91.268 ng
RT: 9.30 min Scan# 1024
Delta R.T. -0.02 min
Lab File: BG031177.D
Acq: 22 Nov 2017 7:14




Instrument :
BNA_G
ClientSampled :


Tot Ion: 82 Resp: 371600
Ion Ratio Lower Upper
82 100
128 45.3 29.7 44.5#
54 49.4 43.1 64.7



#38
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.76 min Scan# 1952
Delta R.T. -0.02 min
Lab File: BG031177.D
Acq: 22 Nov 2017 7:14

Tgt Ion:164 Resp: 161173
Ion Ratio Lower Upper
164 100
162 106.0 78.8 118.2
160 47.1 35.4 53.0









#41
 2,4,6-Tribromophenol
 Concen: 78.619 ng
 RT: 16.24 min Scan# 2205
 Delta R.T. -0.01 min
 Lab File: BG031177.D
 Acq: 22 Nov 2017 7:14

Instrument :
 BNA_G
 ClientSampleId :

Tot Ion	Ratio	Lower	Upper
330	100		
332	95.0	77.0	115.6
141	34.7	25.2	37.8




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 97.220 ng
 RT: 13.38 min Scan# 1718
 Delta R.T. -0.02 min
 Lab File: BG031177.D
 Acq: 22 Nov 2017 7:14

Tgt Ion	Ratio	Lower	Upper
172	100		
171	38.2	30.0	45.0
170	24.3	19.5	29.3



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#63
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.50 min Scan# 2419
Delta R.T. -0.01 min
Lab File: BG031177.D
Acq: 22 Nov 2017 7:14




Instrument :
BNA_G
ClientSampleId :


Tot Ion:188 Resp: 416558
Ion Ratio Lower Upper
188 100
94 6.8 6.9 10.3#
80 7.8 7.7 11.5



#75
Chrysene-d12
Concen: 20.000 ng
RT: 21.77 min Scan# 3145
Delta R.T. -0.02 min
Lab File: BG031177.D
Acq: 22 Nov 2017 7:14

Tgt Ion:240 Resp: 511346
Ion Ratio Lower Upper
240 100
120 8.1 6.8 10.2
236 26.6 20.9 31.3





#78

Terphenyl-d14

Concen: 80.196 ng

RT: 20.09 min Scan# 2859

Delta R.T. -0.01 min

Lab File: BG031177.D

Acq: 22 Nov 2017 7:14


Instrument :

BNA_G

ClientSampleId :

Tot Ion:244 Resp: 1857169




Ion	Ratio	Lower	Upper
244	100		
212	8.5	5.8	8.8
122	9.3	7.0	10.4



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.000 ng

RT: 25.07 min Scan# 3707


Delta R.T. -0.02 min

Lab File: BG031177.D

Acq: 22 Nov 2017 7:14

Tgt Ion:264 Resp: 491354

Ion	Ratio	Lower	Upper
264	100		
260	24.0	17.4	26.0
265	20.7	17.7	26.5



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

