

Data Path : Z:\HPCHEM1\BNA_G\DATA\BG112215\
 Data File : BG019782.D
 Acq On : 22 Nov 2015 14:30
 Operator : UM/NP
 Sample : G4345-10
 Misc :
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 A4J52

Quant Time: Nov 23 02:22:04 2015
 Quant Method : Z:\HPCHEM1\BNA_G\METHODS\SOM02.2-EPA-BG111615.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Mon Nov 23 01:15:23 2015
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.11	152	16568	20.00	ng/ul	0.00
18) Naphthalene-d8	10.94	136	72778	20.00	ng/ul	0.00
36) Acenaphthene-d10	14.75	164	65882	20.00	ng/ul	0.00
62) Phenanthrene-d10	17.50	188	187258	20.00	ng/ul	0.00
78) Chrysene-d12	21.77	240	245321	20.00	ng/ul	0.00
86) Perylene-d12	25.07	264	235490	20.00	ng/ul	0.00

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev(Min)
3) 1,4-Dioxane-d8	3.40	96	1969	5.07	ng/uL	0.00
5) Phenol-d5	7.26	99	48409	28.53	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	7.43	67	32502	29.23	ng/ul	0.00
9) 2-Chlorophenol-d4	7.64	132	31320	28.78	ng/ul	0.00
13) 4-Methylphenol-d8	8.82	113	43714	31.11	ng/ul	0.00
19) Nitrobenzene-d5	9.28	128	18505	30.97	ng/ul	0.00
22) 2-Nitrophenol-d4	10.01	143	21969	32.67	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.56	165	43464	29.89	ng/ul	0.00
29) 4-Chloroaniline-d4	11.07	131	46671	33.81	ng/ul	0.00
44) Dimethylphthalate-d6	14.15	166	185226	31.09	ng/ul	0.00
47) Acenaphthylene-d8	14.45	160	147410	22.83	ng/ul	0.00
52) 4-Nitrophenol-d4	14.95	143	25363	27.02	ng/ul	0.00
58) Fluorene-d10	15.74	176	118703	22.26	ng/ul	0.00
63) 4,6-Dinitro-2-methylphenol	15.86	200	28596	23.64	ng/ul	0.00
71) Anthracene-d10	17.60	188	202387	22.26	ng/ul	0.00
79) Pyrene-d10	19.87	212	206276	18.45	ng/ul	0.00
90) Benzo(a)pyrene-d12	24.84	264	198598	16.15	ng/ul	0.00


Target Compounds	R.T.	QIon	Response	Conc	Units	Qvalue
6) Phenol	7.29	94	3126	1.71	ng/ul#	88
45) Dimethylphthalate	14.19	163	126868	21.47	ng/ul	97


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_G\DATA\BG112215\
Data File : BG019782.D
Acq On : 22 Nov 2015 14:30
Operator : UM/NP
Sample : G4345-10
Misc :
ALS Vial : 6 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
A4J52

Quant Time: Nov 23 02:22:04 2015
Quant Method : Z:\HPCHEM1\BNA_G\METHODS\SOM02.2-EPA-BG111615.M
Quant Title : SVOA CALIBRATION
QLast Update : Mon Nov 23 01:15:23 2015
Response via : Initial Calibration





#6

Phenol

Concen: 1.71 ng/ul

RT: 7.29 min Scan# 758

Delta R.T. 0.00 min

Lab File: BG019782.D

Acq: 22 Nov 2015 14:30

Instrument :

BNA_G

ClientSampled :

A4J52


Tgt Ion: 94 Resp: 3126

Ion Ratio Lower Upper




94 100

65 26.2 27.4 41.0#

66 41.6 39.0 58.6



Abundance Ion 94.00 (93.70 to 94.70): BGC
Ion 65.00 (64.70 to 65.70): BGC
Ion 66.00 (65.70 to 66.70): BGC



#45

Dimethylphthalate

Concen: 21.47 ng/ul

RT: 14.19 min Scan# 1933

Delta R.T. -0.00 min

Lab File: BG019782.D

Acq: 22 Nov 2015 14:30


Tgt Ion:163 Resp: 126868

Ion Ratio Lower Upper

163 100

194 4.1 3.5 5.3

164 9.2 8.3 12.5



Abundance Ion 163.00 (162.70 to 163.70): E
Ion 194.00 (193.70 to 194.70): E
Ion 164.00 (163.70 to 164.70): E

