

Data Path : Z:\HPCHEM1\BNA G\DATA\BG112217\
 Data File : BG031207.D
 Acq On : 23 Nov 2017 3:14
 Operator : SJ/JU
 Sample : PB104495BL
 Misc :
 ALS Vial : 20 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :

Quant Time: Nov 23 04:25:39 2017
 Quant Method : Z:\HPCHEM1\BNA G\METHODS\8270-BG111017.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Nov 10 15:38:25 2017
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.13	152	57207	20.00	ng	-0.02
21) Naphthalene-d8	10.95	136	255057	20.00	ng	-0.02
38) Acenaphthene-d10	14.76	164	175358	20.00	ng	-0.02
63) Phenanthrene-d10	17.49	188	470023	20.00	ng	-0.02
75) Chrysene-d12	21.76	240	574558	20.00	ng	-0.02
86) Perylene-d12	25.07	264	547507	20.00	ng	-0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.70	112	525669	157.57	ng	-0.01
7) Phenol-d6	7.30	99	684277	152.25	ng	0.00
23) Nitrobenzene-d5	9.30	82	388847	90.34	ng	-0.02
41) 2,4,6-Tribromophenol	16.24	330	349861	123.33	ng	-0.01
44) 2-Fluorobiphenyl	13.38	172	1193512	97.80	ng	-0.02
78) Terphenyl-d14	20.08	244	2252327	86.56	ng	-0.01


Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA G\DATA\BG112217\
Data File : BG031207.D
Acq On : 23 Nov 2017 3:14
Operator : SJ/JU
Sample : PB104495BL
Misc :
ALS Vial : 20 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :

Quant Time: Nov 23 04:25:39 2017
Quant Method : Z:\HPCHEM1\BNA G\METHODS\8270-BG111017.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Nov 10 15:38:25 2017
Response via : Initial Calibration






#1



1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.13 min Scan# 825
Delta R.T. -0.02 min
Lab File: BG031207.D
Acq: 23 Nov 2017 3:14

Instrument :
BNA_G
ClientSampleId :

Tot Ion:152 Resp: 57207
Ion Ratio Lower Upper
152 100
150 150.6 126.6 189.8
115 57.7 53.0 79.4




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 157.567 ng
RT: 5.70 min Scan# 410
Delta R.T. -0.01 min
Lab File: BG031207.D
Acq: 23 Nov 2017 3:14

Tgt Ion:112 Resp: 525669
Ion Ratio Lower Upper
112 100
64 57.2 56.3 84.5
63 29.4 30.1 45.1#



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BG0
Ion 63.00 (62.70 to 63.70): BG0





#7

Phenol-d6

Concen: 152.247 ng

RT: 7.30 min Scan# 683

Delta R.T. -0.01 min

Lab File: BG031207.D

Acq: 23 Nov 2017 3:14

Instrument :

BNA_G

ClientSampleId :


Tot Ion: 99 Resp: 684277

Ion Ratio Lower Upper




99 100

42 17.8 14.1 21.1

71 34.3 26.1 39.1



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.95 min Scan# 1304

Delta R.T. -0.02 min

Lab File: BG031207.D

Acq: 23 Nov 2017 3:14

Tgt Ion: 136 Resp: 255057


Ion Ratio Lower Upper

136 100



137 11.2 9.2 13.8

54 7.1 10.3 15.5#

68 5.7 4.5 6.7



Abundance Ion 136.00 (135.70 to 136.70): BGC
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC









#23
Nitrobenzene-d5
Concen: 90.339 ng
RT: 9.30 min Scan# 1024
Delta R.T. -0.02 min
Lab File: BG031207.D
Acq: 23 Nov 2017 3:14

Instrument :
BNA_G
ClientSampleId :

Tot Ion	82	Resp	388847
Ion	Ratio	Lower	Upper
82	100		
128	44.9	29.7	44.5#
54	47.6	43.1	64.7




Abundance Ion 82.00 (81.70 to 82.70): BGC
Ion 128.00 (127.70 to 128.70): BGC
Ion 54.00 (53.70 to 54.70): BGC





#38
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.76 min Scan# 1952
Delta R.T. -0.02 min
Lab File: BG031207.D
Acq: 23 Nov 2017 3:14

Tgt Ion	164	Resp	175358
Ion	Ratio	Lower	Upper
164	100		
162	103.4	78.8	118.2
160	47.7	35.4	53.0



Abundance Ion 164.00 (163.70 to 164.70): BGC
Ion 162.00 (161.70 to 162.70): BGC
Ion 160.00 (159.70 to 160.70): BGC









#41
 2,4,6-Tribromophenol
 Concen: 123.333 ng
 RT: 16.24 min Scan# 2205
 Delta R.T. -0.01 min
 Lab File: BG031207.D
 Acq: 23 Nov 2017 3:14

Instrument :
 BNA_G
 ClientSampleId :

Tot Ion	Ratio	Lower	Upper
330	100		
332	96.2	77.0	115.6
141	34.2	25.2	37.8




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E





#44
 2-Fluorobiphenyl
 Concen: 97.797 ng
 RT: 13.38 min Scan# 1718
 Delta R.T. -0.02 min
 Lab File: BG031207.D
 Acq: 23 Nov 2017 3:14

Tgt Ion	Ratio	Lower	Upper
172	100		
171	37.8	30.0	45.0
170	24.3	19.5	29.3



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#63
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.49 min Scan# 2418
Delta R.T. -0.02 min
Lab File: BG031207.D
Acq: 23 Nov 2017 3:14

Instrument :
BNA_G
ClientSampleId :

Tot Ion:188 Resp: 470023
Ion Ratio Lower Upper
188 100
94 7.7 6.9 10.3
80 7.9 7.7 11.5




Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BGC
Ion 80.00 (79.70 to 80.70): BGC





#75
Chrysene-d12
Concen: 20.000 ng
RT: 21.76 min Scan# 3145
Delta R.T. -0.02 min
Lab File: BG031207.D
Acq: 23 Nov 2017 3:14

Tgt Ion:240 Resp: 574558
Ion Ratio Lower Upper
240 100
120 8.1 6.8 10.2
236 26.3 20.9 31.3



Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E





#78

Terphenyl-d14

Concen: 86.559 ng

RT: 20.08 min Scan# 2859

Delta R.T. -0.01 min

Lab File: BG031207.D

Acq: 23 Nov 2017 3:14

Instrument :

BNA_G

ClientSampleId :


Tot Ion:244 Resp: 2252327

Ion Ratio Lower Upper

244 100

212 8.6 5.8 8.8




122 9.8 7.0 10.4



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.000 ng

RT: 25.07 min Scan# 3707

Delta R.T. -0.02 min

Lab File: BG031207.D

Acq: 23 Nov 2017 3:14


Tgt Ion:264 Resp: 547507

Ion Ratio Lower Upper

264 100

260 23.5 17.4 26.0

265 22.4 17.7 26.5



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

