

Data Path : Z:\HPCHEM1\BNA G\DATA\BG113017\
 Data File : BG031302.D
 Acq On : 1 Dec 2017 00:08
 Operator : SJ/JU
 Sample : I6635-02
 Misc :
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 112817-JETT-E-D-S

Quant Time: Dec 01 03:19:33 2017
 Quant Method : Z:\HPCHEM1\BNA G\METHODS\8270-BG111017.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Nov 10 15:38:25 2017
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.13	152	66156	20.00	ng	-0.02
21) Naphthalene-d8	10.95	136	277666	20.00	ng	-0.02
38) Acenaphthene-d10	14.75	164	183792	20.00	ng	-0.02
63) Phenanthrene-d10	17.49	188	478801	20.00	ng	-0.02
75) Chrysene-d12	21.77	240	550278	20.00	ng	-0.02
86) Perylene-d12	25.06	264	530683	20.00	ng	-0.03
System Monitoring Compounds						
5) 2-Fluorophenol	5.69	112	161891	41.96	ng	-0.02
7) Phenol-d6	7.29	99	128435	24.71	ng	-0.01
23) Nitrobenzene-d5	9.30	82	418077	89.22	ng	-0.02
41) 2,4,6-Tribromophenol	16.24	330	223577	75.20	ng	-0.01
44) 2-Fluorobiphenyl	13.38	172	1212457	94.79	ng	-0.02
78) Terphenyl-d14	20.09	244	2076272	83.31	ng	-0.01


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA G\DATA\BG113017\
Data File : BG031302.D
Acq On : 1 Dec 2017 00:08
Operator : SJ/JU
Sample : I6635-02
Misc :
ALS Vial : 15 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
112817-JETT-E-D-S

Quant Time: Dec 01 03:19:33 2017
Quant Method : Z:\HPCHEM1\BNA G\METHODS\8270-BG111017.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Nov 10 15:38:25 2017
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.13 min Scan# 824
Delta R.T. -0.02 min
Lab File: BG031302.D
Acq: 1 Dec 2017 00:08

Instrument :
BNA_G
ClientSampleId :
112817-JETT-E-D-S

Tot Ion:152 Resp: 66156
Ion Ratio Lower Upper
152 100
150 159.7 126.6 189.8
115 56.4 53.0 79.4




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 41.962 ng
RT: 5.69 min Scan# 409
Delta R.T. -0.02 min
Lab File: BG031302.D
Acq: 1 Dec 2017 00:08

Tgt Ion:112 Resp: 161891
Ion Ratio Lower Upper
112 100
64 56.6 56.3 84.5
63 29.2 30.1 45.1#



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BGC
Ion 63.00 (62.70 to 63.70): BGC





#7

Phenol-d6

Concen: 24.710 ng

RT: 7.29 min Scan# 682

Delta R.T. -0.01 min

Lab File: BG031302.D

Acq: 1 Dec 2017 00:08

Instrument :

BNA_G

ClientSampleId :

112817-JETT-E-D-S


Tot Ion: 99 Resp: 128435

Ion Ratio Lower Upper



99 100

42 15.8 14.1 21.1

71 28.3 26.1 39.1



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.95 min Scan# 1304

Delta R.T. -0.02 min

Lab File: BG031302.D

Acq: 1 Dec 2017 00:08

Tgt Ion: 136 Resp: 277666


Ion Ratio Lower Upper

136 100



137 10.1 9.2 13.8


54 6.2 10.3 15.5#

68 4.1 4.5 6.7#



Abundance Ion 136.00 (135.70 to 136.70): BGC
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC









#23
 Nitrobenzene-d5
 Concen: 89.221 ng
 RT: 9.30 min Scan# 1023
 Delta R.T. -0.02 min
 Lab File: BG031302.D
 Acq: 1 Dec 2017 00:08




Instrument :
 BNA_G
 ClientSampleId :
 112817-JETT-E-D-S

Tot Ion: 82 Resp: 418077
 Ion Ratio Lower Upper
 82 100
 128 45.1 29.7 44.5#
 54 48.7 43.1 64.7



#38
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 14.75 min Scan# 1951
 Delta R.T. -0.02 min
 Lab File: BG031302.D
 Acq: 1 Dec 2017 00:08

Tgt Ion:164 Resp: 183792
 Ion Ratio Lower Upper
 164 100
 162 99.1 78.8 118.2
 160 43.8 35.4 53.0









#41
 2,4,6-Tribromophenol
 Concen: 75.199 ng
 RT: 16.24 min Scan# 2205
 Delta R.T. -0.01 min
 Lab File: BG031302.D
 Acq: 1 Dec 2017 00:08




Instrument :
 BNA_G
 ClientSampleId :
 112817-JETT-E-D-S


Tot Ion	Ratio	Lower	Upper
330	100		
332	96.5	77.0	115.6
141	34.5	25.2	37.8



#44
 2-Fluorobiphenyl
 Concen: 94.790 ng
 RT: 13.38 min Scan# 1717
 Delta R.T. -0.02 min
 Lab File: BG031302.D
 Acq: 1 Dec 2017 00:08

Tgt Ion	Ratio	Lower	Upper
172	100		
171	37.5	30.0	45.0
170	24.6	19.5	29.3









#63
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.49 min Scan# 2418
Delta R.T. -0.02 min
Lab File: BG031302.D
Acq: 1 Dec 2017 00:08




Instrument :
BNA_G
ClientSampleId :
112817-JETT-E-D-S

Tot Ion:188 Resp: 478801
Ion Ratio Lower Upper
188 100
94 7.2 6.9 10.3
80 7.0 7.7 11.5#



#75
Chrysene-d12
Concen: 20.000 ng
RT: 21.77 min Scan# 3145
Delta R.T. -0.02 min
Lab File: BG031302.D
Acq: 1 Dec 2017 00:08

Tgt Ion:240 Resp: 550278
Ion Ratio Lower Upper
240 100
120 7.7 6.8 10.2
236 25.4 20.9 31.3





#78

Terphenyl-d14

Concen: 83.314 ng

RT: 20.09 min Scan# 2859

Delta R.T. -0.01 min

Lab File: BG031302.D

Acq: 1 Dec 2017 00:08

Instrument :

BNA_G

ClientSampleId :

112817-JETT-E-D-S


Tot Ion:244 Resp: 2076272

Ion Ratio Lower Upper




244 100

212 9.0 5.8 8.8#

122 9.1 7.0 10.4



Abundance Ion 244.00 (243.70 to 244.70): E
Ion 212.00 (211.70 to 212.70): E
Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.000 ng

RT: 25.06 min Scan# 3706

Delta R.T. -0.03 min

Lab File: BG031302.D

Acq: 1 Dec 2017 00:08


Tgt Ion:264 Resp: 530683

Ion Ratio Lower Upper

264 100

260 24.2 17.4 26.0

265 22.8 17.7 26.5



Abundance Ion 264.00 (263.70 to 264.70): E
Ion 260.00 (259.70 to 260.70): E
Ion 265.00 (264.70 to 265.70): E

