

Data Path : Z:\HPCHEM1\BNA G\DATA\BG120315\
 Data File : BG019899.D
 Acq On : 4 Dec 2015 9:37
 Operator : UM/NP
 Sample : G4698-02RE
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :

Quant Time: Dec 04 10:46:12 2015
 Quant Method : Z:\HPCHEM1\BNA G\METHODS\8270-BG120215.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Dec 02 18:50:01 2015
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.12	152	29278	20.00	ng	-0.02
21) Naphthalene-d8	10.94	136	129354	20.00	ng	-0.01
38) Acenaphthene-d10	14.75	164	94415	20.00	ng	-0.01
63) Phenanthrene-d10	17.49	188	234561	20.00	ng	-0.02
75) Chrysene-d12	21.77	240	278718	20.00	ng	-0.03
86) Perylene-d12	25.06	264	255462	20.00	ng	-0.04
System Monitoring Compounds						
5) 2-Fluorophenol	5.66	112	11856	7.32	ng	0.00
7) Phenol-d6	7.26	99	12540	5.13	ng	-0.01
23) Nitrobenzene-d5	9.29	82	39405	15.55	ng	-0.01
41) 2,4,6-Tribromophenol	16.23	330	17995	12.46	ng	-0.01
44) 2-Fluorobiphenyl	13.38	172	105510	15.26	ng	-0.01
78) Terphenyl-d14	20.09	244	187550	16.41	ng	-0.02


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA G\DATA\BG120315\
Data File : BG019899.D
Acq On : 4 Dec 2015 9:37
Operator : UM/NP
Sample : G4698-02RE
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :

Quant Time: Dec 04 10:46:12 2015
Quant Method : Z:\HPCHEM1\BNA G\METHODS\8270-BG120215.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Dec 02 18:50:01 2015
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 8.12 min Scan# 898
Delta R.T. -0.02 min
Lab File: BG019899.D
Acq: 4 Dec 2015 9:37

Instrument :
BNA_G
ClientSampleId :

Tot Ion:152 Resp: 29278
Ion Ratio Lower Upper
152 100
150 152.7 115.0 172.4
115 64.2 43.9 65.9




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 7.32 ng
RT: 5.66 min Scan# 480
Delta R.T. -0.01 min
Lab File: BG019899.D
Acq: 4 Dec 2015 9:37

Tgt Ion:112 Resp: 11856
Ion Ratio Lower Upper
112 100
64 65.3 43.7 65.5
63 37.4 24.0 36.0#



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BGC
Ion 63.00 (62.70 to 63.70): BGC





#7

Phenol-d6

Concen: 5.13 ng

RT: 7.26 min Scan# 752

Delta R.T. -0.01 min

Lab File: BG019899.D

Acq: 4 Dec 2015 9:37

Instrument :

BNA_G

ClientSampleId :


Tot Ion: 99 Resp: 12540

Ion Ratio Lower Upper




99 100

42 21.5 11.5 17.3#

71 40.7 22.6 34.0#



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 10.94 min Scan# 1378

Delta R.T. -0.01 min

Lab File: BG019899.D

Acq: 4 Dec 2015 9:37

Tgt Ion: 136 Resp: 129354


Ion Ratio Lower Upper

136 100



137 11.6 8.6 12.8


54 9.4 5.4 8.2#

68 6.4 5.3 7.9



Abundance Ion 136.00 (135.70 to 136.70): BGC
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC









#23
Nitrobenzene-d5
Concen: 15.55 ng
RT: 9.29 min Scan# 1097
Delta R.T. -0.01 min
Lab File: BG019899.D
Acq: 4 Dec 2015 9:37




Instrument :
BNA_G
ClientSampleId :


Tot Ion	82	Resp	39405
Ion Ratio	100	Lower	Upper
128	37.7	36.7	55.1
54	51.4	33.8	50.8



#38
Acenaphthene-d10
Concen: 20.00 ng
RT: 14.75 min Scan# 2027
Delta R.T. -0.01 min
Lab File: BG019899.D
Acq: 4 Dec 2015 9:37

Tgt Ion	164	Resp	94415
Ion Ratio	100	Lower	Upper
162	104.7	78.8	118.2
160	45.9	36.4	54.6









#41
 2,4,6-Tribromophenol
 Concen: 12.46 ng
 RT: 16.23 min Scan# 2279
 Delta R.T. -0.01 min
 Lab File: BG019899.D
 Acq: 4 Dec 2015 9:37

Instrument :
 BNA_G
 ClientSampleId :

Tot Ion:330 Resp: 17995
 Ion Ratio Lower Upper
 330 100
 332 95.1 78.1 117.1
 141 39.3 28.2 42.2




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 15.26 ng
 RT: 13.38 min Scan# 1793
 Delta R.T. -0.01 min
 Lab File: BG019899.D
 Acq: 4 Dec 2015 9:37

Tgt Ion:172 Resp: 105510
 Ion Ratio Lower Upper
 172 100
 171 38.7 29.0 43.6
 170 23.4 19.9 29.9



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#63
Phenanthrene-d10
Concen: 20.00 ng
RT: 17.49 min Scan# 2493
Delta R.T. -0.02 min
Lab File: BG019899.D
Acq: 4 Dec 2015 9:37




Instrument :
BNA_G
ClientSampleId :


Tot Ion:188 Resp: 234561
Ion Ratio Lower Upper
188 100
94 7.7 7.7 11.5
80 9.4 7.8 11.8



#75
Chrysene-d12
Concen: 20.00 ng
RT: 21.77 min Scan# 3221
Delta R.T. -0.03 min
Lab File: BG019899.D
Acq: 4 Dec 2015 9:37

Tgt Ion:240 Resp: 278718
Ion Ratio Lower Upper
240 100
120 7.4 7.4 11.0
236 25.9 20.7 31.1





#78

Terphenyl-d14

Concen: 16.41 ng

RT: 20.09 min Scan# 2936

Delta R.T. -0.02 min

Lab File: BG019899.D

Acq: 4 Dec 2015 9:37

Instrument :

BNA_G

ClientSampleId :


Tot Ion:244 Resp: 187550

Ion Ratio Lower Upper

244 100

212 7.7 6.9 10.3




122 7.6 10.2 15.2#



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.00 ng

RT: 25.06 min Scan# 3781

Delta R.T. -0.04 min

Lab File: BG019899.D

Acq: 4 Dec 2015 9:37


Tgt Ion:264 Resp: 255462

Ion Ratio Lower Upper

264 100

260 23.0 18.5 27.7

265 21.4 17.2 25.8



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

