

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG120318\
 Data File : BG038316.D
 Acq On : 4 Dec 2018 1:36
 Operator : JU/SJ
 Sample : J6179-07
 Misc :
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 S7-0-0.5-BGS

Quant Time: Dec 04 06:22:36 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG111318.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Nov 13 16:39:28 2018
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.08	152	16716	20.00	ng	0.00
21) Naphthalene-d8	10.89	136	73135	20.00	ng	-0.02
39) Acenaphthene-d10	14.71	164	56321	20.00	ng	0.00
64) Phenanthrene-d10	17.46	188	167794	20.00	ng	0.00
76) Chrysene-d12	21.74	240	189323	20.00	ng	0.00
87) Perylene-d12	25.06	264	199989	20.00	ng	-0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.62	112	100746	104.06	ng	0.00
7) Phenol-d6	7.22	99	140323	101.54	ng	0.00
23) Nitrobenzene-d5	9.25	82	92191	67.48	ng	0.00
42) 2,4,6-Tribromophenol	16.20	330	101668	158.28	ng	0.00
45) 2-Fluorobiphenyl	13.33	172	237785	61.51	ng	-0.02
79) Terphenyl-d14	20.06	244	609733	75.78	ng	0.00
Target Compounds						
10) Phenol	7.25	94	10584	7.230	ng	88
50) Dimethylphthalate	14.16	163	36846	8.252	ng	98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG120318\
Data File : BG038316.D
Acq On : 4 Dec 2018 1:36
Operator : JU/SJ
Sample : J6179-07
Misc :
ALS Vial : 13 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
S7-0-0.5-BGS

Quant Time: Dec 04 06:22:36 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG111318.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Nov 13 16:39:28 2018
Response via : Initial Calibration






#1



1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.08 min Scan# 815
Delta R.T. -0.01 min
Lab File: BG038316.D
Acq: 4 Dec 2018 1:36

Instrument :
BNA_G
ClientSampleId :
S7-0-0.5-BGS

Tot Ion:152 Resp: 16716
Ion Ratio Lower Upper
152 100
150 145.2 126.0 189.0
115 52.8 45.5 68.3




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5

2-Fluorophenol
Concen: 104.059 ng
RT: 5.62 min Scan# 397
Delta R.T. -0.01 min
Lab File: BG038316.D
Acq: 4 Dec 2018 1:36

Tgt Ion:112 Resp: 100746
Ion Ratio Lower Upper
112 100
64 66.2 53.1 79.7
63 33.9 27.3 40.9



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BGC
Ion 63.00 (62.70 to 63.70): BGC





#7

Phenol-d6

Concen: 101.536 ng

RT: 7.22 min Scan# 669

Delta R.T. -0.01 min

Lab File: BG038316.D

Acq: 4 Dec 2018 1:36

Instrument :

BNA_G

ClientSampleId :

S7-0-0.5-BGS


Tot Ion: 99 Resp: 140323

Ion Ratio Lower Upper




99 100

42 21.0 15.0 22.4

71 33.4 25.5 38.3



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#10

Phenol

Concen: 7.230 ng

RT: 7.25 min Scan# 674

Delta R.T. -0.01 min

Lab File: BG038316.D

Acq: 4 Dec 2018 1:36


Tgt Ion: 94 Resp: 10584

Ion Ratio Lower Upper



94 100


65 33.9 9.7 49.7

66 44.5 15.9 55.9



Abundance Ion 94.00 (93.70 to 94.70): BGC
Ion 65.00 (64.70 to 65.70): BGC
Ion 66.00 (65.70 to 66.70): BGC









#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.89 min Scan# 1294
Delta R.T. -0.02 min
Lab File: BG038316.D
Acq: 4 Dec 2018 1:36

Instrument :
BNA_G
ClientSampleId :
S7-0-0.5-BGS

Tot Ion:136	Resp:	73135
Ion	Ratio	Lower Upper
136	100	
137	10.1	9.6 14.4
54	10.2	7.9 11.9
68	5.4	4.8 7.2




Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC





#23
Nitrobenzene-d5
Concen: 67.478 ng
RT: 9.25 min Scan# 1015
Delta R.T. -0.01 min
Lab File: BG038316.D
Acq: 4 Dec 2018 1:36

Tgt Ion: 82	Resp:	92191
Ion	Ratio	Lower Upper
82	100	
128	42.1	34.6 51.8
54	59.5	45.3 67.9



Abundance Ion 82.00 (81.70 to 82.70): BGC
Ion 128.00 (127.70 to 128.70): E
Ion 54.00 (53.70 to 54.70): BGC





#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 14.71 min Scan# 1944

Delta R.T. -0.01 min

Lab File: BG038316.D

Acq: 4 Dec 2018 1:36

Instrument :

BNA_G

ClientSampleId :

S7-0-0.5-BGS


Tot Ion:164 Resp: 56321

Ion Ratio Lower Upper




164 100

162 109.2 81.3 121.9

160 44.8 36.3 54.5



Abundance Ion 164.00 (163.70 to 164.70): E
Ion 162.00 (161.70 to 162.70): E
Ion 160.00 (159.70 to 160.70): E



#42

2,4,6-Tribromophenol

Concen: 158.281 ng

RT: 16.20 min Scan# 2198

Delta R.T. -0.01 min

Lab File: BG038316.D

Acq: 4 Dec 2018 1:36


Tgt Ion:330 Resp: 101668

Ion Ratio Lower Upper



330 100

332 96.5 78.4 117.6

141 43.7 32.2 48.2



Abundance Ion 329.80 (329.50 to 330.50): E
Ion 331.80 (331.50 to 332.50): E
Ion 141.00 (140.70 to 141.70): E









#45
 2-Fluorobiphenyl
 Concen: 61.508 ng
 RT: 13.33 min Scan# 1709
 Delta R.T. -0.02 min
 Lab File: BG038316.D
 Acq: 4 Dec 2018 1:36

Instrument :
 BNA_G
 ClientSampleId :
 S7-0-0.5-BGS

Tot Ion:	172	Resp:	237785
Ion	Ratio	Lower	Upper
172	100		
171	37.5	31.0	46.4
170	24.0	20.2	30.2




Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E






#50
 Dimethylphthalate
 Concen: 8.252 ng
 RT: 14.16 min Scan# 1850
 Delta R.T. -0.02 min
 Lab File: BG038316.D
 Acq: 4 Dec 2018 1:36

Tgt Ion:	163	Resp:	36846
Ion	Ratio	Lower	Upper
163	100		
194	5.0	3.5	5.3
164	9.9	8.5	12.7



Abundance Ion 163.00 (162.70 to 163.70): E
 Ion 194.00 (193.70 to 194.70): E
 Ion 164.00 (163.70 to 164.70): E









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.46 min Scan# 2412
Delta R.T. -0.01 min
Lab File: BG038316.D
Acq: 4 Dec 2018 1:36

Instrument :
BNA_G
ClientSampleId :
S7-0-0.5-BGS

Tot Ion:188 Resp: 167794
Ion Ratio Lower Upper
188 100
94 8.3 7.2 10.8
80 8.5 7.7 11.5




Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BGC
Ion 80.00 (79.70 to 80.70): BGC






#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.74 min Scan# 3141
Delta R.T. -0.01 min
Lab File: BG038316.D
Acq: 4 Dec 2018 1:36

Tgt Ion:240 Resp: 189323
Ion Ratio Lower Upper
240 100
120 9.9 8.1 12.1
236 26.5 21.4 32.0



Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E





#79

Terphenyl-d14

Concen: 75.781 ng

RT: 20.06 min Scan# 2855

Delta R.T. -0.00 min

Lab File: BG038316.D

Acq: 4 Dec 2018 1:36

Instrument :

BNA_G

ClientSampleId :

S7-0-0.5-BGS


Tot Ion:244 Resp: 609733

Ion Ratio Lower Upper

244 100

212 7.4 6.5 9.7




122 9.1 9.0 13.4



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#87

Perylene-d12

Concen: 20.000 ng

RT: 25.06 min Scan# 3705

Delta R.T. -0.02 min

Lab File: BG038316.D

Acq: 4 Dec 2018 1:36


Tgt Ion:264 Resp: 199989

Ion Ratio Lower Upper

264 100

260 23.2 18.2 27.4

265 21.5 17.9 26.9



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

