

Data Path : Z:\HPCHEM1\BNA G\DATA\BG120415\
 Data File : BG019927.D
 Acq On : 5 Dec 2015 5:27
 Operator : UM/NP
 Sample : PB87008BL
 Misc :
 ALS Vial : 18 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 PB87008BL

Quant Time: Dec 07 04:05:14 2015
 Quant Method : Z:\HPCHEM1\BNA G\METHODS\8270-BG120215.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Dec 02 18:50:01 2015
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.11	152	28222	20.00	ng	-0.02
21) Naphthalene-d8	10.93	136	122108	20.00	ng	-0.02
38) Acenaphthene-d10	14.74	164	92167	20.00	ng	-0.02
63) Phenanthrene-d10	17.49	188	231149	20.00	ng	-0.02
75) Chrysene-d12	21.76	240	283834	20.00	ng	-0.04
86) Perylene-d12	25.04	264	262494	20.00	ng	-0.05
System Monitoring Compounds						
5) 2-Fluorophenol	5.66	112	185301	118.67	ng	-0.01
7) Phenol-d6	7.26	99	270742	114.84	ng	-0.01
23) Nitrobenzene-d5	9.28	82	178766	74.72	ng	-0.02
41) 2,4,6-Tribromophenol	16.23	330	141495	100.33	ng	-0.02
44) 2-Fluorobiphenyl	13.37	172	453543	67.19	ng	-0.02
78) Terphenyl-d14	20.09	244	815537	70.08	ng	-0.02


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA G\DATA\BG120415\
Data File : BG019927.D
Acq On : 5 Dec 2015 5:27
Operator : UM/NP
Sample : PB87008BL
Misc :
ALS Vial : 18 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
PB87008BL

Quant Time: Dec 07 04:05:14 2015
Quant Method : Z:\HPCHEM1\BNA G\METHODS\8270-BG120215.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Dec 02 18:50:01 2015
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.00 ng

RT: 8.11 min Scan# 898

Delta R.T. -0.02 min

Lab File: BG019927.D

Acq: 5 Dec 2015 5:27

Instrument :

BNA_G

ClientSampleId :

PB87008BL


Tot Ion:152 Resp: 28222

Ion Ratio Lower Upper

152 100

150 142.4 115.0 172.4




115 58.9 43.9 65.9



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 118.67 ng

RT: 5.66 min Scan# 480

Delta R.T. -0.01 min

Lab File: BG019927.D

Acq: 5 Dec 2015 5:27


Tgt Ion:112 Resp: 185301

Ion Ratio Lower Upper

112 100

64 69.9 43.7 65.5#



63 37.4 24.0 36.0#



Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BGC

Ion 63.00 (62.70 to 63.70): BGC





#7

Phenol-d6

Concen: 114.84 ng

RT: 7.26 min Scan# 753

Delta R.T. -0.01 min

Lab File: BG019927.D

Acq: 5 Dec 2015 5:27

Instrument :

BNA_G

ClientSampleId :

PB87008BL


Tot Ion: 99 Resp: 270742

Ion Ratio Lower Upper

99 100

42 19.7 11.5 17.3#




71 40.4 22.6 34.0#



Abundance Ion 99.00 (98.70 to 99.70): BGC

Ion 42.00 (41.70 to 42.70): BGC

Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 10.93 min Scan# 1378

Delta R.T. -0.02 min

Lab File: BG019927.D

Acq: 5 Dec 2015 5:27

Tgt Ion: 136 Resp: 122108


Ion Ratio Lower Upper

136 100

137 11.0 8.6 12.8

54 9.3 5.4 8.2#

68 6.1 5.3 7.9





Abundance Ion 136.00 (135.70 to 136.70): BGC

Ion 137.00 (136.70 to 137.70): BGC

Ion 54.00 (53.70 to 54.70): BGC

Ion 68.00 (67.70 to 68.70): BGC








#23
 Nitrobenzene-d5
 Concen: 74.72 ng
 RT: 9.28 min Scan# 1097
 Delta R.T. -0.02 min
 Lab File: BG019927.D
 Acq: 5 Dec 2015 5:27




Instrument :
 BNA_G
 ClientSampleId :
 PB87008BL


Tot Ion: 82 Resp: 178766
 Ion Ratio Lower Upper
 82 100
 128 36.3 36.7 55.1#
 54 48.0 33.8 50.8



#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 14.74 min Scan# 2026
 Delta R.T. -0.02 min
 Lab File: BG019927.D
 Acq: 5 Dec 2015 5:27

Tgt Ion:164 Resp: 92167
 Ion Ratio Lower Upper
 164 100
 162 105.2 78.8 118.2
 160 42.0 36.4 54.6








#41
 2,4,6-Tribromophenol
 Concen: 100.33 ng
 RT: 16.23 min Scan# 2279
 Delta R.T. -0.02 min
 Lab File: BG019927.D
 Acq: 5 Dec 2015 5:27

Instrument :
 BNA_G
 ClientSampleId :
 PB87008BL

Tot Ion:330 Resp: 141495
 Ion Ratio Lower Upper
 330 100
 332 95.4 78.1 117.1
 141 38.1 28.2 42.2




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 67.19 ng
 RT: 13.37 min Scan# 1793
 Delta R.T. -0.02 min
 Lab File: BG019927.D
 Acq: 5 Dec 2015 5:27

Tgt Ion:172 Resp: 453543
 Ion Ratio Lower Upper
 172 100
 171 36.8 29.0 43.6
 170 24.0 19.9 29.9



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#63
Phenanthrene-d10
Concen: 20.00 ng
RT: 17.49 min Scan# 2493
Delta R.T. -0.02 min
Lab File: BG019927.D
Acq: 5 Dec 2015 5:27




Instrument :
BNA_G
ClientSampleId :
PB87008BL


Tot Ion:188 Resp: 231149
Ion Ratio Lower Upper
188 100
94 7.6 7.7 11.5#
80 8.9 7.8 11.8



#75
Chrysene-d12
Concen: 20.00 ng
RT: 21.76 min Scan# 3220
Delta R.T. -0.04 min
Lab File: BG019927.D
Acq: 5 Dec 2015 5:27

Tgt Ion:240 Resp: 283834
Ion Ratio Lower Upper
240 100
120 7.3 7.4 11.0#
236 26.3 20.7 31.1





#78

Terphenyl-d14

Concen: 70.08 ng

RT: 20.09 min Scan# 2936

Delta R.T. -0.02 min

Lab File: BG019927.D

Acq: 5 Dec 2015 5:27

Instrument :

BNA_G

ClientSampleId :

PB87008BL


Tot Ion:244 Resp: 815537

Ion Ratio Lower Upper




244 100

212 8.2 6.9 10.3

122 8.6 10.2 15.2#



Abundance Ion 244.00 (243.70 to 244.70): E
Ion 212.00 (211.70 to 212.70): E
Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.00 ng

RT: 25.04 min Scan# 3779

Delta R.T. -0.05 min

Lab File: BG019927.D

Acq: 5 Dec 2015 5:27


Tgt Ion:264 Resp: 262494

Ion Ratio Lower Upper

264 100

260 23.4 18.5 27.7

265 22.2 17.2 25.8



Abundance Ion 264.00 (263.70 to 264.70): E
Ion 260.00 (259.70 to 260.70): E
Ion 265.00 (264.70 to 265.70): E

