

Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG120722\
 Data File : BG055913.D
 Acq On : 7 Dec 2022 12:46
 Operator : CG/JU
 Sample : PB149382BL
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 PB149382BL

Quant Time: Dec 08 05:05:07 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_G\Methods\8270-BG111622.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Dec 07 05:04:10 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	8.158	152	23094	20.000	ng	0.00
21) Naphthalene-d8	10.990	136	99869	20.000	ng	0.00
39) Acenaphthene-d10	14.791	164	77718	20.000	ng	-0.01
64) Phenanthrene-d10	17.535	188	203629	20.000	ng	-0.01
76) Chrysene-d12	21.818	240	206644	20.000	ng	-0.01
86) Perylene-d12	25.167	264	217705	20.000	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.690	112	203209	159.047	ng	0.00
7) Phenol-d6	7.318	99	266605	156.755	ng	0.00
23) Nitrobenzene-d5	9.339	82	168855	89.365	ng	0.00
42) 2,4,6-Tribromophenol	16.284	330	150539	137.558	ng	0.00
45) 2-Fluorobiphenyl	13.416	172	439645	84.748	ng	0.00
79) Terphenyl-d14	20.126	244	964968	93.400	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG120722\
Data File : BG055913.D
Acq On : 7 Dec 2022 12:46
Operator : CG/JU
Sample : PB149382BL
Misc :
ALS Vial : 3 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
PB149382BL

Quant Time: Dec 08 05:05:07 2022
Quant Method : Z:\svoasrv\HPCHEM1\BNA_G\Methods\8270-BG111622.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Dec 07 05:04:10 2022
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.158 min Scan# 81
Delta R.T. -0.004 min
Lab File: BG055913.D
Acq: 7 Dec 2022 12:46




Instrument :
BNA_G
ClientSampleId :
PB149382BL


Tgt Ion:152 Resp: 23094
Ion Ratio Lower Upper
152 100
150 161.8 123.0 184.6
115 58.9 47.0 70.4



#5
2-Fluorophenol
Concen: 159.047 ng
RT: 5.690 min Scan# 409
Delta R.T. -0.004 min
Lab File: BG055913.D
Acq: 7 Dec 2022 12:46

Tgt Ion:112 Resp: 203209
Ion Ratio Lower Upper
112 100
64 67.0 50.6 76.0
63 36.4 27.5 41.3









#7
Phenol-d6
Concen: 156.755 ng
RT: 7.318 min Scan# 68
Delta R.T. -0.004 min
Lab File: BG055913.D
Acq: 7 Dec 2022 12:46




Instrument :
BNA_G
ClientSampleId :
PB149382BL


Tgt Ion: 99 Resp: 266605
Ion Ratio Lower Upper
99 100
42 24.7 18.0 27.0
71 38.2 29.0 43.6



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.990 min Scan# 1311
Delta R.T. -0.004 min
Lab File: BG055913.D
Acq: 7 Dec 2022 12:46

Tgt Ion:136 Resp: 99869
Ion Ratio Lower Upper
136 100
137 11.6 9.0 13.6
54 10.7 7.8 11.6
68 5.4 5.0 7.4





#23

Nitrobenzene-d5

Concen: 89.365 ng

RT: 9.339 min Scan# 10

Delta R.T. -0.004 min

Lab File: BG055913.D

Acq: 7 Dec 2022 12:46

Instrument :

BNA_G

ClientSampleId :

PB149382BL





Tgt Ion: 82 Resp: 168855

Ion Ratio Lower Upper

82 100

128 42.8 34.1 51.1

54 61.6 47.3 70.9



#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 14.791 min Scan# 1958

Delta R.T. -0.010 min

Lab File: BG055913.D

Acq: 7 Dec 2022 12:46




Tgt Ion:164 Resp: 77718


Ion Ratio Lower Upper

164 100

162 100.4 81.1 121.7

160 44.1 34.8 52.2









#42
2,4,6-Tribromophenol
Concen: 137.558 ng
RT: 16.284 min Scan# 21
Delta R.T. -0.004 min
Lab File: BG055913.D
Acq: 7 Dec 2022 12:46




Instrument :
BNA_G
ClientSampleId :
PB149382BL


Tgt Ion:330 Resp: 150539
Ion Ratio Lower Upper
330 100
332 95.1 77.8 116.8
141 30.2 23.9 35.9



#45
2-Fluorobiphenyl
Concen: 84.748 ng
RT: 13.416 min Scan# 1724
Delta R.T. -0.004 min
Lab File: BG055913.D
Acq: 7 Dec 2022 12:46

Tgt Ion:172 Resp: 439645
Ion Ratio Lower Upper
172 100
171 36.4 29.8 44.6
170 24.6 20.2 30.4









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.535 min Scan# 2439
Delta R.T. -0.010 min
Lab File: BG055913.D
Acq: 7 Dec 2022 12:46




Instrument :
BNA_G
ClientSampleId :
PB149382BL


Tgt Ion:188 Resp: 203629
Ion Ratio Lower Upper
188 100
94 7.3 5.4 8.2
80 8.7 6.6 10.0



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.818 min Scan# 3154
Delta R.T. -0.010 min
Lab File: BG055913.D
Acq: 7 Dec 2022 12:46

Tgt Ion:240 Resp: 206644
Ion Ratio Lower Upper
240 100
120 7.6 6.3 9.5
236 26.4 21.9 32.9









#79
 Terphenyl-d14
 Concen: 93.400 ng
 RT: 20.126 min Scan# 2879
 Delta R.T. -0.004 min
 Lab File: BG055913.D
 Acq: 7 Dec 2022 12:46

Instrument :
 BNA_G
 ClientSampleId :
 PB149382BL

Tgt Ion:244 Resp: 964968
 Ion Ratio Lower Upper
 244 100
 212 7.9 6.3 9.5
 122 8.6 6.9 10.3



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 25.167 min Scan# 3724
 Delta R.T. -0.010 min
 Lab File: BG055913.D
 Acq: 7 Dec 2022 12:46

Tgt Ion:264 Resp: 217705
 Ion Ratio Lower Upper
 264 100
 260 24.0 19.5 29.3
 265 21.4 17.1 25.7

