

Data Path : Z:\HPCHEM1\BNA G\DATA\BG120815\
 Data File : BG020011.D
 Acq On : 8 Dec 2015 10:34
 Operator : UM/SJ
 Sample : G4676-21
 Misc :
 ALS Vial : 32 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 MW-19

Quant Time: Dec 09 03:59:35 2015
 Quant Method : Z:\HPCHEM1\BNA G\METHODS\8270-BG120215.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Dec 02 18:50:01 2015
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.12	152	20046	20.00	ng	-0.02
21) Naphthalene-d8	10.93	136	86814	20.00	ng	-0.02
38) Acenaphthene-d10	14.74	164	58314	20.00	ng	-0.02
63) Phenanthrene-d10	17.48	188	145117	20.00	ng	-0.03
75) Chrysene-d12	21.75	240	175086	20.00	ng	-0.04
86) Perylene-d12	25.04	264	163220	20.00	ng	-0.06
System Monitoring Compounds						
5) 2-Fluorophenol	5.66	112	92739	83.61	ng	0.00
7) Phenol-d6	7.26	99	84833	50.66	ng	-0.02
23) Nitrobenzene-d5	9.28	82	186571	109.68	ng	-0.02
41) 2,4,6-Tribromophenol	16.22	330	134728	151.00	ng	-0.02
44) 2-Fluorobiphenyl	13.37	172	443853	103.93	ng	-0.02
78) Terphenyl-d14	20.08	244	726316	101.18	ng	-0.03


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA G\DATA\BG120815\
Data File : BG020011.D
Acq On : 8 Dec 2015 10:34
Operator : UM/SJ
Sample : G4676-21
Misc :
ALS Vial : 32 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
MW-19

Quant Time: Dec 09 03:59:35 2015
Quant Method : Z:\HPCHEM1\BNA G\METHODS\8270-BG120215.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Dec 02 18:50:01 2015
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.00 ng

RT: 8.12 min Scan# 898

Delta R.T. -0.02 min

Lab File: BG020011.D

Acq: 8 Dec 2015 10:34

Instrument :

BNA_G

ClientSampleId :

MW-19


Tot Ion:152 Resp: 20046

Ion Ratio Lower Upper

152 100

150 155.0 115.0 172.4




115 61.1 43.9 65.9



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 83.61 ng

RT: 5.66 min Scan# 480

Delta R.T. -0.01 min

Lab File: BG020011.D

Acq: 8 Dec 2015 10:34


Tgt Ion:112 Resp: 92739

Ion Ratio Lower Upper

112 100

64 66.3 43.7 65.5#



63 37.2 24.0 36.0#




Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BG0

Ion 63.00 (62.70 to 63.70): BG0





#7

Phenol-d6

Concen: 50.66 ng

RT: 7.26 min Scan# 752

Delta R.T. -0.02 min

Lab File: BG020011.D

Acq: 8 Dec 2015 10:34

Instrument :

BNA_G

ClientSampleId :

MW-19


Tot Ion: 99 Resp: 84833

Ion Ratio Lower Upper

99 100

42 18.0 11.5 17.3#




71 38.7 22.6 34.0#



Abundance Ion 99.00 (98.70 to 99.70): BGC

Ion 42.00 (41.70 to 42.70): BGC

Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 10.93 min Scan# 1377

Delta R.T. -0.02 min

Lab File: BG020011.D

Acq: 8 Dec 2015 10:34

Tgt Ion: 136 Resp: 86814


Ion Ratio Lower Upper

136 100

137 11.3 8.6 12.8

54 8.5 5.4 8.2#

68 6.3 5.3 7.9






Abundance Ion 136.00 (135.70 to 136.70): BGC

Ion 137.00 (136.70 to 137.70): BGC

Ion 54.00 (53.70 to 54.70): BGC

Ion 68.00 (67.70 to 68.70): BGC









#23
Nitrobenzene-d5
Concen: 109.68 ng
RT: 9.28 min Scan# 1096
Delta R.T. -0.02 min
Lab File: BG020011.D
Acq: 8 Dec 2015 10:34




Instrument :
BNA_G
ClientSampleId :
MW-19


Tot Ion: 82 Resp: 186571
Ion Ratio Lower Upper
82 100
128 39.6 36.7 55.1
54 50.3 33.8 50.8



#38
Acenaphthene-d10
Concen: 20.00 ng
RT: 14.74 min Scan# 2026
Delta R.T. -0.02 min
Lab File: BG020011.D
Acq: 8 Dec 2015 10:34

Tgt Ion:164 Resp: 58314
Ion Ratio Lower Upper
164 100
162 110.4 78.8 118.2
160 45.8 36.4 54.6









#41
 2,4,6-Tribromophenol
 Concen: 151.00 ng
 RT: 16.22 min Scan# 2278
 Delta R.T. -0.02 min
 Lab File: BG020011.D
 Acq: 8 Dec 2015 10:34

Instrument :
 BNA_G
 ClientSampleId :
 MW-19

Tot Ion:330 Resp: 134728
 Ion Ratio Lower Upper
 330 100
 332 95.5 78.1 117.1
 141 37.7 28.2 42.2




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 103.93 ng
 RT: 13.37 min Scan# 1792
 Delta R.T. -0.02 min
 Lab File: BG020011.D
 Acq: 8 Dec 2015 10:34

Tgt Ion:172 Resp: 443853
 Ion Ratio Lower Upper
 172 100
 171 37.3 29.0 43.6
 170 24.2 19.9 29.9



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#63
Phenanthrene-d10
Concen: 20.00 ng
RT: 17.48 min Scan# 2492
Delta R.T. -0.03 min
Lab File: BG020011.D
Acq: 8 Dec 2015 10:34




Instrument :
BNA_G
ClientSampleId :
MW-19


Tot Ion:188 Resp: 145117
Ion Ratio Lower Upper
188 100
94 7.0 7.7 11.5#
80 8.6 7.8 11.8



#75
Chrysene-d12
Concen: 20.00 ng
RT: 21.75 min Scan# 3219
Delta R.T. -0.04 min
Lab File: BG020011.D
Acq: 8 Dec 2015 10:34

Tgt Ion:240 Resp: 175086
Ion Ratio Lower Upper
240 100
120 7.5 7.4 11.0
236 26.5 20.7 31.1









#78
 Terphenyl-d14
 Concen: 101.18 ng
 RT: 20.08 min Scan# 2935
 Delta R.T. -0.03 min
 Lab File: BG020011.D
 Acq: 8 Dec 2015 10:34

Instrument :
 BNA_G
 ClientSampleId :
 MW-19

Tot Ion	Ratio	Lower	Upper
244	100		
212	8.5	6.9	10.3
122	8.3	10.2	15.2#



#86
 Perylene-d12
 Concen: 20.00 ng
 RT: 25.04 min Scan# 3778
 Delta R.T. -0.06 min
 Lab File: BG020011.D
 Acq: 8 Dec 2015 10:34

Tgt Ion	Ratio	Lower	Upper
264	100		
260	23.2	18.5	27.7
265	20.1	17.2	25.8

