

Data Path : Z:\HPCHEM1\BNA_G\DATA\BG121215\
 Data File : BG020125.D
 Acq On : 12 Dec 2015 3:17
 Operator : UM/SJ
 Sample : G4755-04
 Misc :
 ALS Vial : 18 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 121015-D534-E-U-B

Quant Time: Dec 12 04:10:29 2015
 Quant Method : Z:\HPCHEM1\BNA_G\METHODS\8270-BG120215.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Dec 02 18:50:01 2015
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.10	152	21698	20.00	ng	-0.04
21) Naphthalene-d8	10.92	136	91890	20.00	ng	-0.04
38) Acenaphthene-d10	14.73	164	67232	20.00	ng	-0.04
63) Phenanthrene-d10	17.47	188	184402	20.00	ng	-0.04
75) Chrysene-d12	21.74	240	218823	20.00	ng	-0.05
86) Perylene-d12	25.00	264	204217	20.00	ng	-0.09
System Monitoring Compounds						
5) 2-Fluorophenol	5.65	112	57598	47.98	ng	-0.02
7) Phenol-d6	7.25	99	66129	36.48	ng	-0.02
23) Nitrobenzene-d5	9.27	82	150725	83.71	ng	-0.04
41) 2,4,6-Tribromophenol	16.21	330	86006	83.61	ng	-0.03
44) 2-Fluorobiphenyl	13.35	172	391510	79.51	ng	-0.04
78) Terphenyl-d14	20.07	244	730184	81.39	ng	-0.04


Target Compounds	Qvalue
------------------	--------


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_G\DATA\BG121215\
Data File : BG020125.D
Acq On : 12 Dec 2015 3:17
Operator : UM/SJ
Sample : G4755-04
Misc :
ALS Vial : 18 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
121015-D534-E-U-B

Quant Time: Dec 12 04:10:29 2015
Quant Method : Z:\HPCHEM1\BNA_G\METHODS\8270-BG120215.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Dec 02 18:50:01 2015
Response via : Initial Calibration









#1

1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 8.10 min Scan# 896
Delta R.T. -0.04 min
Lab File: BG020125.D
Acq: 12 Dec 2015 3:17

Instrument :
BNA_G
ClientSampleId :
121015-D534-E-U-B




Tgt Ion:152 Resp: 21698
Ion Ratio Lower Upper
152 100
150 153.0 115.0 172.4
115 62.1 43.9 65.9



#5

2-Fluorophenol
Concen: 47.98 ng
RT: 5.65 min Scan# 478
Delta R.T. -0.02 min
Lab File: BG020125.D
Acq: 12 Dec 2015 3:17

Tgt Ion:112 Resp: 57598
Ion Ratio Lower Upper
112 100
64 62.8 43.7 65.5
63 35.9 24.0 36.0





#7

Phenol-d6

Concen: 36.48 ng

RT: 7.25 min Scan# 751

Delta R.T. -0.02 min

Lab File: BG020125.D

Acq: 12 Dec 2015 3:17

Instrument :

BNA_G

ClientSampleId :

121015-D534-E-U-B


Tgt Ion: 99 Resp: 66129

Ion Ratio Lower Upper




99 100

42 18.6 11.5 17.3#

71 40.2 22.6 34.0#



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 10.92 min Scan# 1375

Delta R.T. -0.04 min

Lab File: BG020125.D

Acq: 12 Dec 2015 3:17

Tgt Ion: 136 Resp: 91890


Ion Ratio Lower Upper

136 100



137 11.2 8.6 12.8

54 7.9 5.4 8.2

68 5.3 5.3 7.9



Abundance Ion 136.00 (135.70 to 136.70): BGC
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC









#23
 Nitrobenzene-d5
 Concen: 83.71 ng
 RT: 9.27 min Scan# 1094
 Delta R.T. -0.04 min
 Lab File: BG020125.D
 Acq: 12 Dec 2015 3:17




Instrument :
 BNA_G
 ClientSampleId :
 121015-D534-E-U-B

Tgt Ion	Ratio	Lower	Upper
82	100		
128	39.8	36.7	55.1
54	48.4	33.8	50.8



#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 14.73 min Scan# 2024
 Delta R.T. -0.04 min
 Lab File: BG020125.D
 Acq: 12 Dec 2015 3:17

Tgt Ion	Ratio	Lower	Upper
164	100		
162	106.1	78.8	118.2
160	47.1	36.4	54.6









#41
 2,4,6-Tribromophenol
 Concen: 83.61 ng
 RT: 16.21 min Scan# 2276
 Delta R.T. -0.03 min
 Lab File: BG020125.D
 Acq: 12 Dec 2015 3:17

Instrument :
 BNA_G
 ClientSampleId :
 121015-D534-E-U-B

Tgt Ion: 330 Resp: 86006
 Ion Ratio Lower Upper
 330 100
 332 99.7 78.1 117.1
 141 36.1 28.2 42.2




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E





#44
 2-Fluorobiphenyl
 Concen: 79.51 ng
 RT: 13.35 min Scan# 1790
 Delta R.T. -0.04 min
 Lab File: BG020125.D
 Acq: 12 Dec 2015 3:17

Tgt Ion: 172 Resp: 391510
 Ion Ratio Lower Upper
 172 100
 171 37.0 29.0 43.6
 170 24.2 19.9 29.9



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#63
Phenanthrene-d10
Concen: 20.00 ng
RT: 17.47 min Scan# 2490
Delta R.T. -0.04 min
Lab File: BG020125.D
Acq: 12 Dec 2015 3:17




Instrument :
BNA_G
ClientSampleId :
121015-D534-E-U-B


Tgt Ion:188 Resp: 184402
Ion Ratio Lower Upper
188 100
94 7.1 7.7 11.5#
80 8.8 7.8 11.8



#75
Chrysene-d12
Concen: 20.00 ng
RT: 21.74 min Scan# 3217
Delta R.T. -0.05 min
Lab File: BG020125.D
Acq: 12 Dec 2015 3:17

Tgt Ion:240 Resp: 218823
Ion Ratio Lower Upper
240 100
120 6.8 7.4 11.0#
236 25.3 20.7 31.1





#78

Terphenyl-d14

Concen: 81.39 ng

RT: 20.07 min Scan# 2933

Delta R.T. -0.04 min

Lab File: BG020125.D

Acq: 12 Dec 2015 3:17

Instrument :

BNA_G

ClientSampleId :

121015-D534-E-U-B


Tgt Ion:244 Resp: 730184

Ion Ratio Lower Upper

244 100

212 8.0 6.9 10.3




122 8.0 10.2 15.2#



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.00 ng

RT: 25.00 min Scan# 3772

Delta R.T. -0.09 min

Lab File: BG020125.D

Acq: 12 Dec 2015 3:17


Tgt Ion:264 Resp: 204217

Ion Ratio Lower Upper

264 100

260 23.4 18.5 27.7

265 21.2 17.2 25.8



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

