

Data Path : Z:\HPCHEM1\BNA_G\DATA\BG121215\
 Data File : BG020131.D
 Acq On : 12 Dec 2015 7:11
 Operator : UM/SJ
 Sample : G4755-06
 Misc :
 ALS Vial : 22 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 121015-D534-E-U-S

Quant Time: Dec 14 00:59:03 2015
 Quant Method : Z:\HPCHEM1\BNA_G\METHODS\8270-BG120215.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Dec 02 18:50:01 2015
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.10	152	21399	20.00	ng	-0.04
21) Naphthalene-d8	10.92	136	91305	20.00	ng	-0.04
38) Acenaphthene-d10	14.73	164	69190	20.00	ng	-0.04
63) Phenanthrene-d10	17.47	188	181361	20.00	ng	-0.04
75) Chrysene-d12	21.74	240	212274	20.00	ng	-0.05
86) Perylene-d12	25.01	264	199111	20.00	ng	-0.09
System Monitoring Compounds						
5) 2-Fluorophenol	5.65	112	51114	43.17	ng	-0.02
7) Phenol-d6	7.25	99	50026	27.98	ng	-0.02
23) Nitrobenzene-d5	9.27	82	149704	83.68	ng	-0.04
41) 2,4,6-Tribromophenol	16.21	330	86700	81.90	ng	-0.03
44) 2-Fluorobiphenyl	13.35	172	395637	78.08	ng	-0.04
78) Terphenyl-d14	20.07	244	709968	81.58	ng	-0.04


Target Compounds	Qvalue
------------------	--------


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_G\DATA\BG121215\
Data File : BG020131.D
Acq On : 12 Dec 2015 7:11
Operator : UM/SJ
Sample : G4755-06
Misc :
ALS Vial : 22 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
121015-D534-E-U-S

Quant Time: Dec 14 00:59:03 2015
Quant Method : Z:\HPCHEM1\BNA_G\METHODS\8270-BG120215.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Dec 02 18:50:01 2015
Response via : Initial Calibration









#1

1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 8.10 min Scan# 895
Delta R.T. -0.04 min
Lab File: BG020131.D
Acq: 12 Dec 2015 7:11

Instrument :
BNA_G
ClientSampleId :
121015-D534-E-U-S




Tgt Ion:152 Resp: 21399
Ion Ratio Lower Upper
152 100
150 154.7 115.0 172.4
115 59.2 43.9 65.9




#5

2-Fluorophenol
Concen: 43.17 ng
RT: 5.65 min Scan# 478
Delta R.T. -0.02 min
Lab File: BG020131.D
Acq: 12 Dec 2015 7:11

Tgt Ion:112 Resp: 51114
Ion Ratio Lower Upper
112 100
64 64.9 43.7 65.5
63 36.4 24.0 36.0#





#7

Phenol-d6

Concen: 27.98 ng

RT: 7.25 min Scan# 751

Delta R.T. -0.02 min

Lab File: BG020131.D

Acq: 12 Dec 2015 7:11

Instrument :

BNA_G

ClientSampleId :

121015-D534-E-U-S


Tgt Ion: 99 Resp: 50026

Ion Ratio Lower Upper




99 100

42 17.4 11.5 17.3#

71 36.9 22.6 34.0#



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 10.92 min Scan# 1375

Delta R.T. -0.04 min

Lab File: BG020131.D

Acq: 12 Dec 2015 7:11

Tgt Ion: 136 Resp: 91305


Ion Ratio Lower Upper

136 100



137 11.9 8.6 12.8


54 7.9 5.4 8.2

68 5.4 5.3 7.9



Abundance Ion 136.00 (135.70 to 136.70): BGC
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC









#23
 Nitrobenzene-d5
 Concen: 83.68 ng
 RT: 9.27 min Scan# 1094
 Delta R.T. -0.04 min
 Lab File: BG020131.D
 Acq: 12 Dec 2015 7:11




Instrument :
 BNA_G
 ClientSampleId :
 121015-D534-E-U-S


Tgt Ion	Ratio	Lower	Upper
82	100		
128	40.2	36.7	55.1
54	48.3	33.8	50.8



#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 14.73 min Scan# 2024
 Delta R.T. -0.04 min
 Lab File: BG020131.D
 Acq: 12 Dec 2015 7:11

Tgt Ion	Ratio	Lower	Upper
164	100		
162	107.0	78.8	118.2
160	47.4	36.4	54.6









#41
 2,4,6-Tribromophenol
 Concen: 81.90 ng
 RT: 16.21 min Scan# 2276
 Delta R.T. -0.03 min
 Lab File: BG020131.D
 Acq: 12 Dec 2015 7:11

Instrument :
 BNA_G
 ClientSampleId :
 121015-D534-E-U-S

Tgt Ion: 330 Resp: 86700
 Ion Ratio Lower Upper
 330 100
 332 98.5 78.1 117.1
 141 35.7 28.2 42.2




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 78.08 ng
 RT: 13.35 min Scan# 1790
 Delta R.T. -0.04 min
 Lab File: BG020131.D
 Acq: 12 Dec 2015 7:11

Tgt Ion: 172 Resp: 395637
 Ion Ratio Lower Upper
 172 100
 171 36.2 29.0 43.6
 170 24.6 19.9 29.9



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#63
Phenanthrene-d10
Concen: 20.00 ng
RT: 17.47 min Scan# 2490
Delta R.T. -0.04 min
Lab File: BG020131.D
Acq: 12 Dec 2015 7:11




Instrument :
BNA_G
ClientSampleId :
121015-D534-E-U-S


Tgt Ion:188 Resp: 181361
Ion Ratio Lower Upper
188 100
94 6.7 7.7 11.5#
80 8.4 7.8 11.8



#75
Chrysene-d12
Concen: 20.00 ng
RT: 21.74 min Scan# 3217
Delta R.T. -0.05 min
Lab File: BG020131.D
Acq: 12 Dec 2015 7:11

Tgt Ion:240 Resp: 212274
Ion Ratio Lower Upper
240 100
120 6.8 7.4 11.0#
236 24.6 20.7 31.1





#78

Terphenyl-d14

Concen: 81.58 ng

RT: 20.07 min Scan# 2933

Delta R.T. -0.04 min

Lab File: BG020131.D

Acq: 12 Dec 2015 7:11

Instrument :

BNA_G

ClientSampleId :

121015-D534-E-U-S


Tgt Ion:244 Resp: 709968

Ion Ratio Lower Upper

244 100

212 8.1 6.9 10.3




122 8.0 10.2 15.2#



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.00 ng

RT: 25.01 min Scan# 3773

Delta R.T. -0.09 min

Lab File: BG020131.D

Acq: 12 Dec 2015 7:11


Tgt Ion:264 Resp: 199111

Ion Ratio Lower Upper

264 100

260 22.8 18.5 27.7

265 22.6 17.2 25.8



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

