

Data Path : \\74.0.250.170\SV0ASRV\HPCHEM1\BNA G\DATA\BG121317\
 Data File : BG031530.D
 Acq On : 13 Dec 2017 16:36
 Operator : SJ/JU
 Sample : I6786-03
 Misc :
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :

Quant Time: Dec 13 17:26:15 2017
 Quant Method : Z:\HPCHEM1\BNA G\METHODS\8270-BG121117.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Dec 11 17:25:55 2017
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.11	152	46304	20.00	ng	0.00
21) Naphthalene-d8	10.92	136	201768	20.00	ng	0.00
38) Acenaphthene-d10	14.73	164	149314	20.00	ng	0.00
63) Phenanthrene-d10	17.47	188	455465	20.00	ng	0.00
75) Chrysene-d12	21.75	240	532242	20.00	ng	0.00
86) Perylene-d12	25.03	264	519861	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.67	112	178194	68.21	ng	0.00
7) Phenol-d6	7.28	99	140075	38.63	ng	0.00
23) Nitrobenzene-d5	9.27	82	289185	88.34	ng	0.00
41) 2,4,6-Tribromophenol	16.22	330	302824	173.11	ng	0.00
44) 2-Fluorobiphenyl	13.35	172	943599	92.76	ng	0.00
78) Terphenyl-d14	20.07	244	2099314	89.74	ng	0.00


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : \\74.0.250.170\SV0ASRV\HPCHEM1\BNA G\DATA\BG121317\
Data File : BG031530.D
Acq On : 13 Dec 2017 16:36
Operator : SJ/JU
Sample : I6786-03
Misc :
ALS Vial : 10 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :

Quant Time: Dec 13 17:26:15 2017
Quant Method : Z:\HPCHEM1\BNA G\METHODS\8270-BG121117.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Dec 11 17:25:55 2017
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.11 min Scan# 820
Delta R.T. 0.00 min
Lab File: BG031530.D
Acq: 13 Dec 2017 16:36

Instrument :
BNA_G
ClientSampled :

Tot Ion:152 Resp: 46304
Ion Ratio Lower Upper
152 100
150 153.3 126.6 189.8
115 53.3 53.0 79.4




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 68.213 ng
RT: 5.67 min Scan# 405
Delta R.T. 0.00 min
Lab File: BG031530.D
Acq: 13 Dec 2017 16:36

Tgt Ion:112 Resp: 178194
Ion Ratio Lower Upper
112 100
64 57.0 56.3 84.5
63 29.4 30.1 45.1#



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BGC
Ion 63.00 (62.70 to 63.70): BGC





#7

Phenol-d6

Concen: 38.625 ng

RT: 7.28 min Scan# 679

Delta R.T. 0.01 min

Lab File: BG031530.D

Acq: 13 Dec 2017 16:36


Instrument :

BNA_G

ClientSampleId :

Tot Ion: 99 Resp: 140075

Ion	Ratio	Lower	Upper
99	100		
42	17.0	14.1	21.1
71	33.0	26.1	39.1






Abundance

Ion 99.00 (98.70 to 99.70): BGC

Ion 42.00 (41.70 to 42.70): BGC

Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.92 min Scan# 1299

Delta R.T. 0.00 min

Lab File: BG031530.D

Acq: 13 Dec 2017 16:36

Tgt Ion: 136 Resp: 201768

Ion	Ratio	Lower	Upper
136	100		
137	10.6	9.2	13.8
54	7.5	10.3	15.5
68	5.5	4.5	6.7




Abundance


Ion 136.00 (135.70 to 136.70): BGC

Ion 137.00 (136.70 to 137.70): BGC

Ion 54.00 (53.70 to 54.70): BGC

Ion 68.00 (67.70 to 68.70): BGC









#23
 Nitrobenzene-d5
 Concen: 88.341 ng
 RT: 9.27 min Scan# 1018
 Delta R.T. -0.00 min
 Lab File: BG031530.D
 Acq: 13 Dec 2017 16:36

Instrument :
 BNA_G
 ClientSampleId :

Tot Ion	Ratio	Lower	Upper
82	100		
128	43.9	29.7	44.5
54	47.2	43.1	64.7




Abundance Ion 82.00 (81.70 to 82.70): BGC
 Ion 128.00 (127.70 to 128.70): BGC
 Ion 54.00 (53.70 to 54.70): BGC






#38
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 14.73 min Scan# 1947
 Delta R.T. -0.00 min
 Lab File: BG031530.D
 Acq: 13 Dec 2017 16:36

Tgt Ion	Ratio	Lower	Upper
164	100		
162	105.0	78.8	118.2
160	46.6	35.4	53.0



Abundance Ion 164.00 (163.70 to 164.70): BGC
 Ion 162.00 (161.70 to 162.70): BGC
 Ion 160.00 (159.70 to 160.70): BGC









#41
 2,4,6-Tribromophenol
 Concen: 173.114 ng
 RT: 16.22 min Scan# 2200
 Delta R.T. -0.00 min
 Lab File: BG031530.D
 Acq: 13 Dec 2017 16:36

Instrument :
 BNA_G
 ClientSampled :

Tot Ion	Ratio	Lower	Upper
330	100		
332	96.4	77.0	115.6
141	34.8	25.2	37.8




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 92.763 ng
 RT: 13.35 min Scan# 1712
 Delta R.T. -0.00 min
 Lab File: BG031530.D
 Acq: 13 Dec 2017 16:36

Tgt Ion	Ratio	Lower	Upper
172	100		
171	38.3	30.0	45.0
170	23.7	19.5	29.3



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#63

Phenanthrene-d10

Concen: 20.000 ng

RT: 17.47 min Scan# 2414

Delta R.T. -0.00 min

Lab File: BG031530.D

Acq: 13 Dec 2017 16:36

Instrument :

BNA_G

ClientSampleId :


Tot Ion:188 Resp: 455465

Ion Ratio Lower Upper

188 100

94 7.0 6.9 10.3




80 7.7 7.7 11.5#



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BGC

Ion 80.00 (79.70 to 80.70): BGC



#75

Chrysene-d12

Concen: 20.000 ng

RT: 21.75 min Scan# 3141

Delta R.T. -0.00 min

Lab File: BG031530.D

Acq: 13 Dec 2017 16:36


Tgt Ion:240 Resp: 532242

Ion Ratio Lower Upper

240 100

120 7.5 6.8 10.2



236 26.0 20.9 31.3




Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E





#78

Terphenyl-d14

Concen: 89.739 ng

RT: 20.07 min Scan# 2855

Delta R.T. -0.00 min

Lab File: BG031530.D

Acq: 13 Dec 2017 16:36

Instrument :

BNA_G

ClientSampleId :


Tot Ion:244 Resp: 2099314

Ion Ratio Lower Upper

244 100

212 8.8 5.8 8.8#




122 9.4 7.0 10.4



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.000 ng

RT: 25.03 min Scan# 3700

Delta R.T. -0.00 min

Lab File: BG031530.D

Acq: 13 Dec 2017 16:36


Tgt Ion:264 Resp: 519861

Ion Ratio Lower Upper

264 100

260 24.1 17.4 26.0

265 21.4 17.7 26.5



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

