

Data Path : Z:\HPCHEM1\BNA G\DATA\BG121317\
 Data File : BG031542.D
 Acq On : 14 Dec 2017 00:07
 Operator : SJ/JU
 Sample : I6676-06
 Misc :
 ALS Vial : 20 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 OK-03-121217

Quant Time: Dec 14 03:50:35 2017
 Quant Method : Z:\HPCHEM1\BNA G\METHODS\8270-BG121117.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Dec 11 17:25:55 2017
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.11	152	43808	20.00	ng	0.00
21) Naphthalene-d8	10.92	136	186328	20.00	ng	0.00
38) Acenaphthene-d10	14.73	164	78739	20.00	ng	0.00
63) Phenanthrene-d10	17.47	188	357056	20.00	ng	0.00
75) Chrysene-d12	21.75	240	267748	20.00	ng	0.00
86) Perylene-d12	25.05	264	22341	20.00	ng	0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.67	112	305283	123.52	ng	0.00
7) Phenol-d6	7.28	99	273914	79.83	ng	0.00
23) Nitrobenzene-d5	9.28	82	268152	88.70	ng	0.00
41) 2,4,6-Tribromophenol	16.22	330	240050	260.23	ng	0.00
44) 2-Fluorobiphenyl	13.35	172	754975	140.74	ng	0.00
78) Terphenyl-d14	20.06	244	1773103	150.67	ng	0.00


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA G\DATA\BG121317\
Data File : BG031542.D
Acq On : 14 Dec 2017 00:07
Operator : SJ/JU
Sample : I6676-06
Misc :
ALS Vial : 20 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
OK-03-121217

Quant Time: Dec 14 03:50:35 2017
Quant Method : Z:\HPCHEM1\BNA G\METHODS\8270-BG121117.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Dec 11 17:25:55 2017
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.11 min Scan# 820
Delta R.T. 0.00 min
Lab File: BG031542.D
Acq: 14 Dec 2017 00:07

Instrument :
BNA_G
ClientSampleId :
OK-03-121217

Tot Ion	Ratio	Lower	Upper
152	100		
150	166.7	126.6	189.8
115	61.5	53.0	79.4




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 123.521 ng
RT: 5.67 min Scan# 405
Delta R.T. 0.00 min
Lab File: BG031542.D
Acq: 14 Dec 2017 00:07

Tgt Ion	Ratio	Lower	Upper
112	100		
64	55.9	56.3	84.5#
63	30.0	30.1	45.1#



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BGC
Ion 63.00 (62.70 to 63.70): BGC





#7

Phenol-d6

Concen: 79.834 ng

RT: 7.28 min Scan# 679

Delta R.T. 0.01 min

Lab File: BG031542.D

Acq: 14 Dec 2017 00:07

Instrument :

BNA_G

ClientSampleId :

OK-03-121217


Tot Ion: 99 Resp: 273914

Ion Ratio Lower Upper




99 100

42 19.1 14.1 21.1

71 33.7 26.1 39.1



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.92 min Scan# 1299

Delta R.T. 0.00 min

Lab File: BG031542.D

Acq: 14 Dec 2017 00:07

Tgt Ion: 136 Resp: 186328


Ion Ratio Lower Upper

136 100



137 12.0 9.2 13.8


54 7.7 10.3 15.5#

68 4.2 4.5 6.7#



Abundance Ion 136.00 (135.70 to 136.70): BGC
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC









#23
Nitrobenzene-d5
Concen: 88.704 ng
RT: 9.28 min Scan# 1019
Delta R.T. 0.00 min
Lab File: BG031542.D
Acq: 14 Dec 2017 00:07




Instrument :
BNA_G
ClientSampleId :
OK-03-121217


Tot Ion: 82 Resp: 268152
Ion Ratio Lower Upper
82 100
128 45.3 29.7 44.5#
54 48.6 43.1 64.7



#38
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.73 min Scan# 1948
Delta R.T. 0.00 min
Lab File: BG031542.D
Acq: 14 Dec 2017 00:07

Tgt Ion:164 Resp: 78739
Ion Ratio Lower Upper
164 100
162 107.3 78.8 118.2
160 52.2 35.4 53.0









#41
 2,4,6-Tribromophenol
 Concen: 260.228 ng
 RT: 16.22 min Scan# 2200
 Delta R.T. -0.00 min
 Lab File: BG031542.D
 Acq: 14 Dec 2017 00:07

Instrument :
 BNA_G
 ClientSampleId :
 OK-03-121217

Tot Ion:330 Resp: 240050
 Ion Ratio Lower Upper
 330 100
 332 95.2 77.0 115.6
 141 35.4 25.2 37.8




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 140.744 ng
 RT: 13.35 min Scan# 1713
 Delta R.T. 0.00 min
 Lab File: BG031542.D
 Acq: 14 Dec 2017 00:07

Tgt Ion:172 Resp: 754975
 Ion Ratio Lower Upper
 172 100
 171 36.9 30.0 45.0
 170 23.5 19.5 29.3



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#63
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.47 min Scan# 2414
Delta R.T. -0.00 min
Lab File: BG031542.D
Acq: 14 Dec 2017 00:07

Instrument :
BNA_G
ClientSampleId :
OK-03-121217

Tot Ion:188 Resp: 357056
Ion Ratio Lower Upper
188 100
94 7.1 6.9 10.3
80 8.0 7.7 11.5




Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BGC
Ion 80.00 (79.70 to 80.70): BGC






#75
Chrysene-d12
Concen: 20.000 ng
RT: 21.75 min Scan# 3142
Delta R.T. 0.00 min
Lab File: BG031542.D
Acq: 14 Dec 2017 00:07

Tgt Ion:240 Resp: 267748
Ion Ratio Lower Upper
240 100
120 7.2 6.8 10.2
236 27.6 20.9 31.3



Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E





#78

Terphenyl-d14

Concen: 150.668 ng

RT: 20.06 min Scan# 2855

Delta R.T. -0.00 min

Lab File: BG031542.D

Acq: 14 Dec 2017 00:07

Instrument :

BNA_G

ClientSampleId :

OK-03-121217


Tot Ion:244 Resp: 1773103

Ion Ratio Lower Upper

244 100

212 8.5 5.8 8.8




122 8.7 7.0 10.4



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.000 ng

RT: 25.05 min Scan# 3704

Delta R.T. 0.02 min

Lab File: BG031542.D

Acq: 14 Dec 2017 00:07


Tgt Ion:264 Resp: 22341

Ion Ratio Lower Upper

264 100

260 26.8 17.4 26.0#

265 25.5 17.7 26.5



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

