

Data Path : Z:\HPCHEM1\BNA G\DATA\BG121317\
 Data File : BG031557.D
 Acq On : 14 Dec 2017 9:30
 Operator : SJ/JU
 Sample : I6817-13
 Misc :
 ALS Vial : 35 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 120617-FOPI-F-U-B

Quant Time: Dec 14 10:10:12 2017
 Quant Method : Z:\HPCHEM1\BNA G\METHODS\8270-BG121117.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Dec 11 17:25:55 2017
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.11	152	49994	20.00	ng	0.00
21) Naphthalene-d8	10.92	136	218698	20.00	ng	0.00
38) Acenaphthene-d10	14.73	164	171427	20.00	ng	0.00
63) Phenanthrene-d10	17.47	188	501280	20.00	ng	0.00
75) Chrysene-d12	21.74	240	576163	20.00	ng	0.00
86) Perylene-d12	25.02	264	562427	20.00	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.67	112	117712	41.73	ng	0.00
7) Phenol-d6	7.28	99	96276	24.59	ng	0.01
23) Nitrobenzene-d5	9.28	82	318277	89.70	ng	0.00
41) 2,4,6-Tribromophenol	16.22	330	215169	107.14	ng	0.00
44) 2-Fluorobiphenyl	13.35	172	1048722	89.80	ng	0.00
78) Terphenyl-d14	20.06	244	1986391	78.44	ng	0.00


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA G\DATA\BG121317\
Data File : BG031557.D
Acq On : 14 Dec 2017 9:30
Operator : SJ/JU
Sample : I6817-13
Misc :
ALS Vial : 35 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
120617-FOPI-F-U-B

Quant Time: Dec 14 10:10:12 2017
Quant Method : Z:\HPCHEM1\BNA G\METHODS\8270-BG121117.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Dec 11 17:25:55 2017
Response via : Initial Calibration






#1

1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.11 min Scan# 820
Delta R.T. 0.00 min
Lab File: BG031557.D
Acq: 14 Dec 2017 9:30

Instrument :
BNA_G
ClientSampleId :
120617-FOPI-F-U-B

Tot Ion	Ratio	Lower	Upper
152	100		
150	160.2	126.6	189.8
115	58.3	53.0	79.4






Abundance

Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E


Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol
Concen: 41.734 ng
RT: 5.67 min Scan# 405
Delta R.T. 0.00 min
Lab File: BG031557.D
Acq: 14 Dec 2017 9:30

Tgt Ion	Ratio	Lower	Upper
112	100		
64	56.0	56.3	84.5#
63	27.2	30.1	45.1#






Abundance

Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BG

Ion 63.00 (62.70 to 63.70): BG





#7

Phenol-d6

Concen: 24.588 ng

RT: 7.28 min Scan# 680

Delta R.T. 0.01 min

Lab File: BG031557.D

Acq: 14 Dec 2017 9:30

Instrument :

BNA_G

ClientSampleId :

120617-FOPI-F-U-B


Tot Ion: 99 Resp: 96276

Ion Ratio Lower Upper




99 100

42 16.0 14.1 21.1

71 30.6 26.1 39.1



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.92 min Scan# 1299

Delta R.T. 0.00 min

Lab File: BG031557.D

Acq: 14 Dec 2017 9:30

Tgt Ion: 136 Resp: 218698


Ion Ratio Lower Upper

136 100



137 10.6 9.2 13.8


54 7.6 10.3 15.5#

68 5.8 4.5 6.7



Abundance Ion 136.00 (135.70 to 136.70): BGC
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC









#23
Nitrobenzene-d5
Concen: 89.701 ng
RT: 9.28 min Scan# 1019
Delta R.T. 0.00 min
Lab File: BG031557.D
Acq: 14 Dec 2017 9:30




Instrument :
BNA_G
ClientSampleId :
120617-FOPI-F-U-B


Tot Ion	Ratio	Lower	Upper
82	100		
128	45.9	29.7	44.5#
54	50.1	43.1	64.7



#38
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.73 min Scan# 1947
Delta R.T. -0.01 min
Lab File: BG031557.D
Acq: 14 Dec 2017 9:30

Tgt Ion	Ratio	Lower	Upper
164	100		
162	100.7	78.8	118.2
160	44.4	35.4	53.0









#41
 2,4,6-Tribromophenol
 Concen: 107.138 ng
 RT: 16.22 min Scan# 2201
 Delta R.T. 0.00 min
 Lab File: BG031557.D
 Acq: 14 Dec 2017 9:30

Instrument :
 BNA_G
 ClientSampleId :
 120617-FOPI-F-U-B

Tot Ion:330 Resp: 215169
 Ion Ratio Lower Upper
 330 100
 332 95.7 77.0 115.6
 141 34.7 25.2 37.8




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 89.798 ng
 RT: 13.35 min Scan# 1713
 Delta R.T. 0.00 min
 Lab File: BG031557.D
 Acq: 14 Dec 2017 9:30

Tgt Ion:172 Resp: 1048722
 Ion Ratio Lower Upper
 172 100
 171 37.8 30.0 45.0
 170 23.9 19.5 29.3



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#63

Phenanthrene-d10

Concen: 20.000 ng

RT: 17.47 min Scan# 2414

Delta R.T. -0.01 min

Lab File: BG031557.D

Acq: 14 Dec 2017 9:30

Instrument :

BNA_G

ClientSampleId :

120617-FOPI-F-U-B


Tot Ion:188 Resp: 501280

Ion Ratio Lower Upper

188 100

94 7.2 6.9 10.3




80 7.9 7.7 11.5



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BGC

Ion 80.00 (79.70 to 80.70): BGC



#75

Chrysene-d12

Concen: 20.000 ng

RT: 21.74 min Scan# 3141

Delta R.T. -0.01 min

Lab File: BG031557.D

Acq: 14 Dec 2017 9:30


Tgt Ion:240 Resp: 576163

Ion Ratio Lower Upper

240 100

120 8.0 6.8 10.2



236 27.6 20.9 31.3




Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E





#78

Terphenyl-d14

Concen: 78.439 ng

RT: 20.06 min Scan# 2855

Delta R.T. -0.01 min

Lab File: BG031557.D

Acq: 14 Dec 2017 9:30

Instrument :

BNA_G

ClientSampleId :

120617-FOPI-F-U-B


Tot Ion:244 Resp: 1986391

Ion Ratio Lower Upper

244 100

212 9.0 5.8 8.8#




122 9.1 7.0 10.4



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.000 ng

RT: 25.02 min Scan# 3699

Delta R.T. -0.01 min

Lab File: BG031557.D

Acq: 14 Dec 2017 9:30


Tgt Ion:264 Resp: 562427

Ion Ratio Lower Upper

264 100

260 24.7 17.4 26.0

265 21.4 17.7 26.5



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

