

Data Path : \\74.0.250.170\SV0ASRV\HPCHEM1\BNA G\DATA\BG121417\
 Data File : BG031570.D
 Acq On : 14 Dec 2017 22:18
 Operator : SJ/JU
 Sample : I6884-07
 Misc :
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 FB-20171211

Quant Time: Dec 15 04:11:02 2017
 Quant Method : Z:\HPCHEM1\BNA G\METHODS\8270-BG121117.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Dec 11 17:25:55 2017
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.10	152	71334	20.00	ng	0.00
21) Naphthalene-d8	10.92	136	290194	20.00	ng	0.00
38) Acenaphthene-d10	14.72	164	184712	20.00	ng	0.00
63) Phenanthrene-d10	17.47	188	488846	20.00	ng	0.00
75) Chrysene-d12	21.73	240	616090	20.00	ng	-0.01
86) Perylene-d12	25.01	264	544907	20.00	ng	-0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.66	112	69961	17.38	ng	0.00
7) Phenol-d6	7.27	99	68808	12.32	ng	0.00
23) Nitrobenzene-d5	9.27	82	379515	80.61	ng	0.00
41) 2,4,6-Tribromophenol	16.23	330	18368	8.49	ng	0.00
44) 2-Fluorobiphenyl	13.34	172	1169659	92.95	ng	0.00
78) Terphenyl-d14	20.06	244	2268883	83.79	ng	0.00


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : \\74.0.250.170\SV0ASRV\HPCHEM1\BNA G\DATA\BG121417\
Data File : BG031570.D
Acq On : 14 Dec 2017 22:18
Operator : SJ/JU
Sample : I6884-07
Misc :
ALS Vial : 11 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
FB-20171211

Quant Time: Dec 15 04:11:02 2017
Quant Method : Z:\HPCHEM1\BNA G\METHODS\8270-BG121117.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Dec 11 17:25:55 2017
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.10 min Scan# 818
Delta R.T. -0.01 min
Lab File: BG031570.D
Acq: 14 Dec 2017 22:18

Instrument :
BNA_G
ClientSampleId :
FB-20171211

Tot Ion:152 Resp: 71334
Ion Ratio Lower Upper
152 100
150 153.3 126.6 189.8
115 55.1 53.0 79.4




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 17.384 ng
RT: 5.66 min Scan# 404
Delta R.T. -0.00 min
Lab File: BG031570.D
Acq: 14 Dec 2017 22:18

Tgt Ion:112 Resp: 69961
Ion Ratio Lower Upper
112 100
64 54.7 56.3 84.5#
63 29.8 30.1 45.1#



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BGC
Ion 63.00 (62.70 to 63.70): BGC





#7

Phenol-d6

Concen: 12.316 ng

RT: 7.27 min Scan# 678

Delta R.T. 0.00 min

Lab File: BG031570.D

Acq: 14 Dec 2017 22:18

Instrument :

BNA_G

ClientSampleId :

FB-20171211


Tot Ion: 99 Resp: 68808

Ion Ratio Lower Upper




99 100

42 17.8 14.1 21.1

71 34.2 26.1 39.1



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.92 min Scan# 1298

Delta R.T. -0.00 min

Lab File: BG031570.D

Acq: 14 Dec 2017 22:18

Tgt Ion: 136 Resp: 290194


Ion Ratio Lower Upper

136 100



137 9.9 9.2 13.8


54 7.3 10.3 15.5#

68 5.1 4.5 6.7



Abundance Ion 136.00 (135.70 to 136.70): BGC
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC









#23
 Nitrobenzene-d5
 Concen: 80.608 ng
 RT: 9.27 min Scan# 1017
 Delta R.T. -0.01 min
 Lab File: BG031570.D
 Acq: 14 Dec 2017 22:18




Instrument :
 BNA_G
 ClientSampled :
 FB-20171211

Tot Ion	82	Resp	379515
Ion Ratio	Lower	Upper	
82	100		
128	43.5	29.7	44.5
54	47.9	43.1	64.7



#38
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 14.72 min Scan# 1946
 Delta R.T. -0.01 min
 Lab File: BG031570.D
 Acq: 14 Dec 2017 22:18

Tgt Ion	164	Resp	184712
Ion Ratio	Lower	Upper	
164	100		
162	105.3	78.8	118.2
160	44.7	35.4	53.0









#41
 2,4,6-Tribromophenol
 Concen: 8.488 ng
 RT: 16.23 min Scan# 2202
 Delta R.T. 0.01 min
 Lab File: BG031570.D
 Acq: 14 Dec 2017 22:18

Instrument :
 BNA_G
 ClientSampleId :
 FB-20171211

Tot Ion:330 Resp: 18368
 Ion Ratio Lower Upper
 330 100
 332 86.9 77.0 115.6
 141 30.0 25.2 37.8




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E





#44
 2-Fluorobiphenyl
 Concen: 92.951 ng
 RT: 13.34 min Scan# 1711
 Delta R.T. -0.01 min
 Lab File: BG031570.D
 Acq: 14 Dec 2017 22:18

Tgt Ion:172 Resp: 1169659
 Ion Ratio Lower Upper
 172 100
 171 37.5 30.0 45.0
 170 24.4 19.5 29.3



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#63
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.47 min Scan# 2413
Delta R.T. -0.01 min
Lab File: BG031570.D
Acq: 14 Dec 2017 22:18

Instrument :
BNA_G
ClientSampleId :
FB-20171211

Tot Ion:188 Resp: 488846
Ion Ratio Lower Upper
188 100
94 6.9 6.9 10.3#
80 6.8 7.7 11.5#




Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BGC
Ion 80.00 (79.70 to 80.70): BGC






#75
Chrysene-d12
Concen: 20.000 ng
RT: 21.73 min Scan# 3139
Delta R.T. -0.01 min
Lab File: BG031570.D
Acq: 14 Dec 2017 22:18

Tgt Ion:240 Resp: 616090
Ion Ratio Lower Upper
240 100
120 8.0 6.8 10.2
236 26.6 20.9 31.3



Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E





#78

Terphenyl-d14

Concen: 83.788 ng

RT: 20.06 min Scan# 2854

Delta R.T. -0.01 min

Lab File: BG031570.D

Acq: 14 Dec 2017 22:18

Instrument :

BNA_G

ClientSampleId :

FB-20171211


Tot Ion:244 Resp: 2268883

Ion Ratio Lower Upper

244 100

212 9.0 5.8 8.8#




122 9.5 7.0 10.4



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.000 ng

RT: 25.01 min Scan# 3697

Delta R.T. -0.02 min

Lab File: BG031570.D

Acq: 14 Dec 2017 22:18


Tgt Ion:264 Resp: 544907

Ion Ratio Lower Upper

264 100

260 24.0 17.4 26.0

265 21.4 17.7 26.5



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

