

Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG121523\
 Data File : BG060058.D
 Acq On : 16 Dec 2023 6:43
 Operator : MA/JU
 Sample : 05791-08
 Misc :
 ALS Vial : 29 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 MW-1B-SOIL

Quant Time: Dec 18 00:10:46 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_G\Methods\8270-BG121323.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Dec 14 01:47:12 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.956	152	61440	20.000	ng	0.00
21) Naphthalene-d8	10.759	136	249887	20.000	ng	# 0.00
39) Acenaphthene-d10	14.589	164	212732	20.000	ng	0.00
64) Phenanthrene-d10	17.339	188	686231	20.000	ng	0.00
76) Chrysene-d12	21.610	240	840757	20.000	ng	0.00
86) Perylene-d12	24.795	264	979903	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.523	112	461862	128.685	ng	0.00
7) Phenol-d6	7.116	99	705408	139.722	ng	0.00
23) Nitrobenzene-d5	9.113	82	480216	87.262	ng	0.00
42) 2,4,6-Tribromophenol	16.082	330	666183	134.375	ng	0.00
45) 2-Fluorobiphenyl	13.220	172	1517362	87.297	ng	0.00
79) Terphenyl-d14	19.965	244	4115320	89.364	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG121523\
Data File : BG060058.D
Acq On : 16 Dec 2023 6:43
Operator : MA/JU
Sample : 05791-08
Misc :
ALS Vial : 29 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
MW-1B-SOIL

Quant Time: Dec 18 00:10:46 2023
Quant Method : Z:\svoasrv\HPCHEM1\BNA_G\Methods\8270-BG121323.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Dec 18 01:47:12 2023
Response via : Initial Calibration









#1
 1,4-Dichlorobenzene-d4
 Concen: 20.000 ng
 RT: 7.956 min Scan# 81
 Delta R.T. 0.001 min
 Lab File: BG060058.D
 Acq: 16 Dec 2023 6:43




Instrument :
 BNA_G
 ClientSampleId :
 MW-1B-SOIL


Tgt Ion:152 Resp: 61440
 Ion Ratio Lower Upper
 152 100
 150 142.2 127.0 190.6
 115 51.6 45.7 68.5



#5
 2-Fluorophenol
 Concen: 128.685 ng
 RT: 5.523 min Scan# 414
 Delta R.T. 0.001 min
 Lab File: BG060058.D
 Acq: 16 Dec 2023 6:43

Tgt Ion:112 Resp: 461862
 Ion Ratio Lower Upper
 112 100
 64 76.7 55.9 83.9
 63 42.8 36.5 54.7









#7
Phenol-d6
Concen: 139.722 ng
RT: 7.116 min Scan# 61
Delta R.T. 0.007 min
Lab File: BG060058.D
Acq: 16 Dec 2023 6:43




Instrument :
BNA_G
ClientSampleId :
MW-1B-SOIL


Tgt Ion: 99 Resp: 705408
Ion Ratio Lower Upper
99 100
42 21.0 16.2 24.4
71 45.4 37.6 56.4



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.759 min Scan# 1305
Delta R.T. -0.005 min
Lab File: BG060058.D
Acq: 16 Dec 2023 6:43

Tgt Ion: 136 Resp: 249887
Ion Ratio Lower Upper
136 100
137 11.3 7.3 10.9#
54 12.4 9.6 14.4
68 6.1 4.1 6.1









#23
Nitrobenzene-d5
Concen: 87.262 ng
RT: 9.113 min Scan# 1025
Delta R.T. -0.005 min
Lab File: BG060058.D
Acq: 16 Dec 2023 6:43




Instrument :
BNA_G
ClientSampleId :
MW-1B-SOIL


Tgt Ion: 82 Resp: 480216
Ion Ratio Lower Upper
82 100
128 34.7 26.3 39.5
54 63.8 44.3 66.5



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.589 min Scan# 1957
Delta R.T. -0.005 min
Lab File: BG060058.D
Acq: 16 Dec 2023 6:43

Tgt Ion: 164 Resp: 212732
Ion Ratio Lower Upper
164 100
162 107.9 88.1 132.1
160 47.0 35.4 53.0









#42
2,4,6-Tribromophenol
Concen: 134.375 ng
RT: 16.082 min Scan# 21
Delta R.T. 0.001 min
Lab File: BG060058.D
Acq: 16 Dec 2023 6:43




Instrument :
BNA_G
ClientSampleId :
MW-1B-SOIL


Tgt Ion:330 Resp: 666183
Ion Ratio Lower Upper
330 100
332 95.6 76.2 114.4
141 19.9 14.3 21.5



#45
2-Fluorobiphenyl
Concen: 87.297 ng
RT: 13.220 min Scan# 1724
Delta R.T. 0.001 min
Lab File: BG060058.D
Acq: 16 Dec 2023 6:43

Tgt Ion:172 Resp: 1517362
Ion Ratio Lower Upper
172 100
171 35.0 30.1 45.1
170 23.8 20.0 30.0









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.339 min Scan# 24
Delta R.T. -0.005 min
Lab File: BG060058.D
Acq: 16 Dec 2023 6:43




Instrument :
BNA_G
ClientSampleId :
MW-1B-SOIL


Tgt Ion:188 Resp: 686231
Ion Ratio Lower Upper
188 100
94 4.1 3.0 4.6
80 5.3 4.0 6.0



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.610 min Scan# 3152
Delta R.T. -0.005 min
Lab File: BG060058.D
Acq: 16 Dec 2023 6:43

Tgt Ion:240 Resp: 840757
Ion Ratio Lower Upper
240 100
120 3.8 2.9 4.3
236 25.2 19.4 29.2









#79
 Terphenyl-d14
 Concen: 89.364 ng
 RT: 19.965 min Scan# 21
 Delta R.T. 0.001 min
 Lab File: BG060058.D
 Acq: 16 Dec 2023 6:43

Instrument :
 BNA_G
 ClientSampleId :
 MW-1B-SOIL

Tgt Ion:244 Resp: 4115320
 Ion Ratio Lower Upper
 244 100
 212 9.8 6.8 10.2
 122 4.3 2.6 3.8#



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 24.795 min Scan# 3694
 Delta R.T. -0.005 min
 Lab File: BG060058.D
 Acq: 16 Dec 2023 6:43

Tgt Ion:264 Resp: 979903
 Ion Ratio Lower Upper
 264 100
 260 22.0 18.5 27.7
 265 22.0 17.3 25.9

