

Data Path : Z:\HPCHEM1\BNA G\DATA\BG121716\
 Data File : BG025299.D
 Acq On : 18 Dec 2016 7:19
 Operator : UM/SJ
 Sample : H5970-17DL 2X
 Misc :
 ALS Vial : 30 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :

Quant Time: Dec 19 04:44:33 2016
 Quant Method : Z:\HPCHEM1\BNA G\METHODS\SOM02.2-EPA-BG113016.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Mon Dec 19 04:41:28 2016
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.23	152	64481	20.00	ng/ul	0.00
18) Naphthalene-d8	11.06	136	268750	20.00	ng/ul	0.00
35) Acenaphthene-d10	14.86	164	205451	20.00	ng/ul	0.00
61) Phenanthrene-d10	17.60	188	470354	20.00	ng/ul	0.00
75) Chrysene-d12	21.90	240	598918	20.00	ng/ul	0.00
83) Perylene-d12	25.32	264	605711	20.00	ng/ul	0.00

System Monitoring Compounds

3) 1,4-Dioxane-d8	3.58	96	2014	1.61	ng/uL	0.00
5) Phenol-d5	7.40	99	49183	8.84	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	7.55	67	37887	11.01	ng/ul	0.00
9) 2-Chlorophenol-d4	7.77	132	39810	10.23	ng/ul	0.00
13) 4-Methylphenol-d8	8.95	113	34651	7.45	ng/ul	0.00
19) Nitrobenzene-d5	9.42	128	20636	10.84	ng/ul	0.00
22) 2-Nitrophenol-d4	10.14	143	25863	10.90	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.69	165	43532	9.54	ng/ul	0.00
29) 4-Chloroaniline-d4	11.20	131	26263	5.86	ng/ul	0.00
43) Dimethylphthalate-d6	14.25	166	173013	12.24	ng/ul	0.00
46) Acenaphthylene-d8	14.55	160	185496	11.98	ng/ul	0.00
51) 4-Nitrophenol-d4	15.10	143	14009	5.77	ng/ul	0.01
57) Fluorene-d10	15.85	176	160788	12.09	ng/ul	0.00
62) 4,6-Dinitro-2-methylphenol	16.00	200	5207	1.79	ng/ul	0.03
70) Anthracene-d10	17.70	188	244245	12.30	ng/ul	0.00
76) Pyrene-d10	19.97	212	343312	13.92	ng/ul	0.00
87) Benzo(a)pyrene-d12	25.08	264	344472	14.04	ng/ul	0.00

Target Compounds


						Ovalue
6) Phenol	7.43	94	9353	1.64	ng/ul#	93
44) Dimethylphthalate	14.29	163	83157	5.99	ng/ul	98
69) Phenanthrene	17.64	178	33819	1.51	ng/ul	95
74) Fluoranthene	19.64	202	80117	3.00	ng/ul#	95
77) Pyrene	20.00	202	125991	4.38	ng/ul	99
80) Benzo(a)anthracene	21.87	228	111238	3.57	ng/ul	92
81) Bis(2-ethylhexyl)phthalate	21.72	149	736464	47.47	ng/ul	98
82) Chrysene	21.94	228	112079	3.85	ng/ul	96
85) Benzo(b)fluoranthene	24.22	252	252912	8.42	ng/ul#	92
86) Benzo(k)fluoranthene	24.29	252	57664	2.02	ng/ul#	97
88) Benzo(a)pyrene	25.16	252	118280	4.10	ng/ul#	97
89) Indeno(1,2,3-cd)pyrene	29.27	276	53625	1.49	ng/ul	97
91) Benzo(g,h,i)perylene	30.49	276	44808	1.50	ng/ul#	90


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA G\DATA\BG121716\
Data File : BG025299.D
Acq On : 18 Dec 2016 7:19
Operator : UM/SJ
Sample : H5970-17DL 2X
Misc :
ALS Vial : 30 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :

Quant Time: Dec 19 04:44:33 2016
Quant Method : Z:\HPCHEM1\BNA G\METHODS\SOM02.2-EPA-BG113016.M
Quant Title : SVOA CALIBRATION
QLast Update : Mon Dec 19 04:41:28 2016
Response via : Initial Calibration





#6

Phenol

Concen: 1.64 ng/ul

RT: 7.43 min Scan# 781

Delta R.T. 0.00 min

Lab File: BG025299.D

Acq: 18 Dec 2016 7:19





Instrument :

BNA_G

ClientSampleId :

Tot Ion: 94 Resp: 9353

Ion	Ratio	Lower	Upper
94	100		
65	41.7	26.8	40.2#
66	54.2	44.4	66.6



#44

Dimethylphthalate

Concen: 5.99 ng/ul

RT: 14.29 min Scan# 1950




Delta R.T. -0.00 min


Lab File: BG025299.D

Acq: 18 Dec 2016 7:19

Tgt Ion: 163 Resp: 83157

Ion	Ratio	Lower	Upper
163	100		
194	4.2	3.4	5.0
164	10.2	9.0	13.4





#69

Phenanthrene

Concen: 1.51 ng/ul

RT: 17.64 min Scan# 2520

Delta R.T. 0.00 min

Lab File: BG025299.D

Acq: 18 Dec 2016 7:19


Instrument :

BNA_G

ClientSampleId :

Tot Ion:178 Resp: 33819

Ion	Ratio	Lower	Upper
178	100		
179	17.4	12.4	18.6
176	18.3	16.5	24.7






Abundance

Ion 178.00 (177.70 to 178.70): E

Ion 179.00 (178.70 to 179.70): E

Ion 176.00 (175.70 to 176.70): E



#74

Fluoranthene

Concen: 3.00 ng/ul

RT: 19.64 min Scan# 2859


Delta R.T. -0.00 min

Lab File: BG025299.D

Acq: 18 Dec 2016 7:19

Tgt Ion:202 Resp: 80117

Ion	Ratio	Lower	Upper
202	100		
101	5.5	6.2	9.2#
100	5.1	5.2	7.8#






Abundance

Ion 202.00 (201.70 to 202.70): E

Ion 101.00 (100.70 to 101.70): E

Ion 100.00 (99.70 to 100.70): B









#77
 Pvrene
 Concen: 4.38 ng/ul
 RT: 20.00 min Scan# 2921
 Delta R.T. -0.00 min
 Lab File: BG025299.D
 Acq: 18 Dec 2016 7:19




Instrument :
 BNA_G
 ClientSampleId :


Tot Ion	Ratio	Lower	Upper
202	100		
101	8.8	6.9	10.3
100	7.6	6.6	10.0



#80
 Benzo(a)anthracene
 Concen: 3.57 ng/ul
 RT: 21.87 min Scan# 3240
 Delta R.T. -0.00 min
 Lab File: BG025299.D
 Acq: 18 Dec 2016 7:19

Tgt Ion	Ratio	Lower	Upper
228	100		
229	17.7	16.3	24.5
226	22.0	21.9	32.9









#81
Bis(2-ethylhexyl)phthalate
Concen: 47.47 ng/ul
RT: 21.72 min Scan# 3213
Delta R.T. -0.00 min
Lab File: BG025299.D
Acq: 18 Dec 2016 7:19




Instrument :
BNA_G
ClientSampleId :


Tot Ion	Ratio	Lower	Upper
149	100		
167	28.2	21.8	32.8
279	6.2	4.5	6.7



#82
Chrysene
Concen: 3.85 ng/ul
RT: 21.94 min Scan# 3251
Delta R.T. -0.01 min
Lab File: BG025299.D
Acq: 18 Dec 2016 7:19

Tgt Ion	Ratio	Lower	Upper
228	100		
226	30.7	24.0	36.0
229	17.4	16.9	25.3





#85

Benzo(b)fluoranthene

Concen: 8.42 ng/ul

RT: 24.22 min Scan# 3639

Delta R.T. -0.00 min

Lab File: BG025299.D





Acq: 18 Dec 2016 7:19

Instrument :

BNA_G

ClientSampleId :

Tot Ion:	252	Resp:	252912
Ion	Ratio	Lower	Upper
252	100		
253	17.5	17.7	26.5#
125	4.9	4.0	6.0



#86

Benzo(k)fluoranthene

Concen: 2.02 ng/ul




RT: 24.29 min Scan# 3651


Delta R.T. -0.01 min

Lab File: BG025299.D

Acq: 18 Dec 2016 7:19

Tgt Ion:	252	Resp:	57664
Ion	Ratio	Lower	Upper
252	100		
253	24.5	18.5	27.7
125	6.2	4.1	6.1#





#88

Benzo(a)pyrene

Concen: 4.10 ng/ul

RT: 25.16 min Scan# 3799

Delta R.T. -0.00 min

Lab File: BG025299.D

Acq: 18 Dec 2016 7:19

Instrument :

BNA_G

ClientSampleId :


Tot Ion:252 Resp: 118280

Ion Ratio Lower Upper

252 100

253 21.8 17.8 26.6




125 3.9 5.4 8.0#



Abundance Ion 252.00 (251.70 to 252.70): E

Ion 253.00 (252.70 to 253.70): E

Ion 125.00 (124.70 to 125.70): E



#89

Indeno(1,2,3-cd)pyrene

Concen: 1.49 ng/ul

RT: 29.27 min Scan# 4498

Delta R.T. -0.01 min

Lab File: BG025299.D

Acq: 18 Dec 2016 7:19


Tgt Ion:276 Resp: 53625

Ion Ratio Lower Upper

276 100

138 8.5 8.2 12.4



277 22.0 18.6 28.0




Abundance Ion 276.00 (275.70 to 276.70): E

Ion 138.00 (137.70 to 138.70): E

Ion 277.00 (276.70 to 277.70): E





#91

Benzo(a,h,i)perylene

Concen: 1.50 ng/ul

RT: 30.49 min Scan# 4707

Delta R.T. -0.01 min

Lab File: BG025299.D

Acq: 18 Dec 2016 7:19

Instrument :

BNA_G

ClientSampleId :

Tot Ion:276 Resp: 44808

Ion Ratio Lower Upper

276 100

138 20.4 8.6 12.8#

277 21.1 17.6 26.4

