

Data Path : Z:\HPCHEM1\BNA_G\DATA\BG121817\
 Data File : BG031645.D
 Acq On : 18 Dec 2017 22:06
 Operator : SJ/JU
 Sample : I6680-16
 Misc :
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 CL-02-121417-C

Quant Time: Dec 19 07:52:24 2017
 Quant Method : Z:\HPCHEM1\BNA_G\METHODS\8270-BG121117.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Dec 11 17:25:55 2017
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.09	152	69932	20.00	ng	-0.01
21) Naphthalene-d8	10.91	136	297404	20.00	ng	0.00
38) Acenaphthene-d10	14.72	164	197344	20.00	ng	-0.01
63) Phenanthrene-d10	17.47	188	512028	20.00	ng	-0.01
75) Chrysene-d12	21.74	240	516745	20.00	ng	-0.01
86) Perylene-d12	25.02	264	444008	20.00	ng	-0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.66	112	572679	145.15	ng	-0.01
7) Phenol-d6	7.27	99	670679	122.45	ng	0.00
23) Nitrobenzene-d5	9.26	82	470620	97.54	ng	-0.01
41) 2,4,6-Tribromophenol	16.21	330	384707	166.40	ng	0.00
44) 2-Fluorobiphenyl	13.35	172	1380013	102.65	ng	0.00
78) Terphenyl-d14	20.06	244	2366577	104.20	ng	-0.01
Target Compounds						
31) Naphthalene	10.97	128	69391	4.749	ng	Qvalue 100


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_G\DATA\BG121817\
Data File : BG031645.D
Acq On : 18 Dec 2017 22:06
Operator : SJ/JU
Sample : I6680-16
Misc :
ALS Vial : 10 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
CL-02-121417-C

Quant Time: Dec 19 07:52:24 2017
Quant Method : Z:\HPCHEM1\BNA_G\METHODS\8270-BG121117.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Dec 11 17:25:55 2017
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.09 min Scan# 818
Delta R.T. -0.01 min
Lab File: BG031645.D
Acq: 18 Dec 2017 22:06

Instrument :
BNA_G
ClientSampleId :
CL-02-121417-C

Tgt Ion:152 Resp: 69932
Ion Ratio Lower Upper
152 100
150 157.4 126.6 189.8
115 54.5 53.0 79.4




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 145.153 ng
RT: 5.66 min Scan# 403
Delta R.T. -0.01 min
Lab File: BG031645.D
Acq: 18 Dec 2017 22:06

Tgt Ion:112 Resp: 572679
Ion Ratio Lower Upper
112 100
64 54.8 56.3 84.5#
63 29.4 30.1 45.1#



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BGC
Ion 63.00 (62.70 to 63.70): BGC





#7

Phenol-d6

Concen: 122.452 ng

RT: 7.27 min Scan# 677

Delta R.T. -0.01 min

Lab File: BG031645.D

Acq: 18 Dec 2017 22:06

Instrument :

BNA_G

ClientSampleId :

CL-02-121417-C


Tgt Ion: 99 Resp: 670679

Ion Ratio Lower Upper




99 100

42 16.5 14.1 21.1

71 35.8 26.1 39.1



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.91 min Scan# 1298

Delta R.T. -0.01 min

Lab File: BG031645.D

Acq: 18 Dec 2017 22:06

Tgt Ion: 136 Resp: 297404


Ion Ratio Lower Upper

136 100



137 11.6 9.2 13.8


54 6.7 10.3 15.5#

68 4.7 4.5 6.7



Abundance Ion 136.00 (135.70 to 136.70): BGC
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC









#23
 Nitrobenzene-d5
 Concen: 97.535 ng
 RT: 9.26 min Scan# 1017
 Delta R.T. -0.01 min
 Lab File: BG031645.D
 Acq: 18 Dec 2017 22:06




Instrument :
 BNA_G
 ClientSampleId :
 CL-02-121417-C


Tgt Ion: 82 Resp: 470620
 Ion Ratio Lower Upper
 82 100
 128 46.2 29.7 44.5#
 54 47.6 43.1 64.7



#31
 Naphthalene
 Concen: 4.749 ng
 RT: 10.97 min Scan# 1307
 Delta R.T. -0.01 min
 Lab File: BG031645.D
 Acq: 18 Dec 2017 22:06

Tgt Ion: 128 Resp: 69391
 Ion Ratio Lower Upper
 128 100
 129 10.7 8.6 12.8
 127 14.5 11.6 17.4









#38
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.72 min Scan# 1946
Delta R.T. -0.01 min
Lab File: BG031645.D
Acq: 18 Dec 2017 22:06

Instrument :
BNA_G
ClientSampleId :
CL-02-121417-C

Tgt Ion:164 Resp: 197344
Ion Ratio Lower Upper
164 100
162 103.2 78.8 118.2
160 44.5 35.4 53.0




Abundance Ion 164.00 (163.70 to 164.70): E
Ion 162.00 (161.70 to 162.70): E
Ion 160.00 (159.70 to 160.70): E






#41
2,4,6-Tribromophenol
Concen: 166.398 ng
RT: 16.21 min Scan# 2200
Delta R.T. -0.01 min
Lab File: BG031645.D
Acq: 18 Dec 2017 22:06

Tgt Ion:330 Resp: 384707
Ion Ratio Lower Upper
330 100
332 96.9 77.0 115.6
141 33.3 25.2 37.8



Abundance Ion 329.80 (329.50 to 330.50): E
Ion 331.80 (331.50 to 332.50): E
Ion 141.00 (140.70 to 141.70): E









#44
 2-Fluorobiphenyl
 Concen: 102.647 ng
 RT: 13.35 min Scan# 1712
 Delta R.T. -0.01 min
 Lab File: BG031645.D
 Acq: 18 Dec 2017 22:06




Instrument :
 BNA_G
 ClientSampleId :
 CL-02-121417-C


Tgt Ion:172 Resp: 1380013
 Ion Ratio Lower Upper
 172 100
 171 38.1 30.0 45.0
 170 24.6 19.5 29.3



#63
 Phenanthrene-d10
 Concen: 20.000 ng
 RT: 17.47 min Scan# 2413
 Delta R.T. -0.01 min
 Lab File: BG031645.D
 Acq: 18 Dec 2017 22:06

Tgt Ion:188 Resp: 512028
 Ion Ratio Lower Upper
 188 100
 94 6.5 6.9 10.3#
 80 7.1 7.7 11.5#





#75

Chrysene-d12

Concen: 20.000 ng

RT: 21.74 min Scan# 3140

Delta R.T. -0.01 min

Lab File: BG031645.D

Acq: 18 Dec 2017 22:06

Instrument :

BNA_G

ClientSampleId :

CL-02-121417-C


Tgt Ion:240 Resp: 516745

Ion Ratio Lower Upper

240 100

120 7.2 6.8 10.2




236 26.7 20.9 31.3



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 104.197 ng

RT: 20.06 min Scan# 2854

Delta R.T. -0.01 min

Lab File: BG031645.D

Acq: 18 Dec 2017 22:06


Tgt Ion:244 Resp: 2366577

Ion Ratio Lower Upper

244 100

212 8.7 5.8 8.8



122 8.6 7.0 10.4




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E





#86
Perylene-d12
Concen: 20.000 ng
RT: 25.02 min Scan# 3698
Delta R.T. -0.02 min
Lab File: BG031645.D
Acq: 18 Dec 2017 22:06

Instrument :
BNA_G
ClientSampleId :
CL-02-121417-C

Tgt Ion: 264 Resp: 444008
Ion Ratio Lower Upper
264 100
260 24.0 17.4 26.0
265 20.0 17.7 26.5

