

Data Path : Z:\HPCHEM1\BNA G\DATA\BG121915\
 Data File : BG020286.D
 Acq On : 18 Dec 2015 22:10
 Operator : UM/SJ
 Sample : G4768-07
 Misc :
 ALS Vial : 19 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 D9N31

Quant Time: Dec 21 10:14:33 2015
 Quant Method : Z:\HPCHEM1\BNA G\METHODS\SOM02.2-EPA-BG121415.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Sat Dec 19 00:45:12 2015
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.09	152	15587	20.00	ng/ul	0.00
18) Naphthalene-d8	10.91	136	65166	20.00	ng/ul	0.00
36) Acenaphthene-d10	14.73	164	45104	20.00	ng/ul	0.00
62) Phenanthrene-d10	17.47	188	121959	20.00	ng/ul	0.00
78) Chrysene-d12	21.74	240	174705	20.00	ng/ul	0.00
86) Perylene-d12	25.01	264	164067	20.00	ng/ul	0.00

System Monitoring Compounds

3) 1,4-Dioxane-d8	3.47	96	300	1.06	ng/uL	0.00
5) Phenol-d5	7.24	99	9200	6.69	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	7.41	67	24297	29.63	ng/ul	0.00
9) 2-Chlorophenol-d4	7.62	132	26098	26.11	ng/ul	0.00
13) 4-Methylphenol-d8	8.79	113	17535	14.92	ng/ul	0.00
19) Nitrobenzene-d5	9.26	128	16570	32.62	ng/ul	0.00
22) 2-Nitrophenol-d4	9.98	143	18642	32.98	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.52	165	33911	29.62	ng/ul	0.00
29) 4-Chloroaniline-d4	11.04	131	2896	2.25	ng/ul	0.00
44) Dimethylphthalate-d6	14.12	166	126284	34.61	ng/ul	0.00
47) Acenaphthylene-d8	14.42	160	140831	33.18	ng/ul	0.00
52) 4-Nitrophenol-d4	14.91	143	4248	6.49	ng/ul	0.00
58) Fluorene-d10	15.71	176	113357	34.26	ng/ul	0.00
63) 4,6-Dinitro-2-methylphenol	15.82	200	21108	29.20	ng/ul	0.00
71) Anthracene-d10	17.57	188	194041	34.53	ng/ul	0.00
79) Pyrene-d10	19.85	212	258393	31.73	ng/ul	0.00
90) Benzo(a)pyrene-d12	24.79	264	283176	34.60	ng/ul	0.00

Target Compounds

						Ovalue
28) Naphthalene	10.96	128	273030	80.23	ng/ul	98
34) 2-Methylnaphthalene	12.56	142	20583	7.92	ng/ul	93
41) 1,1'-Biphenyl	13.56	154	8996	2.64	ng/ul	99
50) Acenaphthene	14.79	153	30211	9.96	ng/ul	95
54) Dibenzofuran	15.12	168	18336	4.06	ng/ul	96
59) Fluorene	15.77	166	16388	4.52	ng/ul	99
70) Phenanthrene	17.51	178	53348	8.00	ng/ul	99
75) Carbazole	17.87	167	53607	9.43	ng/ul	98
77) Fluoranthene	19.51	202	11422	1.47	ng/ul	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA G\DATA\BG121915\
Data File : BG020286.D
Acq On : 18 Dec 2015 22:10
Operator : UM/SJ
Sample : G4768-07
Misc :
ALS Vial : 19 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
D9N31

Quant Time: Dec 21 10:14:33 2015
Quant Method : Z:\HPCHEM1\BNA G\METHODS\SOM02.2-EPA-BG121415.M
Quant Title : SVOA CALIBRATION
QLast Update : Sat Dec 19 00:45:12 2015
Response via : Initial Calibration

