


Data Path : Z:\HPCHEM1\BNA G\DATA\BG121915\
Data File : BG020285.D
Acq On : 18 Dec 2015 21:31
Operator : UM/SJ
Sample : G4768-06
Misc :
ALS Vial : 18 Sample Multiplier: 1

Quant Time: Dec 19 04:12:39 2015
Quant Method : Z:\HPCHEM1\BNA G\METHODS\SOM02.2-EPA-BG121415.M
Quant Title : SVOA CALIBRATION
QLast Update : Sat Dec 19 00:45:12 2015
Response via : Initial Calibration

Instrument :
BNA_G
ClientSampleId :
D9N30

Manual Integrations
APPROVED

apatel
12/22/2015 12:34:52 PM



Quantitation Report (Qedit)


Data Path : Z:\HPCHEM1\BNA_G\Data\BG121415\
 Data File : BG020285.D
 Acq On : 18 Dec 2015 21:31
 Operator : UM/SJ
 Sample : G4768-06
 Misc :
 ALS Vial : 18 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 D9N30

Quant Time: Dec 19 00:50:53 2015
 Quant Method : Z:\HPCHEM1\BNA_G\METHODS\SOM02.2-EPA-BG121415.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Sat Dec 19 00:45:12 2015
 Response via : Initial Calibration

Manual Integrations
 APPROVED

apatel
 12/22/2015 12:34:52 PM



(29) 4-Chloroaniline-d4 (S)

11.016min (-0.024) 1.06ng/ul

response 1515

Ion	Exp%	Act%
131.00	100	100
133.00	30.40	0.00#
69.00	17.80	0.00#
0.00	0.00	0.00

Quantitation Report (Qedit)


Data Path : Z:\HPCHEM1\BNA_G\Data\BG121915\
 Data File : BG020285.D
 Acq On : 18 Dec 2015 21:31
 Operator : UM/SJ
 Sample : G4768-06
 Misc :
 ALS Vial : 18 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 D9N30

Quant Time: Dec 19 00:50:53 2015
 Quant Method : Z:\HPCHEM1\BNA_G\METHODS\SOM02.2-EPA-BG121415.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Sat Dec 19 00:45:12 2015
 Response via : Initial Calibration

Manual Integrations
 APPROVED

apatel
 12/22/2015 12:34:52 PM



(29) 4-Chloroaniline-d4 (S)

11.016min (-0.024) 1.17ng/ul m V.M

response 1677

12/22/15

Ion	Exp%	Act%
131.00	100	100
133.00	30.40	0.00#
69.00	17.80	0.00#
0.00	0.00	0.00

Quantitation Report (Qedit)


Data Path : Z:\HPCHEM1\BNA_G\Data\BG121915\
 Data File : BG020285.D
 Acq On : 18 Dec 2015 21:31
 Operator : UM/SJ
 Sample : G4768-06
 Misc :
 ALS Vial : 18 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 D9N30

Quant Time: Dec 19 00:50:53 2015
 Quant Method : Z:\HPCHEM1\BNA_G\METHODS\SOM02.2-EPA-BG121415.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Sat Dec 19 00:45:12 2015
 Response via : Initial Calibration

Manual Integrations
 APPROVED

apatel
 12/22/2015 12:34:52 PM



(72) Anthracene

17.602min (-0.000) 2.74ng/ul

response 21317

Ion	Exp%	Act%
178.00	100	100
179.00	15.40	18.00
176.00	17.90	20.45
0.00	0.00	0.00

Quantitation Report (Qedit)


Data Path : Z:\HPCHEM1\BNA_G\Data\BG121915\
 Data File : BG020285.D
 Acq On : 18 Dec 2015 21:31
 Operator : UM/SJ
 Sample : G4768-06
 Misc :
 ALS Vial : 18 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 D9N30

Quant Time: Dec 19 00:50:53 2015
 Quant Method : Z:\HPCHEM1\BNA_G\METHODS\SOM02.2-EPA-BG121415.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Sat Dec 19 00:45:12 2015
 Response via : Initial Calibration

Manual Integrations
 APPROVED

apatel
 12/22/2015 12:34:52 PM



(72) Anthracene

17.602min (-0.000) 3.65ng/ul m V.M

response 28424

12/22/15

Ion	Exp%	Act%
178.00	100	100
179.00	15.40	18.00
176.00	17.90	20.45
0.00	0.00	0.00

Data Path : Z:\HPCHEM1\BNA G\DATA\BG121915\
 Data File : BG020285.D
 Acq On : 18 Dec 2015 21:31
 Operator : UM/SJ
 Sample : G4768-06
 Misc :
 ALS Vial : 18 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 D9N30

Quant Time: Dec 19 04:12:39 2015
 Quant Method : Z:\HPCHEM1\BNA G\METHODS\SOM02.2-EPA-BG121415.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Sat Dec 19 00:45:12 2015
 Response via : Initial Calibration

Manual Integrations
 APPROVED

apatel
 12/22/2015 12:34:52 PM

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.09	152	16723	20.00	ng/ul	0.00
18) Naphthalene-d8	10.91	136	72485	20.00	ng/ul	0.00
36) Acenaphthene-d10	14.72	164	53686	20.00	ng/ul	0.00
62) Phenanthrene-d10	17.47	188	140271	20.00	ng/ul	0.00
78) Chrysene-d12	21.74	240	180742	20.00	ng/ul	0.00
86) Perylene-d12	25.02	264	167862	20.00	ng/ul	0.00

System Monitoring Compounds

3) 1,4-Dioxane-d8	3.47	96	378	1.25	ng/uL	0.00
5) Phenol-d5	7.24	99	9767	6.62	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	7.41	67	27041	30.73	ng/ul	0.00
9) 2-Chlorophenol-d4	7.62	132	29128	27.16	ng/ul	0.00
13) 4-Methylphenol-d8	8.79	113	19010	15.07	ng/ul	0.00
19) Nitrobenzene-d5	9.26	128	19071	33.75	ng/ul	0.00
22) 2-Nitrophenol-d4	9.98	143	22604	35.95	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.52	165	39123	30.72	ng/ul	0.00
29) 4-Chloroaniline-d4	11.02	131	1677m	1.17	ng/ul	-0.02
44) Dimethylphthalate-d6	14.12	166	155464	35.80	ng/ul	0.00
47) Acenaphthylene-d8	14.42	160	173466	34.33	ng/ul	0.00
52) 4-Nitrophenol-d4	14.91	143	4640	5.96	ng/ul	0.00
58) Fluorene-d10	15.72	176	138069	35.05	ng/ul	0.00
63) 4,6-Dinitro-2-methylphenol	15.83	200	25458	30.62	ng/ul	0.00
71) Anthracene-d10	17.57	188	221064	34.20	ng/ul	0.00
79) Pyrene-d10	19.85	212	271092	32.18	ng/ul	0.00
90) Benzo(a)pyrene-d12	24.79	264	296989	35.47	ng/ul	0.00

Target Compounds

						Ovalue
28) Naphthalene	10.96	128	89252	23.58	ng/ul	100
34) 2-Methylnaphthalene	12.56	142	44062	15.24	ng/ul	93
35) 1-Methylnaphthalene	12.78	142	46348	16.67	ng/ul	94
41) 1,1'-Biphenyl	13.56	154	42994	10.62	ng/ul	92
48) Acenaphthylene	14.45	152	15535	2.89	ng/ul	98
50) Acenaphthene	14.79	153	252265	69.85	ng/ul	100
54) Dibenzofuran	15.12	168	165398	30.79	ng/ul	99
59) Fluorene	15.77	166	160073	37.10	ng/ul	99
70) Phenanthrene	17.51	178	459381	59.87	ng/ul	99
72) Anthracene	17.60	178	28424m	3.65	ng/ul	99
75) Carbazole	17.87	167	42708	6.53	ng/ul	99
77) Fluoranthene	19.52	202	133325	14.87	ng/ul	96
80) Pyrene	19.88	202	78449	7.17	ng/ul	97

(#) = qualifier out of range (m) = manual integration (+) = signals summed