

Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG121923\
 Data File : BG060095.D
 Acq On : 19 Dec 2023 21:30
 Operator : MA/JU
 Sample : 05592-02DL3 500X
 Misc :
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 MW05D-NAPLDL2

Quant Time: Dec 20 00:47:08 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_G\Methods\8270-BG121323.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Dec 19 04:37:23 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.953	152	59972	20.000	ng	0.00
21) Naphthalene-d8	10.756	136	223264	20.000	ng	# 0.00
39) Acenaphthene-d10	14.587	164	204960	20.000	ng	-0.01
64) Phenanthrene-d10	17.336	188	587296	20.000	ng	#-0.01
76) Chrysene-d12	21.608	240	654652	20.000	ng	#-0.01
86) Perylene-d12	24.798	264	742681	20.000	ng	-0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.521	112	326	0.093	ng	0.00
7) Phenol-d6	7.096	99	253	0.051	ng	-0.02
23) Nitrobenzene-d5	9.123	82	160	0.033	ng	0.00
42) 2,4,6-Tribromophenol	16.067	330	78	0.016	ng	-0.02
45) 2-Fluorobiphenyl	13.218	172	693	0.041	ng	0.00
79) Terphenyl-d14	19.957	244	3603	0.100	ng	-0.01
Target Compounds						
						Qvalue
31) Naphthalene	10.809	128	310779	26.739	ng	97
33) 4-Chloroaniline	10.803	127	41901	9.475	ng	# 30
37) 2-Methylnaphthalene	12.413	142	101055	11.086	ng	95
38) 1-Methylnaphthalene	12.630	142	63556	7.058	ng	85
49) Acenaphthylene	14.311	152	71146	3.951	ng	97
51) 2,6-Dinitrotoluene	14.593	165	31228	9.476	ng	# 23
58) Fluorene	15.638	166	43189	2.539	ng	92
69) Atrazine	16.767	200	104	Below Cal		# 34
71) Phenanthrene	17.378	178	225345	7.922	ng	96
72) Anthracene	17.466	178	58925	2.060	ng	96
75) Fluoranthene	19.393	202	99748	2.403	ng	90
78) Pyrene	19.757	202	146545	3.693	ng	97


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG121923\
Data File : BG060095.D
Acq On : 19 Dec 2023 21:30
Operator : MA/JU
Sample : 05592-02DL3 500X
Misc :
ALS Vial : 15 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
MW05D-NAPLDL2

Quant Time: Dec 20 00:47:08 2023
Quant Method : Z:\svoasrv\HPCHEM1\BNA_G\Methods\8270-BG121323.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Dec 19 04:37:23 2023
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.953 min Scan# 81
Delta R.T. -0.006 min
Lab File: BG060095.D
Acq: 19 Dec 2023 21:30




Instrument :
BNA_G
ClientSampleId :
MW05D-NAPLDL2


Tgt Ion:152 Resp: 59972
Ion Ratio Lower Upper
152 100
150 147.0 127.0 190.6
115 54.3 45.7 68.5



#5
2-Fluorophenol
Concen: 0.093 ng
RT: 5.521 min Scan# 414
Delta R.T. -0.005 min
Lab File: BG060095.D
Acq: 19 Dec 2023 21:30

Tgt Ion:112 Resp: 326
Ion Ratio Lower Upper
112 100
64 0.0 55.9 83.9#
63 0.0 36.5 54.7#









#7
Phenol-d6
Concen: 0.051 ng
RT: 7.096 min Scan# 61
Delta R.T. -0.017 min
Lab File: BG060095.D
Acq: 19 Dec 2023 21:30




Instrument :
BNA_G
ClientSampleId :
MW05D-NAPLDL2


Tgt Ion: 99 Resp: 253
Ion Ratio Lower Upper
99 100
42 0.0 16.2 24.4#
71 0.0 37.6 56.4#



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.756 min Scan# 1305
Delta R.T. -0.005 min
Lab File: BG060095.D
Acq: 19 Dec 2023 21:30

Tgt Ion:136 Resp: 223264
Ion Ratio Lower Upper
136 100
137 11.0 7.3 10.9#
54 11.6 9.6 14.4
68 3.1 4.1 6.1#









#23
Nitrobenzene-d5
Concen: 0.033 ng
RT: 9.123 min Scan# 1027
Delta R.T. 0.001 min
Lab File: BG060095.D
Acq: 19 Dec 2023 21:30




Instrument :
BNA_G
ClientSampleId :
MW05D-NAPLDL2


Tgt Ion: 82 Resp: 160
Ion Ratio Lower Upper
82 100
128 0.0 26.3 39.5#
54 95.5 44.3 66.5#



#31
Naphthalene
Concen: 26.739 ng
RT: 10.809 min Scan# 1314
Delta R.T. -0.005 min
Lab File: BG060095.D
Acq: 19 Dec 2023 21:30

Tgt Ion: 128 Resp: 310779
Ion Ratio Lower Upper
128 100
129 9.7 9.2 13.8
127 11.8 9.7 14.5









#33
4-Chloroaniline
Concen: 9.475 ng
RT: 10.803 min Scan# 11
Delta R.T. -0.111 min
Lab File: BG060095.D
Acq: 19 Dec 2023 21:30




Instrument :
BNA_G
ClientSampleId :
MW05D-NAPLDL2


Tgt Ion:	127	Resp:	41901
Ion Ratio	Lower	Upper	
127	100		
129	86.2	25.7	38.5#
65	3.0	32.3	48.5#
92	0.0	19.7	29.5#



#37
2-Methylnaphthalene
Concen: 11.086 ng
RT: 12.413 min Scan# 1587
Delta R.T. -0.011 min
Lab File: BG060095.D
Acq: 19 Dec 2023 21:30

Tgt Ion:	142	Resp:	101055
Ion Ratio	Lower	Upper	
142	100		
141	92.9	69.9	104.9
115	48.0	36.1	54.1









#38
1-Methylnaphthalene
Concen: 7.058 ng
RT: 12.630 min Scan# 1
Delta R.T. -0.011 min
Lab File: BG060095.D
Acq: 19 Dec 2023 21:30




Instrument :
BNA_G
ClientSampleId :
MW05D-NAPLDL2


Tgt Ion:142 Resp: 63556
Ion Ratio Lower Upper
142 100
141 81.3 76.9 115.3
116 4.1 3.5 5.3



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.587 min Scan# 1957
Delta R.T. -0.011 min
Lab File: BG060095.D
Acq: 19 Dec 2023 21:30

Tgt Ion:164 Resp: 204960
Ion Ratio Lower Upper
164 100
162 105.7 88.1 132.1
160 42.0 35.4 53.0









#42
2,4,6-Tribromophenol
Concen: 0.016 ng
RT: 16.067 min Scan# 21
Delta R.T. -0.017 min
Lab File: BG060095.D
Acq: 19 Dec 2023 21:30




Instrument :
BNA_G
ClientSampleId :
MW05D-NAPLDL2


Tgt Ion:330 Resp: 78
Ion Ratio Lower Upper
330 100
332 344.9 76.2 114.4#
141 167.9 14.3 21.5#



#45
2-Fluorobiphenyl
Concen: 0.041 ng
RT: 13.218 min Scan# 1724
Delta R.T. 0.001 min
Lab File: BG060095.D
Acq: 19 Dec 2023 21:30

Tgt Ion:172 Resp: 693
Ion Ratio Lower Upper
172 100
171 0.0 30.1 45.1#
170 0.0 20.0 30.0#









#49
Acenaphthylene
Concen: 3.951 ng
RT: 14.311 min Scan# 1910
Delta R.T. -0.011 min
Lab File: BG060095.D
Acq: 19 Dec 2023 21:30




Instrument :
BNA_G
ClientSampleId :
MW05D-NAPL2


Tgt Ion:152 Resp: 71146
Ion Ratio Lower Upper
152 100
151 19.5 15.8 23.8
153 15.9 11.0 16.4



#51
2,6-Dinitrotoluene
Concen: 9.476 ng
RT: 14.593 min Scan# 1958
Delta R.T. 0.424 min
Lab File: BG060095.D
Acq: 19 Dec 2023 21:30

Tgt Ion:165 Resp: 31228
Ion Ratio Lower Upper
165 100
63 0.0 48.2 72.2#
89 1.6 44.4 66.6#









#58
 Fluorene
 Concen: 2.539 ng
 RT: 15.638 min Scan# 2136
 Delta R.T. -0.005 min
 Lab File: BG060095.D
 Acq: 19 Dec 2023 21:30




Instrument :
 BNA_G
 ClientSampleId :
 MW05D-NAPLDL2


Tgt Ion:166 Resp: 43189
 Ion Ratio Lower Upper
 166 100
 165 91.8 80.2 120.2
 167 11.3 10.3 15.5



#64
 Phenanthrene-d10
 Concen: 20.000 ng
 RT: 17.336 min Scan# 2425
 Delta R.T. -0.011 min
 Lab File: BG060095.D
 Acq: 19 Dec 2023 21:30

Tgt Ion:188 Resp: 587296
 Ion Ratio Lower Upper
 188 100
 94 2.1 3.0 4.6#
 80 2.0 4.0 6.0#









#71
Phenanthrene
Concen: 7.922 ng
RT: 17.378 min Scan# 2433
Delta R.T. -0.011 min
Lab File: BG060095.D
Acq: 19 Dec 2023 21:30




Instrument :
BNA_G
ClientSampleId :
MW05D-NAPLDL2


Tgt Ion:178 Resp: 225345
Ion Ratio Lower Upper
178 100
176 16.7 15.6 23.4
179 15.5 12.6 19.0



#72
Anthracene
Concen: 2.060 ng
RT: 17.466 min Scan# 2447
Delta R.T. -0.011 min
Lab File: BG060095.D
Acq: 19 Dec 2023 21:30

Tgt Ion:178 Resp: 58925
Ion Ratio Lower Upper
178 100
176 17.2 15.0 22.6
179 13.7 12.6 19.0









#75
Fluoranthene
Concen: 2.403 ng
RT: 19.393 min Scan# 21
Delta R.T. -0.011 min
Lab File: BG060095.D
Acq: 19 Dec 2023 21:30




Instrument :
BNA_G
ClientSampleId :
MW05D-NAPLDL2


Tgt Ion:202 Resp: 99748
Ion Ratio Lower Upper
202 100
101 0.0 0.0 24.2
203 21.7 0.0 37.6



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.608 min Scan# 3152
Delta R.T. -0.011 min
Lab File: BG060095.D
Acq: 19 Dec 2023 21:30

Tgt Ion:240 Resp: 654652
Ion Ratio Lower Upper
240 100
120 1.1 2.9 4.3#
236 25.9 19.4 29.2









#78
Pyrene
Concen: 3.693 ng
RT: 19.757 min Scan# 2837
Delta R.T. -0.005 min
Lab File: BG060095.D
Acq: 19 Dec 2023 21:30




Instrument :
BNA_G
ClientSampleId :
MW05D-NAPLDL2


Tgt Ion:202 Resp: 146545
Ion Ratio Lower Upper
202 100
200 20.7 17.6 26.4
203 20.2 14.9 22.3



#79
Terphenyl-d14
Concen: 0.100 ng
RT: 19.957 min Scan# 2871
Delta R.T. -0.011 min
Lab File: BG060095.D
Acq: 19 Dec 2023 21:30

Tgt Ion:244 Resp: 3603
Ion Ratio Lower Upper
244 100
212 8.0 6.8 10.2
122 0.0 2.6 3.8





#86

Perylene-d12

Concen: 20.000 ng

RT: 24.798 min Scan# 30

Delta R.T. -0.017 min

Lab File: BG060095.D


Acq: 19 Dec 2023 21:30

Instrument :

BNA_G

ClientSampleId :

MW05D-NAPLDL2



Tgt Ion:264 Resp: 742681

Ion Ratio Lower Upper

264 100

260 23.9 18.5 27.7

265 21.3 17.3 25.9

