

Data Path : Z:\HPCHEM1\BNA G\DATA\BG122215\
 Data File : BG020444.D
 Acq On : 23 Dec 2015 15:29
 Operator : UM/SJ
 Sample : G4768-21DL 10X
 Misc :
 ALS Vial : 35 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 D9N45DL

Quant Time: Dec 23 17:07:29 2015
 Quant Method : Z:\HPCHEM1\BNA G\METHODS\SOM02.2-EPA-BG121415.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Tue Dec 22 05:02:37 2015
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.09	152	17164	20.00	ng/ul	0.00
18) Naphthalene-d8	10.90	136	71601	20.00	ng/ul	-0.01
36) Acenaphthene-d10	14.72	164	51588	20.00	ng/ul	0.00
62) Phenanthrene-d10	17.46	188	140019	20.00	ng/ul	0.00
78) Chrysene-d12	21.73	240	176121	20.00	ng/ul	-0.01
86) Perylene-d12	25.00	264	165060	20.00	ng/ul	-0.02

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev(Min)
3) 1,4-Dioxane-d8	0.00	96	0	0.00	ng/uL	
5) Phenol-d5	7.24	99	1066	0.70	ng/ul	-0.01
7) Bis-(2-Chloroethyl)ether-d	7.40	67	2929	3.24	ng/ul	-0.01
9) 2-Chlorophenol-d4	7.61	132	3137	2.85	ng/ul	-0.01
13) 4-Methylphenol-d8	8.80	113	2269	1.75	ng/ul	-0.01
19) Nitrobenzene-d5	9.25	128	1757	3.15	ng/ul	0.00
22) 2-Nitrophenol-d4	9.98	143	2239	3.60	ng/ul	-0.01
26) 2,4-Dichlorophenol-d3	10.52	165	4049	3.22	ng/ul	0.00
29) 4-Chloroaniline-d4	0.00	131	0	0.00	ng/ul	
44) Dimethylphthalate-d6	14.11	166	16918	4.05	ng/ul	-0.01
47) Acenaphthylene-d8	14.41	160	19384	3.99	ng/ul	0.00
52) 4-Nitrophenol-d4	0.00	143	0	0.00	ng/ul	
58) Fluorene-d10	15.71	176	16145	4.27	ng/ul	-0.01
63) 4,6-Dinitro-2-methylphenol	15.82	200	1238	1.49	ng/ul	-0.02
71) Anthracene-d10	17.56	188	26690	4.14	ng/ul	-0.01
79) Pyrene-d10	19.84	212	31157	3.80	ng/ul	0.00
90) Benzo(a)pyrene-d12	24.77	264	32787	3.98	ng/ul	-0.02

Target Compounds	R.T.	QIon	Response	Conc	Units	Ovalue
28) Naphthalene	10.95	128	128483	34.36	ng/ul	99
34) 2-Methylnaphthalene	12.55	142	17859	6.25	ng/ul	98
41) 1,1'-Biphenyl	13.55	154	5847	1.50	ng/ul	91
50) Acenaphthene	14.78	153	29781	8.58	ng/ul	96
54) Dibenzofuran	15.11	168	21263	4.12	ng/ul	99
59) Fluorene	15.76	166	18338	4.42	ng/ul	98
70) Phenanthrene	17.50	178	41178	5.38	ng/ul	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA G\DATA\BG122215\
Data File : BG020444.D
Acq On : 23 Dec 2015 15:29
Operator : UM/SJ
Sample : G4768-21DL 10X
Misc :
ALS Vial : 35 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
D9N45DL

Quant Time: Dec 23 17:07:29 2015
Quant Method : Z:\HPCHEM1\BNA G\METHODS\SOM02.2-EPA-BG121415.M
Quant Title : SVOA CALIBRATION
QLast Update : Tue Dec 22 05:02:37 2015
Response via : Initial Calibration

