

Data Path : Z:\HPCHEM1\BNA G\DATA\BG122415\
 Data File : BG020485.D
 Acq On : 24 Dec 2015 23:06
 Operator : UM/SJ
 Sample : G4955-01
 Misc :
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 C04F5

Manual Integrations
 APPROVED

Sohil
 12/28/2015 6:03:28 PM

Quant Time: Dec 25 03:02:07 2015
 Quant Method : Z:\HPCHEM1\BNA G\METHODS\SOM02.2-EPA-BG122415.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Fri Dec 25 02:19:33 2015
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.07	152	17851	20.00	ng/ul	0.00
18) Naphthalene-d8	10.89	136	76203	20.00	ng/ul	0.00
36) Acenaphthene-d10	14.71	164	54203	20.00	ng/ul	0.00
62) Phenanthrene-d10	17.46	188	134522	20.00	ng/ul	0.00
78) Chrysene-d12	21.73	240	170797	20.00	ng/ul	0.00
86) Perylene-d12	25.00	264	162089	20.00	ng/ul	0.00

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev(Min)
3) 1,4-Dioxane-d8	3.45	96	286	0.88	ng/uL	0.00
5) Phenol-d5	7.24	99	10776	7.52	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	7.40	67	25073	29.54	ng/ul	0.00
9) 2-Chlorophenol-d4	7.61	132	28794	26.20	ng/ul	0.00
13) 4-Methylphenol-d8	8.79	113	21831	18.11	ng/ul	0.00
19) Nitrobenzene-d5	9.25	128	18294	30.63	ng/ul	0.00
22) 2-Nitrophenol-d4	9.97	143	21719	31.98	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.52	165	42814	32.57	ng/ul	0.00
29) 4-Chloroaniline-d4	0.00	131	0	0.00	ng/ul	0.00
44) Dimethylphthalate-d6	14.11	166	155951	34.91	ng/ul	0.00
47) Acenaphthylene-d8	14.41	160	176889	34.18	ng/ul	0.00
52) 4-Nitrophenol-d4	14.93	143	4711m	6.33	ng/ul	0.01
58) Fluorene-d10	15.70	176	137154	33.95	ng/ul	0.00
63) 4,6-Dinitro-2-methylphenol	15.82	200	24016	26.94	ng/ul	0.00
71) Anthracene-d10	17.56	188	220252	34.96	ng/ul	0.00
79) Pyrene-d10	19.84	212	264808	35.81	ng/ul	0.00
90) Benzo(a)pyrene-d12	24.77	264	297296	36.28	ng/ul	0.00

Target Compounds	R.T.	QIon	Response	Conc	Units	Ovalue
70) Phenanthrene	17.50	178	10633	1.42	ng/ul	96

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\HPCHEM1\BNA G\DATA\BG122415\
Data File : BG020485.D
Acq On : 24 Dec 2015 23:06
Operator : UM/SJ
Sample : G4955-01
Misc :
ALS Vial : 13 Sample Multiplier: 1


Instrument :
BNA_G
ClientSampleId :
C04F5

Manual Integrations
APPROVED

Sohil
12/28/2015 6:03:28 PM

Quant Time: Dec 25 03:02:07 2015
Quant Method : Z:\HPCHEM1\BNA G\METHODS\SOM02.2-EPA-BG122415.M
Quant Title : SVOA CALIBRATION
QLast Update : Fri Dec 25 02:19:33 2015
Response via : Initial Calibration





#70

Phenanthrene

Concen: 1.42 ng/ul

RT: 17.50 min Scan# 2495

Delta R.T. 0.00 min

Lab File: BG020485.D


Acq: 24 Dec 2015 23:06

Instrument :

BNA_G

ClientSampleId :

C04F5



Tot Ion:	178	Resp:	10633
Ion Ratio	Lower	Upper	
178	100		
179	16.3	12.9	19.3
176	22.1	15.3	22.9

Manual Integrations
APPROVED

Sohil
12/28/2015 6:03:28 PM

