

Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG122624\
 Data File : BG063878.D
 Acq On : 27 Dec 2024 21:48
 Operator : RC/JU
 Sample : PB165796BL
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 SBLK796

Quant Time: Dec 27 23:33:12 2024
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_G\Methods\SFAM-EPA-BG121124.MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Tue Dec 24 00:44:39 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.798	152	101342	20.000	ng/u1	0.00
20) Naphthalene-d8	10.589	136	395464	20.000	ng/u1	0.00
38) Acenaphthene-d10	14.443	164	273999	20.000	ng/u1	0.00
64) Phenanthrene-d10	17.193	188	656099	20.000	ng/u1	0.00
79) Chrysene-d12	21.446	240	732753	20.000	ng/u1	0.00
88) Perylene-d12	24.461	264	765304	20.000	ng/u1	0.02
System Monitoring Compounds						
3) 1,4-Dioxane-d8	3.262	96	16656	6.441	ng/uL	0.00
4) Pyridine-d5	3.673	84	256962	31.498	ng/u1	0.00
7) Phenol-d5	6.987	99	256027	27.431	ng/u1	0.00
9) Bis-(2-Chloroethyl)eth...	7.128	67	172046	26.689	ng/u1	0.00
11) 2-Chlorophenol-d4	7.339	132	174732	28.917	ng/u1	0.00
15) 4-Methylphenol-d8	8.515	113	192608	26.580	ng/u1	0.00
21) Nitrobenzene-d5	8.955	128	85960	30.443	ng/u1	0.00
24) 2-Nitrophenol-d4	9.672	143	96935	30.626	ng/u1	0.00
28) 2,4-Dichlorophenol-d3	10.218	165	175726	28.676	ng/u1	0.00
31) 4-Chloroaniline-d4	10.724	131	219679	28.233	ng/u1	0.00
46) Dimethylphthalate-d6	13.849	166	558777	29.970	ng/u1	0.00
49) Acenaphthylene-d8	14.131	160	641342	30.176	ng/u1	0.00
54) 4-Nitrophenol-d4	14.678	143	61480	23.273	ng/u1	0.00
60) Fluorene-d10	15.436	176	492229	29.860	ng/u1	0.00
65) 4,6-Dinitro-2-methylph...	15.671	200	748	0.220	ng/u1	0.10
73) Anthracene-d10	17.292	188	859818	30.481	ng/u1	0.00
81) Pyrene-d10	19.596	212	1072299	28.122	ng/u1	0.00
92) Benzo(a)pyrene-d12	24.261	264	1121022	31.192	ng/u1	0.02

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG122624\
Data File : BG063878.D
Acq On : 27 Dec 2024 21:48
Operator : RC/JU
Sample : PB165796BL
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
SBLK796

Quant Time: Dec 27 23:33:12 2024
Quant Method : Z:\svoasrv\HPCHEM1\BNA_G\Methods\SFAM-EPA-BG121124.MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Tue Dec 24 00:44:39 2024
Response via : Initial Calibration

