

Data Path : Z:\HPCHEM1\BNA_M\DATA\BM123015\
 Data File : BM003844.D
 Acq On : 29 Dec 2015 00:33
 Operator : SJ/UM
 Sample : G4848-10
 Misc :
 ALS Vial : 14 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :

Quant Time: Dec 29 08:19:24 2015
 Quant Method : Z:\HPCHEM1\BNA_M\METHODS\SOM02.2-EPA-SIM-BM121515.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Dec 29 07:09:39 2015
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.68	152	3913	0.40	ng/ul	0.00
4) Naphthalene-d8	10.46	136	17329	0.40	ng/ul	-0.01
8) Acenaphthene-d10	14.33	164	10465	0.40	ng/ul	0.00
12) Phenanthrene-d10	17.07	188	23116m	0.40	ng/ul	0.00
18) Chrysene-d12	21.29	240	19905	0.40	ng/ul	0.00
22) Perylene-d12	23.52	264	13207m	0.40	ng/ul	-0.01

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev(Min)
2) 1,4-Dioxane-d8	3.14	96	18447	11.03	ng/uL	-0.02
6) 2-Methylnaphthalene-d10	12.07	152	7586	0.37	ng/ul	0.00
16) Fluoranthene-d10	19.11	212	19778m	0.40	ng/ul	-0.01

Target Compounds	R.T.	QIon	Response	Conc	Units	Qvalue
5) Naphthalene	10.51	128	23235	0.60	ng/ul	97
7) 2-Methylnaphthalene	12.13	142	8696	0.33	ng/ul	99
9) Acenaphthylene	14.04	152	1162	0.03	ng/ul#	82
10) Acenaphthene	14.38	153	15494	0.48	ng/ul#	81
11) Fluorene	15.39	166	16164m	0.45	ng/ul	
14) Phenanthrene	17.11	178	76179m	1.28	ng/ul	
17) Fluoranthene	19.15	202	41341	0.64	ng/ul	93
19) Pyrene	19.51	202	30722	0.57	ng/ul	94
20) Benzo(a)anthracene	21.27	228	5674	0.12	ng/ul	94
21) Chrysene	21.32	228	4593	0.08	ng/ul	93
26) Indeno(1,2,3-cd)pyrene	25.77	276	419m	0.01	ng/ul	

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_M\DATA\BM123015\
Data File : BM003844.D
Acq On : 29 Dec 2015 00:33
Operator : SJ/UM
Sample : G4848-10
Misc :
ALS Vial : 14 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :

Quant Time: Dec 29 08:19:24 2015
Quant Method : Z:\HPCHEM1\BNA_M\METHODS\SOM02.2-EPA-SIM-BM121515.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Dec 29 07:09:39 2015
Response via : Initial Calibration

