

Data Path : Z:\HPCHEM1\BNA G\DATA\BG122815\
 Data File : BG020569.D
 Acq On : 28 Dec 2015 17:55
 Operator : UM/SJ
 Sample : G4846-13DL 50X
 Misc :
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 D9N59DL

Quant Time: Dec 29 04:31:07 2015
 Quant Method : Z:\HPCHEM1\BNA G\METHODS\SOM02.2-EPA-BG122415.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Tue Dec 29 02:56:07 2015
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.07	152	11693	20.00	ng/ul	0.00
18) Naphthalene-d8	10.88	136	50660	20.00	ng/ul	0.00
36) Acenaphthene-d10	14.70	164	40503	20.00	ng/ul	0.00
62) Phenanthrene-d10	17.45	188	123003	20.00	ng/ul	0.00
78) Chrysene-d12	21.72	240	165341	20.00	ng/ul	0.00
86) Perylene-d12	24.99	264	156917	20.00	ng/ul	0.00

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev(Min)
3) 1,4-Dioxane-d8	0.00	96	0	0.00	ng/uL	
5) Phenol-d5	0.00	99	0d	0.00	ng/ul	
7) Bis-(2-Chloroethyl)ether-d	7.39	67	225	0.40	ng/ul	0.00
9) 2-Chlorophenol-d4	0.00	132	0d	0.00	ng/ul	
13) 4-Methylphenol-d8	0.00	113	0	0.00	ng/ul	
19) Nitrobenzene-d5	0.00	128	0	0.00	ng/ul	
22) 2-Nitrophenol-d4	0.00	143	0	0.00	ng/ul	
26) 2,4-Dichlorophenol-d3	0.00	165	0d	0.00	ng/ul	
29) 4-Chloroaniline-d4	0.00	131	0	0.00	ng/ul	
44) Dimethylphthalate-d6	14.10	166	2749	0.82	ng/ul	0.00
47) Acenaphthylene-d8	14.40	160	2597	0.67	ng/ul	0.00
52) 4-Nitrophenol-d4	0.00	143	0	0.00	ng/ul	
58) Fluorene-d10	15.70	176	2639	0.87	ng/ul	0.00
63) 4,6-Dinitro-2-methylphenol	0.00	200	0	0.00	ng/ul	
71) Anthracene-d10	17.55	188	5364	0.93	ng/ul	0.00
79) Pyrene-d10	19.83	212	5977	0.83	ng/ul	0.00
90) Benzo(a)pyrene-d12	24.76	264	6322	0.80	ng/ul	0.00

Target Compounds	R.T.	QIon	Response	Conc	Units	Ovalue
28) Naphthalene	10.94	128	97490	36.20	ng/ul	97
34) 2-Methylnaphthalene	12.53	142	11102	5.57	ng/ul	99
41) 1,1'-Biphenyl	13.55	154	3156	1.01	ng/ul#	88
50) Acenaphthene	14.77	153	15896	5.78	ng/ul	98
54) Dibenzofuran	15.10	168	12918	3.16	ng/ul	100
59) Fluorene	15.75	166	11222	3.39	ng/ul#	96
70) Phenanthrene	17.49	178	28478	4.16	ng/ul	97

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA G\DATA\BG122815\
Data File : BG020569.D
Acq On : 28 Dec 2015 17:55
Operator : UM/SJ
Sample : G4846-13DL 50X
Misc :
ALS Vial : 5 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
D9N59DL

Quant Time: Dec 29 04:31:07 2015
Quant Method : Z:\HPCHEM1\BNA G\METHODS\SOM02.2-EPA-BG122415.M
Quant Title : SVOA CALIBRATION
QLast Update : Tue Dec 29 02:56:07 2015
Response via : Initial Calibration

