

Data Path : Z:\HPCHEM1\BNA G\DATA\BG122815\
 Data File : BG020580.D
 Acq On : 29 Dec 2015 1:43
 Operator : UM/SJ
 Sample : G4847-06DL 100X
 Misc :
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 D9N70DL

Manual Integrations
 APPROVED

UMANGI
 12/29/2015 4:55:11 PM

Quant Time: Dec 29 06:09:02 2015
 Quant Method : Z:\HPCHEM1\BNA G\METHODS\SOM02.2-EPA-BG122415.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Tue Dec 29 05:04:12 2015
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.07	152	12183	20.00	ng/ul	0.00
18) Naphthalene-d8	10.89	136	54592	20.00	ng/ul	0.00
36) Acenaphthene-d10	14.71	164	43016	20.00	ng/ul	0.00
62) Phenanthrene-d10	17.45	188	131530	20.00	ng/ul	0.00
78) Chrysene-d12	21.72	240	169928	20.00	ng/ul	0.00
86) Perylene-d12	24.99	264	159477	20.00	ng/ul	0.00

System Monitoring Compounds

3) 1,4-Dioxane-d8	0.00	96	0	0.00	ng/uL	
5) Phenol-d5	0.00	99	0	0.00	ng/ul	
7) Bis-(2-Chloroethyl)ether-d	0.00	67	0	0.00	ng/ul	
9) 2-Chlorophenol-d4	0.00	132	0	0.00	ng/ul	
13) 4-Methylphenol-d8	0.00	113	0	0.00	ng/ul	
19) Nitrobenzene-d5	0.00	128	0	0.00	ng/ul	
22) 2-Nitrophenol-d4	0.00	143	0	0.00	ng/ul	
26) 2,4-Dichlorophenol-d3	0.00	165	0	0.00	ng/ul	
29) 4-Chloroaniline-d4	0.00	131	0	0.00	ng/ul	
44) Dimethylphthalate-d6	14.11	166	1705	0.48	ng/ul	0.00
47) Acenaphthylene-d8	14.40	160	1848	0.45	ng/ul	0.00
52) 4-Nitrophenol-d4	0.00	143	0	0.00	ng/ul	
58) Fluorene-d10	15.70	176	1853	0.58	ng/ul	0.00
63) 4,6-Dinitro-2-methylphenol	0.00	200	0	0.00	ng/ul	
71) Anthracene-d10	17.54	188	3712m	0.60	ng/ul	0.00
79) Pyrene-d10	19.83	212	3533	0.48	ng/ul	0.00
90) Benzo(a)pyrene-d12	24.77	264	3603	0.45	ng/ul	0.00

Target Compounds

					Ovalue
28) Naphthalene	10.93	128	195683	67.43	ng/ul 98
34) 2-Methylnaphthalene	12.54	142	16896	7.87	ng/ul 91
41) 1,1'-Biphenyl	13.54	154	4387m	1.32	ng/ul
50) Acenaphthene	14.77	153	22903	7.85	ng/ul 99
54) Dibenzofuran	15.10	168	18731	4.31	ng/ul 95
59) Fluorene	15.75	166	14001	3.98	ng/ul 99
70) Phenanthrene	17.49	178	30435	4.16	ng/ul 99
75) Carbazole	17.86	167	34641	5.49	ng/ul 97

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA G\DATA\BG122815\
Data File : BG020580.D
Acq On : 29 Dec 2015 1:43
Operator : UM/SJ
Sample : G4847-06DL 100X
Misc :
ALS Vial : 15 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
D9N70DL

Manual Integrations
APPROVED

UMANGI
12/29/2015 4:55:11 PM

Quant Time: Dec 29 06:09:02 2015
Quant Method : Z:\HPCHEM1\BNA G\METHODS\SOM02.2-EPA-BG122415.M
Quant Title : SVOA CALIBRATION
QLast Update : Tue Dec 29 05:04:12 2015
Response via : Initial Calibration

