

Data Path : Z:\HPCHEM1\HPLC B\DATA\HB011013\
Data File : HB001027.D
Signal(s) : DAD1A.CH
Acq On : 10-Jan-2013, 11:35
Operator : OM
Sample : HSTDCCC0500
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
HPLC_B
ClientSampleId :
HSTDCCC0500

Integration File: autoint1.e
Quant Time: Jan 31 05:41:21 2013
Quant Method : Z:\HPCHEM1\HPLC_B\METHOD\HB010913.M
Quant Title :
QLast Update : Wed Jan 09 14:12:24 2013
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 50 ul
Signal Phase : ZORBAX Extend-C18
Signal Info : 4.6 X 100mm 3.5-Micron 80A

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvaRF	CCRF	%Dev	Area%	Dev(Min)
1 S	4-Nitroaniline	690.658	618.393	10.5	95	0.00
2 T	HMX	811.870	850.938	-4.8	108	0.00
3 T	RDX	628.379	612.762	2.5	97	0.00
4 T	1,3,5-Trinitrobenzene	1.449	1.372 E3	5.3	101	0.00
5 T	1,3-Dinitrobenzene	1.379	1.353 E3	1.9	100	0.00
6 T	Nitrobenzene	1.070	1.022 E3	4.5	99	0.00
7 T	Tetryl	1022.717	1000.625	2.2	98	0.00
8 T	2,4,6-Trinitrotoluene	1.164	1.163 E3	0.1	98	0.00
9 T	2-Amino-4,6-dinitrotoluene	1.446	1.435 E3	0.8	96	0.00
10 T	4-Amino-2,6-dinitrotoluene	1094.498	1197.341	-9.4	95	0.00
11 T	2,4-Dinitrotoluene	1.368	1.447 E3	-5.8	98	0.00
12 T	2,6-Dinitrotoluene	926.934	895.776	3.4	83	0.00
13 T	2-Nitrotoluene	788.945	860.800	-9.1	98	0.00
14 T	4-Nitrotoluene	1.198	1.141 E3	4.8	97	0.00
15 T	3-Nitrotoluene	1.036	1.064 E3	-2.7	100	0.00

Evaluate Continuing Calibration Report - Not Found

(#) = Out of Range

SPCC's out = 0 CCC's out = 0