

Data Path : Z:\HPCHEM1\HPLC B\DATA\HB011013\
Data File : HB001027.D
Signal(s) : DAD1A.CH
Acq On : 10-Jan-2013, 11:35
Operator : OM
Sample : HSTDCCC0500
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
HPLC_B
ClientSampleId :
HSTDCCC0500

Integration File: autoint1.e
Quant Time: Jan 31 05:41:21 2013
Quant Method : Z:\HPCHEM1\HPLC_B\METHOD\HB010913.M
Quant Title :
QLast Update : Wed Jan 09 14:12:24 2013
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 50 ul
Signal Phase : ZORBAX Extend-C18
Signal Info : 4.6 X 100mm 3.5-Micron 80A

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(Min)
1 S	4-Nitroaniline	500.000	447.684	10.5	95	0.00
2 T	HMX	500.000	524.060	-4.8	108	0.00
3 T	RDX	500.000	487.574	2.5	97	0.00
4 T	1,3,5-Trinitrobenzene	500.000	473.688	5.3	101	0.00
5 T	1,3-Dinitrobenzene	500.000	490.672	1.9	100	0.00
6 T	Nitrobenzene	500.000	477.524	4.5	99	0.00
7 T	Tetryl	500.000	489.200	2.2	98	0.00
8 T	2,4,6-Trinitrotoluene	500.000	499.716	0.1	98	0.00
9 T	2-Amino-4,6-dinitrotoluene	500.000	496.347	0.7	96	0.00
10 T	4-Amino-2,6-dinitrotoluene	500.000	546.982	-9.4	95	0.00
11 T	2,4-Dinitrotoluene	500.000	529.159	-5.8	98	0.00
12 T	2,6-Dinitrotoluene	500.000	483.193	3.4	83	0.00
13 T	2-Nitrotoluene	500.000	545.539	-9.1	98	0.00
14 T	4-Nitrotoluene	500.000	476.409	4.7	97	0.00
15 T	3-Nitrotoluene	500.000	513.211	-2.6	100	0.00

Evaluate Continuing Calibration Report - Not Found

(#) = Out of Range

SPCC's out = 0 CCC's out = 0