

Data Path : Z:\HPCHEM1\HPLC B\DATA\HB011013\
 Data File : HB001030.D
 Signal(s) : DAD1A.CH
 Acq On : 10-Jan-2013, 13:02
 Operator : OM
 Sample : HSTDCCC0500
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 HPLC_B
 ClientSampleId :
 HSTDCCC0500

Integration File: autoint1.e
 Quant Time: Jan 31 05:41:43 2013
 Quant Method : Z:\HPCHEM1\HPLC_B\METHOD\HB010913.M
 Quant Title :
 QLast Update : Wed Jan 09 14:12:24 2013
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 50 ul
 Signal Phase : ZORBAX Extend-C18
 Signal Info : 4.6 X 100mm 3.5-Micron 80A

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvaRF	CCRF	%Dev	Area%	Dev(Min)
1 S	4-Nitroaniline	690.658	621.113	10.1	95	-0.01
2 T	HMX	811.870	849.270	-4.6	108	0.00
3 T	RDX	628.379	613.538	2.4	98	-0.02
4 T	1,3,5-Trinitrobenzene	1.449	1.358 E3	6.3	100	-0.03
5 T	1,3-Dinitrobenzene	1.379	1.348 E3	2.2	99	-0.04
6 T	Nitrobenzene	1.070	0.992 E3	7.3	96	-0.06
7 T	Tetryl	1022.717	934.250	8.7	91	-0.12
8 T	2,4,6-Trinitrotoluene	1.164	1.067 E3	8.3	90	-0.11
9 T	2-Amino-4,6-dinitrotoluene	1.446	1.370 E3	5.3	92	-0.13
10 T	4-Amino-2,6-dinitrotoluene	1094.498	1085.961	0.8	86	-0.14
11 T	2,4-Dinitrotoluene	1.368	1.399 E3	-2.3	95	-0.15
12 T	2,6-Dinitrotoluene	926.934	889.294	4.1	82	-0.16
13 T	2-Nitrotoluene	788.945	805.304	-2.1	92	-0.22
14 T	4-Nitrotoluene	1.198	1.009 E3	15.8	86	-0.24
15 T	3-Nitrotoluene	1.036	1.194 E3	-15.3	112	-0.26

Evaluate Continuing Calibration Report - Not Found

(#) = Out of Range

SPCC's out = 0 CCC's out = 0