

Data Path : Z:\HPCHEM1\HPLC B\DATA\HB011013\
Data File : HB001030.D
Signal(s) : DAD1A.CH
Acq On : 10-Jan-2013, 13:02
Operator : OM
Sample : HSTDCCC0500
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
HPLC_B
ClientSampleId :
HSTDCCC0500

Integration File: autoint1.e
Quant Time: Jan 31 05:41:43 2013
Quant Method : Z:\HPCHEM1\HPLC_B\METHOD\HB010913.M
Quant Title :
QLast Update : Wed Jan 09 14:12:24 2013
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 50 ul
Signal Phase : ZORBAX Extend-C18
Signal Info : 4.6 X 100mm 3.5-Micron 80A

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(Min)
1 S	4-Nitroaniline	500.000	449.653	10.1	95	-0.01
2 T	HMX	500.000	523.033	-4.6	108	0.00
3 T	RDX	500.000	488.191	2.4	98	-0.02
4 T	1,3,5-Trinitrobenzene	500.000	468.648	6.3	100	-0.03
5 T	1,3-Dinitrobenzene	500.000	488.872	2.2	99	-0.04
6 T	Nitrobenzene	500.000	463.647	7.3	96	-0.06
7 T	Tetryl	500.000	456.749	8.7	91	-0.12
8 T	2,4,6-Trinitrotoluene	500.000	458.276	8.3	90	-0.11
9 T	2-Amino-4,6-dinitrotoluene	500.000	474.015	5.2	92	-0.13
10 T	4-Amino-2,6-dinitrotoluene	500.000	496.100	0.8	86	-0.14
11 T	2,4-Dinitrotoluene	500.000	511.551	-2.3	95	-0.15
12 T	2,6-Dinitrotoluene	500.000	479.697	4.1	82	-0.16
13 T	2-Nitrotoluene	500.000	510.368	-2.1	92	-0.22
14 T	4-Nitrotoluene	500.000	421.032	15.8	86	-0.24
15 T	3-Nitrotoluene	500.000	576.252	-15.3	112	-0.26

Evaluate Continuing Calibration Report - Not Found

(#) = Out of Range

SPCC's out = 0 CCC's out = 0