

Data Path : Z:\HPCHEM1\HPLC B\DATA\HB011013\
Data File : HB001038.D
Signal(s) : DAD1A.CH
Acq On : 10-Jan-2013, 22:10
Operator : OM
Sample : HSTDICV0500
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
HPLC_B
ClientSampleId :
HSTDICV0500

Integration File: autoint1.e
Quant Time: Jan 31 05:43:29 2013
Quant Method : Z:\HPCHEM1\HPLC_B\METHOD\HB011013.M
Quant Title :
QLast Update : Fri Jan 11 12:05:05 2013
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 50 ul
Signal Phase : Synerqi HYDRO-RP
Signal Info : 250 X 4.60 mm 4 micron

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvaRF	CCRF	%Dev	Area%	Dev(Min)
1 S	4-Nitroaniline	1.695	1.579 E3	6.8	91	-0.08
2 T	HMX	2.167	2.150 E3	0.8	101	-0.03
3 T	RDX	3.115	2.734 E3	12.2	97	-0.10
4 T	1,3,5-Trinitrobenzene	3.487	3.604 E3	-3.4	103	-0.15
5 T	1,3-Dinitrobenzene	3.359	3.488 E3	-3.8	104	-0.23
6 T	Tetryl	2.624	2.577 E3	1.8	92	-0.33
7 T	Nitrobenzene	2.515	2.656 E3	-5.6	105	-0.33
8 T	2,4,6-Trinitrotoluene	2.808	2.900 E3	-3.3	102	-0.37
9 T	4-Amino-2,6-dinitrotoluene	2.930	2.910 E3	0.7	97	-0.44
10 T	2-Amino-4,6-dinitrotoluene	3.985	3.744 E3	6.0	102	-0.43
11 T	2,6-Dinitrotoluene	1.886	1.868 E3	1.0	106	-0.63#
12 T	2,4-Dinitrotoluene	3.784	3.252 E3	14.1	83	-0.53#
13 T	2-Nitrotoluene	2.214	2.032 E3	8.2	75	-0.78#
14 T	4-Nitrotoluene	2.648	2.614 E3	1.3	93	-0.81#
15 T	3-Nitrotoluene	2.718	2.592 E3	4.6	98	-0.90#

Evaluate Continuing Calibration Report - Not Found

(#) = Out of Range

SPCC's out = 0 CCC's out = 0