

Data Path : Z:\HPCHEM1\HPLC B\DATA\HB011013\
Data File : HB001047.D
Signal(s) : DAD1A.CH
Acq On : 11-Jan-2013, 04:49
Operator : OM
Sample : HSTDCCC0500
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
HPLC_B
LabSampleId :
HSTDCCC0500

Integration File: autoint1.e
Quant Time: Jan 31 05:45:51 2013
Quant Method : Z:\HPCHEM1\HPLC_B\METHOD\HB011013.M
Quant Title :
QLast Update : Fri Jan 11 12:05:05 2013
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 50 ul
Signal Phase : Synerqi HYDRO-RP
Signal Info : 250 X 4.60 mm 4 micron

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvaRF	CCRF	%Dev	Area%	Dev(Min)
1 S	4-Nitroaniline	1.695	1.616 E3	4.7	94	-0.20
2 T	HMX	2.167	2.103 E3	3.0	99	-0.09
3 T	RDX	3.115	2.835 E3	9.0	100	-0.25
4 T	1,3,5-Trinitrobenzene	3.487	3.492 E3	-0.1	100	-0.39
5 T	1,3-Dinitrobenzene	3.359	3.356 E3	0.1	100	-0.62#
6 T	Tetryl	2.624	2.830 E3	-7.9	101	-0.88#
7 T	Nitrobenzene	2.515	2.570 E3	-2.2	102	-0.86#
8 T	2,4,6-Trinitrotoluene	2.808	2.800 E3	0.3	98	-0.97#
9 T	4-Amino-2,6-dinitrotoluene	2.930	2.969 E3	-1.3	99	-1.16#
10 T	2-Amino-4,6-dinitrotoluene	3.985	3.706 E3	7.0	101	-1.15#
11 T	2,6-Dinitrotoluene	1.886	1.924 E3	-2.0	109	-1.63#
12 T	2,4-Dinitrotoluene	3.784	3.406 E3	10.0	87	-1.39#
13 T	2-Nitrotoluene	2.214	2.021 E3	8.7	74	-1.97#
14 T	4-Nitrotoluene	2.648	2.777 E3	-4.9	99	-2.10#
15 T	3-Nitrotoluene	2.718	2.682 E3	1.3	101	-2.33#

Evaluate Continuing Calibration Report - Not Found

(#) = Out of Range

SPCC's out = 0 CCC's out = 0