

Data Path : Z:\HPCHEM1\HPLC B\DATA\HB011013\
Data File : HB001047.D
Signal(s) : DAD1A.CH
Acq On : 11-Jan-2013, 04:49
Operator : OM
Sample : HSTDCCC0500
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
HPLC_B
LabSampleId :
HSTDCCC0500

Integration File: autoint1.e
Quant Time: Jan 31 05:45:51 2013
Quant Method : Z:\HPCHEM1\HPLC_B\METHOD\HB011013.M
Quant Title :
QLast Update : Fri Jan 11 12:05:05 2013
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 50 ul
Signal Phase : Synerqi HYDRO-RP
Signal Info : 250 X 4.60 mm 4 micron

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(Min)
1 S	4-Nitroaniline	500.000	476.767	4.6	94	-0.20
2 T	HMX	500.000	485.301	2.9	99	-0.09
3 T	RDX	500.000	514.975	-3.0	100	-0.25
4 T	1,3,5-Trinitrobenzene	500.000	500.766	-0.2	100	-0.39
5 T	1,3-Dinitrobenzene	500.000	499.542	0.1	100	-0.62#
6 T	Tetryl	500.000	539.167	-7.8	101	-0.88#
7 T	Nitrobenzene	500.000	510.916	-2.2	102	-0.86#
8 T	2,4,6-Trinitrotoluene	500.000	498.583	0.3	98	-0.97#
9 T	4-Amino-2,6-dinitrotoluene	500.000	506.714	-1.3	99	-1.16#
10 T	2-Amino-4,6-dinitrotoluene	500.000	464.987	7.0	101	-1.15#
11 T	2,6-Dinitrotoluene	500.000	509.926	-2.0	109	-1.63#
12 T	2,4-Dinitrotoluene	500.000	449.969	10.0	87	-1.39#
13 T	2-Nitrotoluene	500.000	456.351	8.7	74	-1.97#
14 T	4-Nitrotoluene	500.000	524.262	-4.9	99	-2.10#
15 T	3-Nitrotoluene	500.000	493.344	1.3	101	-2.33#

Evaluate Continuing Calibration Report - Not Found

(#) = Out of Range

SPCC's out = 0 CCC's out = 0