

Data File : Z:\HPCHEM1\HPLC_B\DATA\HB082212\HB000772.D Vial: 1
 Acq On : 22-Aug-2012, 15:11 Operator: HNP
 Sample : HSTDICC1200 Inst : G1315A
 Misc : Multiplr: 1.00
 IntFile : autoint1.e
 Quant Time: Aug 23 10:49 2012 Quant Results File: HB082212.RES

Quant Method : Z:\HPCHEM1\HPLC_B\METHOD\HB082212.M
 Title :
 Last Update : Fri May 27 11:31:07 2011
 Response via : Initial Calibration
 DataAcq Meth : NEWTEST.M

Volume Inj. : 10 ul
 Signal Phase : Synergi HYDRO-RP
 Signal Info : 250 X 4.60 mm 4 micron

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
1) S 1,2-Dinitrobenzene	10.24	352298	1216.504 ug/ml
Spiked Amount 500.000		Recovery	= 243.30%
Target Compounds			
2) T HMX	3.59	413598	1221.329 ug/ml
3) T RDX	6.28	328018	1233.381 ug/ml
4) T 1,3,5-Trinitrobenzene	8.76	706623	1220.006 ug/ml
5) T 1,3-Dinitrobenzene	12.11	839507	1887.518 ug/ml
7) T Nitrobenzene	14.62	284808	1436.980 ug/ml
8) T 2,4,6-Trinitrotoluene	15.12	502468	1170.413 ug/ml
9) T 4-Amino-2,6-dinitrotoluene	16.20	545903	1179.465 ug/ml
10) T 2-Amino-4,6-dinitrotoluene	17.04	536415	1198.875 ug/ml
11) T 2,6-Dinitrotoluene	19.68	333959	1191.615 ug/ml
12) T 2,4-Dinitrotoluene	20.23	398549	1201.317 ug/ml
13) T 2-Nitrotoluene	25.36	207273	1248.799 ug/ml
14) T 4-Nitrotoluene	27.15	121280	1218.233 ug/ml
15) T 3-Nitrotoluene	29.48	231793	1202.901 ug/ml

Quantitation Report

Data File : Z:\HPCHEM1\HPLC_B\DATA\HB082212\HB000772.D Vial: 1
Acq On : 22-Aug-2012, 15:11 Operator: HNP
Sample : HSTDICC1200 Inst : G1315A
Misc : Multiplr: 1.00
IntFile : autoint1.e
Quant Time: Aug 23 10:49 2012 Quant Results File: HB082212.RES

Quant Method : Z:\HPCHEM1\HPLC_B\METHOD\HB082212.M
Title :
Last Update : Fri May 27 11:31:07 2011
Response via : Multiple Level Calibration
DataAcq Meth : NEWTEST.M

Volume Inj. : 10 ul
Signal Phase : Synergi HYDRO-RP
Signal Info : 250 X 4.60 mm 4 micron

