

Data File : Z:\HPCHEM1\HPLC_B\DATA\HB082212\HB000775.D Vial: 2
 Acq On : 22-Aug-2012, 17:22 Operator: HNP
 Sample : HSTDICC1000 Inst : G1315A
 Misc : Multiplr: 1.00
 IntFile : autoint1.e
 Quant Time: Aug 23 10:49 2012 Quant Results File: HB082212.RES

Quant Method : Z:\HPCHEM1\HPLC_B\METHOD\HB082212.M
 Title :
 Last Update : Fri May 27 11:31:07 2011
 Response via : Initial Calibration
 DataAcq Meth : NEWTEST.M

Volume Inj. : 10 ul
 Signal Phase : Synergi HYDRO-RP
 Signal Info : 250 X 4.60 mm 4 micron

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
1) S 1,2-Dinitrobenzene	10.24	294262	1016.102 ug/ml
Spiked Amount 500.000		Recovery =	203.22%
Target Compounds			
2) T HMX	3.59	343914	1015.556 ug/ml
3) T RDX	6.29	272368	1024.131 ug/ml
4) T 1,3,5-Trinitrobenzene	8.75	587567	1014.453 ug/ml
5) T 1,3-Dinitrobenzene	12.11	689017	1549.162 ug/ml
7) T Nitrobenzene	14.62	241493	1218.435 ug/ml
8) T 2,4,6-Trinitrotoluene	15.12	421093	980.863 ug/ml
9) T 4-Amino-2,6-dinitrotoluene	16.19	451532	975.571 ug/ml
10) T 2-Amino-4,6-dinitrotoluene	17.03	445394	995.446 ug/ml
11) T 2,6-Dinitrotoluene	19.67	283704	1012.300 ug/ml
12) T 2,4-Dinitrotoluene	20.21	339821	1024.300 ug/ml
13) T 2-Nitrotoluene	25.36	172970	1042.126 ug/ml
14) T 4-Nitrotoluene	27.16	96878	973.118 ug/ml
15) T 3-Nitrotoluene	29.47	193537	1004.370 ug/ml

Quantitation Report

Data File : Z:\HPCHEM1\HPLC_B\DATA\HB082212\HB000775.D Vial: 2
Acq On : 22-Aug-2012, 17:22 Operator: HNP
Sample : HSTDICC1000 Inst : G1315A
Misc : Multiplr: 1.00
IntFile : autoint1.e
Quant Time: Aug 23 10:49 2012 Quant Results File: HB082212.RES

Quant Method : Z:\HPCHEM1\HPLC_B\METHOD\HB082212.M
Title :
Last Update : Fri May 27 11:31:07 2011
Response via : Multiple Level Calibration
DataAcq Meth : NEWTEST.M

Volume Inj. : 10 ul
Signal Phase : Synergi HYDRO-RP
Signal Info : 250 X 4.60 mm 4 micron

