

Data File : Z:\HPCHEM1\HPLC_B\DATA\HB082212\HB000776.D Vial: 3
 Acq On : 22-Aug-2012, 17:56 Operator: HNP
 Sample : HSTDICC0800 Inst : G1315A
 Misc : Multiplr: 1.00
 IntFile : autoint1.e
 Quant Time: Aug 23 10:50 2012 Quant Results File: HB082212.RES

Quant Method : Z:\HPCHEM1\HPLC_B\METHOD\HB082212.M
 Title :
 Last Update : Fri May 27 11:31:07 2011
 Response via : Initial Calibration
 DataAcq Meth : NEWTEST.M

Volume Inj. : 10 ul
 Signal Phase : Synergi HYDRO-RP
 Signal Info : 250 X 4.60 mm 4 micron

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
1) S 1,2-Dinitrobenzene	10.21	228030	787.399 ug/ml
Spiked Amount 500.000		Recovery =	157.48%
Target Compounds			
2) T HMX	3.58	269892	796.972 ug/ml
3) T RDX	6.27	213888	804.241 ug/ml
4) T 1,3,5-Trinitrobenzene	8.74	459568	793.459 ug/ml
5) T 1,3-Dinitrobenzene	12.08	541526	1217.548 ug/ml
7) T Nitrobenzene	14.59	186810	942.535 ug/ml
8) T 2,4,6-Trinitrotoluene	15.09	331565	772.323 ug/ml
9) T 4-Amino-2,6-dinitrotoluene	16.16	365383	789.439 ug/ml
10) T 2-Amino-4,6-dinitrotoluene	17.00	359126	802.639 ug/ml
11) T 2,6-Dinitrotoluene	19.66	217700	776.787 ug/ml
12) T 2,4-Dinitrotoluene	20.21	260067	783.901 ug/ml
13) T 2-Nitrotoluene	25.36	133493	804.282 ug/ml
14) T 4-Nitrotoluene	27.14	78364	787.150 ug/ml
15) T 3-Nitrotoluene	29.46	150348	780.240 ug/ml

Quantitation Report

Data File : Z:\HPCHEM1\HPLC_B\DATA\HB082212\HB000776.D Vial: 3
Acq On : 22-Aug-2012, 17:56 Operator: HNP
Sample : HSTDICC0800 Inst : G1315A
Misc : Multiplr: 1.00
IntFile : autoint1.e
Quant Time: Aug 23 10:50 2012 Quant Results File: HB082212.RES

Quant Method : Z:\HPCHEM1\HPLC_B\METHOD\HB082212.M
Title :
Last Update : Fri May 27 11:31:07 2011
Response via : Multiple Level Calibration
DataAcq Meth : NEWTEST.M

Volume Inj. : 10 ul
Signal Phase : Synergi HYDRO-RP
Signal Info : 250 X 4.60 mm 4 micron

