

Data File : Z:\HPCHEM1\HPLC_B\DATA\HB082212\HB000777.D Vial: 5
Acq On : 22-Aug-2012, 18:31 Operator: HNP
Sample : HSTDICC0400 Inst : G1315A
Misc : Multiplr: 1.00
IntFile : autoint1.e
Quant Time: Aug 23 10:50 2012 Quant Results File: HB082212.RES

Quant Method : Z:\HPCHEM1\HPLC_B\METHOD\HB082212.M
Title :
Last Update : Fri May 27 11:31:07 2011
Response via : Initial Calibration
DataAcq Meth : NEWTEST.M

Volume Inj. : 10 ul
Signal Phase : Synergi HYDRO-RP
Signal Info : 250 X 4.60 mm 4 micron

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
1) S 1,2-Dinitrobenzene	10.24	114850	396.585 ug/ml
Spiked Amount 500.000		Recovery =	79.32%
Target Compounds			
2) T HMX	3.59	134362	396.763 ug/ml
3) T RDX	6.27	105790	397.783 ug/ml
4) T 1,3,5-Trinitrobenzene	8.75	229567	396.355 ug/ml
5) T 1,3-Dinitrobenzene	12.12	268229	603.076 ug/ml
7) T Nitrobenzene	14.63	97296	490.899 ug/ml
8) T 2,4,6-Trinitrotoluene	15.13	165120	384.618 ug/ml
9) T 4-Amino-2,6-dinitrotoluene	16.20	180462	389.903 ug/ml
10) T 2-Amino-4,6-dinitrotoluene	17.04	178384	398.685 ug/ml
11) T 2,6-Dinitrotoluene	19.69	110566	394.518 ug/ml
12) T 2,4-Dinitrotoluene	20.24	130767	394.161 ug/ml
13) T 2-Nitrotoluene	25.39	68613	413.387 ug/ml
14) T 4-Nitrotoluene	27.20	40233	404.132 ug/ml
15) T 3-Nitrotoluene	29.51	77061	399.910 ug/ml

Quantitation Report

Data File : Z:\HPCHEM1\HPLC_B\DATA\HB082212\HB000777.D Vial: 5
Acq On : 22-Aug-2012, 18:31 Operator: HNP
Sample : HSTDICC0400 Inst : G1315A
Misc : Multiplr: 1.00
IntFile : autoint1.e
Quant Time: Aug 23 10:50 2012 Quant Results File: HB082212.RES

Quant Method : Z:\HPCHEM1\HPLC_B\METHOD\HB082212.M
Title :
Last Update : Fri May 27 11:31:07 2011
Response via : Multiple Level Calibration
DataAcq Meth : NEWTEST.M

Volume Inj. : 10 ul
Signal Phase : Synergi HYDRO-RP
Signal Info : 250 X 4.60 mm 4 micron

