

Quantitation Report (Not Reviewed)

Data File : Z:\HPCHEM1\HPLC_B\DATA\HB010913\HB001010.D Vial: 2
Acq On : 09-Jan-2013, 11:58 Operator: QM
Sample : HSTDICC2000 Inst : G1315A
Misc : Multiplr: 1.00
IntFile : autoint1.e
Quant Time: Jan 9 13:52 2013 Quant Results File: HB010913.RES

Quant Method : Z:\HPCHEM1\HPLC_B\METHOD\HB010913.M
Title :
Last Update : Wed Jan 09 13:46:12 2013
Response via : Initial Calibration
DataAcq Meth : 8330AGIP.M

Volume Inj. : 50 ul
Signal Phase : ZORBAX Extend-C18
Signal Info : 4.6 X 100mm 3.5-Micron 80A

Compound		R.T.	Response	Conc Units


System Monitoring Compounds				
1) S	4-Nitroaniline	1.36	1191019	1792.850 ug/L
Target Compounds				
2) T	HMX	0.88	1444813	1822.252 ug/L
4) T	1,3,5-Trinitrobenzene	2.80	2687883	1943.943 ug/L
5) T	1,3-Dinitrobenzene	3.72	2645002	1981.733 ug/L
6) T	Nitrobenzene	4.99	1945490	1931.355 ug/L
7) T	Tetryl	6.75	1875248	1974.928 ug/L
8) T	2,4,6-Trinitrotoluene	7.04	2262545	2019.772 ug/L
9) T	2-Amino-4,6-dinitrotoluene	7.56	2813427	1956.385 ug/L


Quantitation Report

Data File : Z:\HPCHEM1\HPLC_B\DATA\HB010913\HB001010.D Vial: 2
Acq On : 09-Jan-2013, 11:58 Operator: QM
Sample : HSTDICC2000 Inst : G1315A
Misc : Multiplr: 1.00
IntFile : autoint1.e
Quant Time: Jan 9 13:52 2013 Quant Results File: HB010913.RES

Quant Method : Z:\HPCHEM1\HPLC_B\METHOD\HB010913.M
Title :
Last Update : Wed Jan 09 13:46:12 2013
Response via : Multiple Level Calibration
DataAcq Meth : 8330AGIP.M


Volume Inj. : 50 ul
Signal Phase : ZORBAX Extend-C18
Signal Info : 4.6 X 100mm 3.5-Micron 80A






#1 4-Nitroaniline

R.T.: 1.356 min
Delta R.T.: 0.000 min
Response: 1191019
Conc: 1792.85 ug/L




#2 HMX

R.T.: 0.882 min
Delta R.T.: 0.002 min
Response: 1444813
Conc: 1822.25 ug/L




#4 1,3,5-Trinitrobenzene

R.T.: 2.797 min
Delta R.T.: 0.015 min
Response: 2687883
Conc: 1943.94 ug/L




#5 1,3-Dinitrobenzene

R.T.: 3.718 min
Delta R.T.: 0.026 min
Response: 2645002
Conc: 1981.73 ug/L




#6 Nitrobenzene

R.T.: 4.988 min
Delta R.T.: 0.034 min
Response: 1945490
Conc: 1931.35 ug/L




#7 Tetryl

R.T.: 6.752 min
Delta R.T.: 0.060 min
Response: 1875248
Conc: 1974.93 ug/L



#8 2,4,6-Trinitrotoluene

R.T.: 7.036 min
Delta R.T.: 0.056 min
Response: 2262545
Conc: 2019.77 ug/L



#9 2-Amino-4,6-dinitrotoluene

R.T.: 7.562 min
Delta R.T.: 0.069 min
Response: 2813427
Conc: 1956.38 ug/L