

Data Path : Z:\HPCHEM1\HPLC_B\Data\HB010913\
Data File : HB001016.D
Signal(s) : DAD1A.CH
Acq On : 09-Jan-2013, 15:07
Operator : QM
Sample : HSTDICV0500
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
HPLC_B
ClientSampleId :
ICVHB010913

Integration File: autoint1.e
Quant Time: Feb 08 00:02:53 2013
Quant Method : Z:\HPCHEM1\HPLC_B\METHOD\HB010913.M
Quant Title :
QLast Update : Wed Jan 09 14:12:24 2013
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 50 ul
Signal Phase : ZORBAX Extend-C18
Signal Info : 4.6 X 100mm 3.5-Micron 80A

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(Min)
1 S	4-Nitroaniline	500.000	473.102	5.4	100	0.06
2 T	HMX	500.000	507.707	-1.5	105	0.03
3 T	RDX	500.000	505.868	-1.2	101	0.07
4 T	1,3,5-Trinitrobenzene	500.000	491.490	1.7	105	0.13
5 T	1,3-Dinitrobenzene	500.000	498.761	0.2	101	0.18
6 T	Nitrobenzene	500.000	483.117	3.4	100	0.26
7 T	Tetryl	500.000	454.446	9.1	91	0.45
8 T	2,4,6-Trinitrotoluene	500.000	512.496	-2.5	100	0.43
9 T	2-Amino-4,6-dinitrotoluene	500.000	527.012	-5.4	102	0.47
10 T	4-Amino-2,6-dinitrotoluene	500.000	507.544	-1.5	88	0.52#
11 T	2,4-Dinitrotoluene	500.000	460.415	7.9	85	0.53#
12 T	2,6-Dinitrotoluene	500.000	462.956	7.4	79	0.59#
13 T	2-Nitrotoluene	500.000	508.489	-1.7	91	0.81#
14 T	4-Nitrotoluene	500.000	422.249	15.6	86	0.88#
15 T	3-Nitrotoluene	500.000	458.392	8.3	89	0.96#

Evaluate Continuing Calibration Report - Not Found

(#) = Out of Range

SPCC's out = 0 CCC's out = 0